

ROQUET HYDRAULIC CONTROL VALVES

Distribuidores hidráulicos Roquet
Roquet Hydroventile
Distributeurs hydrauliques Roquet



DISTRIBUIDOR TIPO 102 - 3/8" BSP - 288 **40 L/MIN**

Control valve type 102 - 3/8" BSP - 40 L/min
Distributeur type 102 - 3/8" BSP - 40 L/min
Distributori tipo 102 - 3/8" BSP- 40 L/min

DISTRIBUIDOR TIPO 1102 - 1/2" BSP 289 **- 60 L/MIN**

Control valve type 1102 - 1/2" BSP - 60 L/min
Distributeur type 1102 - 1/2" BSP - 60 L/min
Distributori tipo 1102 - 1/2" BSP - 60 L/min

DISTRIBUIDOR TIPO 406 - 1/2" BSP - 290 **80 L/MIN**

Control valve type 406 - 1/2" BSP - 80 L/min
Distributeur type 406 - 1/2" BSP - 80 L/min
Distributori tipo 406 - 1/2" BSP - 80 L/min

DISTRIBUIDORES ESPECIALES 291

Special control valves
Distributeurs spéciaux
Distributori speciali

DISTRIBUIDOR TIPO 102 - 3/8" BSP - 40 L/MIN

Control valve type 102 - 3/8" BSP - 40 L/min

Distributeur type 102 - 3/8" BSP - 40 L/min

Distributori tipo 102 - 3/8" BSP- 40 L/min

Distr.tipo 102- 3/8" BSP- 40 L/min, 3 pos.retorno por muelle(tipo 1), Corredera doble efecto (tipo D)



Control valve type 102 - 3/8" BSP - 40 l/min D.A. spool (type D)

Distributeur type 102 - 3/8" BSP - 40 l/min Tiroir D.E. (type D)

Distributori tipo 102-3/8 BSP, 40 lt./min.,3 posiz. ritorno a molla (tipo1),cursore D.E. (tipo D)

	Part n° Referencia	THREAD ROSCA	MAX. FLOW (l/min) CAUDAL MÁXIMO (l/min)	MAX. PRESSURE (bar) PRESIÓN MÁX. (bar)	LEVERS N° PALANCAS	€
NEW	102C1PA12D	3/8" BSP	40	350	1	*
	102N1PA12D	3/8" BSP	40	350	1	*
	102N1PA12DD	3/8" BSP	40	350	2	*
	102N1PA12DS	3/8" BSP	40	350	2	*
	102N1PA12DDD	3/8" BSP	40	350	3	*
	102N1PA12DDS	3/8" BSP	40	350	3	*
	102N1PA12DDDD	3/8" BSP	40	350	4	*
	102N1PA12SSDD	3/8" BSP	40	350	4	*
	102N1PA12DDDDD	3/8" BSP	40	350	5	*

Distr.tipo 102- 3/8" BSP- 40 L/min, 3 pos.retorno por muelle(tipo 1), Corredera simple efecto(tipo S)



Control valve type 102 - 3/8" BSP - 40 l/min S.A. spool (type S)

Distributeur type 102 - 3/8" BSP - 40 l/min Tiroir S.E. (type S)

Distributori tipo 102-3/8 BSP, 40 lt./min.,3 posiz. ritorno a molla (tipo1),cursore D.E. (tipo S)

	Part n° Referencia	THREAD ROSCA	MAX. FLOW (l/min) CAUDAL MÁXIMO (l/min)	MAX. PRESSURE (bar) PRESIÓN MÁX. (bar)	LEVERS N° PALANCAS	€
	102N1PA12S	3/8" BSP	40	350	1	*
	102N1PA12SS	3/8" BSP	40	350	2	*
	102N1PA12DSS	3/8" BSP	40	350	3	*

Distr.tipo 102- 3/8" BSP rotativo 40L/min, corredera doble efecto sensibilizada (tipo E)



Double acting proportional spool (type E)

Tiroir double effet proportionnel (type E)

Distributore tipo 102- 3/8" BSP rotativo 40L/min, cursore doppio effetto sensibilizzato (tipo E)

	Part n° Referencia	THREAD ROSCA	DESCRIPTION DESCRIPCIÓN	MAX. FLOW (l/min) CAUDAL MÁX. (l/min)	MAX. PRESSURE (bar) PRESIÓN MÁX. (bar)	LEVERS N° PALANCAS	€
	102N355A12E	3/8" BSP	102N355A12E	40	350	1	*

DISTRIBUIDOR TIPO 1102 - 1/2" BSP - 60 L/MIN

Control valve type 1102 - 1/2" BSP - 60 L/min

Distributeur type 1102 - 1/2" BSP - 60 L/min

Distributori tipo 1102 - 1/2" BSP - 60 L/min



Distr.tipo 1102 - 1/2" BSP - 60L/min, Corredera doble efecto (tipo D)

Control valve type 1102 - 1/2" BSP - 60 l/min, double acting spool (type D)

Distributeur type 1102 - 1/2" BSP - 60 l/min, tiroir double effet (type D)

Distributore tipo 1102- 1/2" BSP 60L/min, cursore D.E. (tipo D)

Part n° Referencia	THREAD ROSCA	MAX. FLOW (l/min) CAUDAL MÁXIMO (l/min)	MAX. PRESSURE (bar) PRESIÓN MÁX. (bar)	LEVERS N° PALANCAS	€
1102N1PA12D	1/2" BSP	60	350	1	*
1102N1PA12DD	1/2" BSP	60	350	2	*



Distr.tipo 1102 - 1/2" BSP - 60L/min, Corredera simple efecto (tipo S)

Control valve type 1102 - 1/2" BSP - 60 l/min, single acting spool (type S)

Distributeur type 1102 - 1/2" BSP - 60 l/min, tiroir simple effet (type S)

Distributore tipo 1102- 1/2" BSP 60L/min, cursore S.E. (tipo S)

Part n° Referencia	THREAD ROSCA	MAX. FLOW (l/min) CAUDAL MÁX. (l/min)	LEVERS N° PALANCAS	€
1102N1PA12S	1/2" BSP	60	1	*



Distr.tipo 1102 - 1/2" BSP - 60L/min, Corredera motor (tipo I)

Control valve type 1102 - 1/2" BSP - 60 l/min, motor spool (type I)

Distributeur type 1102 - 1/2" BSP - 60 l/min, tiroir moteur (type I)

Distributore tipo 1102- 1/2" BSP 60L/min, cursore motore (tipo I)

Part n° Referencia	THREAD ROSCA	MAX. FLOW (l/min) CAUDAL MÁX. (l/min)	LEVERS N° PALANCAS	€
1102N1PA12I	1/2" BSP	60	1	*
1102N1PA13I	1/2" BSP	60	1	*



Distr.tipo rotativo 1102 - 1/2" BSP - 60L/min, Corredera doble efecto sensibilizada (tipo E)

Distributeur type 1102 - 1/2" BSP - 60 l/min Motor spool (type E)

Distributori tipo 1102 - 1/2" BSP - 60 l/min Tiroir moteur (type E)

Distributore tipo rotativo 1102- 1/2" BSP 60L/min, cursore D.E. sensibilizzato tipo E

Part n° Referencia	THREAD ROSCA	MAX. FLOW (l/min) CAUDAL MÁX. (l/min)	MAX. PRESSURE (bar) PRESIÓN MÁX. (bar)	LEVERS N° PALANCAS	€
1102N35RA13E	1/2" BSP	60	350	1	*
1102N35SA12E	1/2" BSP	60	350	1	*

DISTRIBUIDOR TIPO 406 - 1/2" BSP - 80 L/MIN

Control valve type 406 - 1/2" BSP - 80 L/min

Distributeur type 406 - 1/2" BSP - 80 L/min

Distributori tipo 406 - 1/2" BSP - 80 L/min



Distr.tipo 406-1/2" BSP - 80 L/min, 3 pos.retorno por muelle (tipo 1), Corredera doble efecto(Tipo D)

Control valve type 406 - 1/2" BSP - 80 l/min, double acting spool (type D)

Distributeur type 406 - 1/2" BSP - 80 l/min, tiroir double effet (type D)

Distributore tipo 406-1/2" BSP 80L/min, 3 posiz. ritorno a molla (tipo 1), cursore D.E. (tipo D)

Part n° Referencia	THREAD ROSCA	MAX. FLOW (l/min) CAUDAL MAX. (l/min)	MAX. PRESSURE (bar) PRESION MAX. (bar)	LEVERS Nº PALANCAS	€
406N1PA12D	1/2" BSP	80	350	1	*
406N1PA12DD	1/2" BSP	80	350	2	*
406N1PA12DDD	1/2" BSP	80	350	3	*
406N1PA12DDDDD	1/2" BSP	80	350	5	*
<small>NEW</small> 406N1PA13DDDDDDDD	1/2" BSP	80	350	8	*
406N1PA12DDDDDDDD	1/2" BSP	80	350	9	*

FLUIDAL

DISTRIBUIDORES ESPECIALES

Special control valves
Distributeurs spéciaux
Distributori speciali



Distribuidores especiales

Special control valve
Distributeurs spéciaux
Distributori speciali

	Part n° Referencia	THREAD ROSCA	DESCRIPTION DESCRIPCIÓN	MAX. FLOW (l/min) CAUDAL MAX. (l/min)	MAX. PRESSURE (bar) PRESION MAX. (bar)	LEVERS N° PALANCAS	€
NEW	102N7SA12I-TR1	3/8" BSP	102N7SA12I-TR1	40	350	1	*
	102C11CX-JD1	3/8" BSP	102C11CX-JD1 (JOHN DEERE)	40	350	6	*
	102C11CXX-JD1	3/8" BSP	102C11CXX-JD1 (JOHN DEERE)	40	350	6	*
	1102C11CXX-JD1	1/2" BSP	1102C11CXX-JD1 (JOHN DEERE)	60	350	2	*
	102N7HA3S-A1	3/8" BSP	102N7HA3S-A1	40	350	6	*
	102N7PA12S	3/8" BSP	102N7PA12S	40	350	6	*

