

VÁLVULAS DE CONTROL

Control Valves
Valves de contrôle
Valvole di controllo



VÁLVULAS DE MANIOBRA 306

Maneuvering valves
Valves de manoeuvre
Valvole di manovra

VÁLVULAS NEUMÁTICAS EN LÍNEA 316

Pneumatic valves in line
Valves pneumatiques en ligne
Valvole pneumatiche in linea

FLUIDAL

VÁLVULAS DE MANIOBRA

Maneuvering valves
Valves de manoeuvre
Valvole di manovra

Válvulas con acc. eléctrico - 5/2 monoestable



Solenoid pneumatic valve 5/2 monostable

Vannes 5/2 avec actionnement électrique mono-stable

Elettrovalvole pneumatiche – 5/2 monostabili

Referencia Part n°	ROSCA THREAD	CUERPO BODY	PRESION TRABAJO (bar) WORK PRESSURE (bar)	€
NEU100070	1/8" BSP	1/8"	8	26,21
NEU100073	1/8" BSP	1/4"	8	21,36
NEU100075	1/4" BSP	1/4"	8	23,03
NEU100080	3/8" BSP	3/8"	8	26,15
NEU100085	1/2" BSP	1/2"	8	62,35

Sin bobinas y sin conectores. / Without coils and without connectors. / Sans bobines et sans connecteurs. / Senza bobina e senza connettori.

Válvulas con acc. eléctrico - 5/2 biestable



Solenoid pneumatic valve 5/2 bistable

Vannes 5/2 avec actionnement électrique bi-stable

Elettrovalvole pneumatiche – 5/2 bistabili

Referencia Part n°	ROSCA THREAD	CUERPO BODY	PRESION TRABAJO (bar) WORK PRESSURE (bar)	€
NEU100090	1/8" BSP	1/8"	8	40,94
NEU100093	1/8" BSP	1/4"	8	34,02
NEU100095	1/4" BSP	1/4"	8	36,15
NEU100100	3/8" BSP	3/8"	8	39,23
NEU100105	1/2" BSP	1/2"	8	67,38

Sin bobinas y sin conectores. / Without coils and without connectors. / Sans bobines et sans connecteurs. / Senza bobina e senza connettori.

Válvulas con acc. eléctrico - 5/3 centro cerrado



Solenoid pneumatic valve 5/3 closed center

Vannes 5/3 avec actionnement électrique centre fermé

Elettrovalvole pneumatiche – 5/3 C. C.

Referencia Part n°	ROSCA THREAD	CUERPO BODY	PRESION TRABAJO (bar) WORK PRESSURE (bar)	€
NEU100110	1/8" BSP	1/8"	8	68,28
NEU100113	1/8" BSP	1/4"	8	71,58
NEU100115	1/4" BSP	1/4"	8	90,62
NEU100118	3/8" BSP	3/8"	8	107,05
NEU100120	1/2" BSP	1/2"	8	117,45

Sin bobinas y sin conectores. / Without coils and without connectors. / Sans bobines et sans connecteurs. / Senza bobina e senza connettori.

Válvulas con acc. eléctrico - 5/3 centro abierto



Solenoid pneumatic valve 5/3 open center

Vannes 5/3 avec actionnement électrique centre ouvert

Elettrovalvole pneumatiche – 5/3 C.A.

Referencia Part n°	ROSCA THREAD	CUERPO BODY	PRESION TRABAJO (bar) WORK PRESSURE (bar)	€
NEU100125	1/8" BSP	1/8"	8	76,93
NEU100128	1/8" BSP	1/4"	8	75,19
NEU100130	1/4" BSP	1/4"	8	71,71
NEU100133	3/8" BSP	3/8"	8	90,45
NEU100135	1/2" BSP	1/2"	8	139,79

Sin bobinas y sin conectores. / Without coils and without connectors. / Sans bobines et sans connecteurs. / Senza bobina e senza connettori.

VÁLVULAS DE MANIOBRA

Maneuvering valves
Valves de manoeuvre
Valvole di manovra

Válvulas con acc. eléctrico 3/2 - normalmente abierta



Solenoid pneumatic valve 3/2 normally open

Vannes avec actionnement électrique 3/2 normalement ouverte

Elettrovalvole pneumatiche – 3/2 N.A.

Referencia Part n°	ROSCA THREAD	CUERPO BODY	PRESION TRABAJO (bar) WORK PRESSURE (bar)	€
NEU100620	1/8" BSP	1/8"	8	26,48
NEU100623	1/8" BSP	1/4"	8	20,25
NEU100625	1/4" BSP	1/4"	8	22,44
NEU100628	3/8" BSP	3/8"	8	26,81
NEU100630	1/2" BSP	1/2"	8	53,47

Sin bobinas y sin conectores. / Without coils and without connectors. / Sans bobines et sans connecteurs. / Senza bobina e senza connettori.

Válvulas con acc. eléctrico 3/2 - normalmente cerrada



Solenoid pneumatic valve 3/2 normally closed

Vannes avec actionnement électrique 3/2 normalement fermée

Elettrovalvole pneumatiche – 3/2 N.C.

Referencia Part n°	ROSCA THREAD	CUERPO BODY	PRESION TRABAJO (bar) WORK PRESSURE (bar)	€
NEU100600	1/8" BSP	1/8"	8	25,57
NEU100603	1/8" BSP	1/4"	8	21,72
NEU100605	1/4" BSP	1/4"	8	21,42
NEU100608	3/8" BSP	3/8"	8	26,81
NEU100610	1/2" BSP	1/2"	8	37,31

Sin bobinas y sin conectores. / Without coils and without connectors. / Sans bobines et sans connecteurs. / Senza bobina e senza connettori.

Bobinas



Coils

Bobines

Bobine

Referencia Part n°	BOBINA COIL	POTENCIA POWER	VOLTAJE (V) VOLTAGE (V)	€
NEU100220	STANDARD	3.0	12 VDC	6,94
NEU100221	1/8	2.8	12 VDC	6,94
NEU100225	STANDARD	3.0	24 VDC	6,63
NEU100226	1/8	2.8	24 VDC	6,99
NEU100230	STANDARD	4.0	24 VDC	6,98
NEU100231	1/8	3.0	24 VAC	6,94
NEU100235	STANDARD	4.0	110 VAC	6,95
NEU100236	1/8	3.0	110 VAC	6,94
NEU100240	STANDARD	4.0	220 VAC	6,63
NEU100241	1/8	3.0	220 VAC	6,94

Conectores



Connectors

Connecteurs

Connettori

Referencia Part n°	CONECTOR	VOLTAJE (V) VOLTAGE (V)	€
NEU100215AC	STANDARD	AC	2,69
NEU100215DC	STANDARD	DC	2,69
NEU100216AC	1/8	AC	2,15
NEU100216DC	1/8	DC	2,04

NEU100215... foto superior y NEU100216... foto inferior / NEU100215... top photo and NEU100216... bottom photo / NEU100215... photo du haut y NEU100216... photo du bas / NEU100215... foto superiore e NEU100216... foto inferiore

VÁLVULAS DE MANIOBRA

Maneuvering valves
Valves de manoeuvre
Valvole di manovra

Placas base para válvulas neumáticas 3/2



Subplates for pneumatic valves 3/2

Embases pour valves pneumatiques 3/2

Piastra di base per valvole pneumatiche 3/2

Referencia Part n°	ROSCA THREAD	N° ELEMENTOS ELEMENTS NR.	€
NEU100800	1/8" BSP	2	12,52
NEU100805	1/8" BSP	3	17,51
NEU100810	1/8" BSP	4	22,58
NEU100815	1/8" BSP	5	27,58
NEU100820	1/8" BSP	6	32,57
NEU100825	1/8" BSP	7	37,64
NEU100830	1/8" BSP	8	41,14
NEU100835	1/4" BSP	2	12,52
NEU100840	1/4" BSP	3	17,51
NEU100845	1/4" BSP	4	22,58
NEU100850	1/4" BSP	5	27,58
NEU100855	1/4" BSP	6	32,57
NEU100860	1/4" BSP	7	37,64
NEU100865	1/4" BSP	8	42,63
NEU100870	3/8" BSP	2	21,44
NEU100875	3/8" BSP	3	30,03
NEU100880	3/8" BSP	4	38,54
NEU100885	3/8" BSP	5	47,13
NEU100890	3/8" BSP	6	55,64
NEU100895	3/8" BSP	7	64,23
NEU100900	3/8" BSP	8	72,74
NEU100905	1/2" BSP	2	40,75
NEU100910	1/2" BSP	3	57,52
NEU100915	1/2" BSP	4	74,30
NEU100920	1/2" BSP	5	90,99
NEU100925	1/2" BSP	6	107,77
NEU100930	1/2" BSP	7	124,46
NEU100935	1/2" BSP	8	141,23

Placas base para válvulas neumáticas 5/2, 5/3



Subplates for pneumatic valves 5/2 & 5/3

Plaques pour valves pneumatiques 5/2 et 5/3

Piastra di base per valvole pneumatiche 5/2, 5/3

Referencia Part n°	ROSCA THREAD	N° ELEMENTOS ELEMENTS NR.	€
NEU100940	1/8" BSP	2	12,52
NEU100945	1/8" BSP	3	17,51
NEU100950	1/8" BSP	4	22,58
NEU100955	1/8" BSP	5	27,58
NEU100960	1/8" BSP	6	32,57
NEU100965	1/8" BSP	7	37,64
NEU100970	1/8" BSP	8	42,63
NEU100975	1/4" BSP	2	11,46
NEU100980	1/4" BSP	3	16,04
NEU100985	1/4" BSP	4	20,62
NEU100990	1/4" BSP	5	25,20
NEU100995	1/4" BSP	6	29,79
NEU101000	1/4" BSP	7	34,37
NEU101005	1/4" BSP	8	37,64
NEU101010	3/8" BSP	2	17,84
NEU101015	3/8" BSP	3	24,96
NEU101020	3/8" BSP	4	32,08
NEU101025	3/8" BSP	5	39,28
NEU101030	3/8" BSP	6	46,40
NEU101035	3/8" BSP	7	53,52
NEU101040	3/8" BSP	8	60,63
NEU101045	1/2" BSP	2	35,76
NEU101050	1/2" BSP	3	50,08
NEU101055	1/2" BSP	4	64,40
NEU101060	1/2" BSP	5	78,72
NEU101065	1/2" BSP	6	93,04
NEU101070	1/2" BSP	7	107,36
NEU101075	1/2" BSP	8	121,68

VÁLVULAS DE MANIOBRA

Maneuvering valves
Valves de manoeuvre
Valvole di manovra

Válvulas de rodillo 3/2 monoestable normalmente cerrada



Fixed roller 3/2 monostable normally closed

Vannes à rouleau 3/2 monostable normalement fermée

Valvola a rotella 3/2 monostabile N.C.

Referencia Part n°	ROSCA THREAD	DESCRIPCIÓN	€
NEU100370	1/8" BSP	3/2 Monostable NC	16,07

Válvulas de rodillo bidireccional 3/2 monoestable normalmente cerrada



Fixed roller 3/2 monostable normally closed

Vannes à rouleau bidirectionnel 3/2 monostable normalement fermée

Valvola a rotella bidirezionale 3/2 monostabile N.C.

Referencia Part n°	ROSCA THREAD	DESCRIPCIÓN	€
NEU100375	1/8" BSP	3/2 Monostable N.C.	22,49
NEU100380	1/4" BSP	3/2 Monostable N.C.	22,41

Válvulas de rodillo bidireccional 5/2 monoestable



Fixed roller 5/2 monostable

Vannes à rouleau bidirectionnel 5/2 monostable

Valvola a rotella bidirezionale 5/2 monostabile

Referencia Part n°	ROSCA THREAD	DESCRIPCIÓN	€
NEU100390	1/8" BSP	5/2 Monostable	24,91
NEU100395	1/4" BSP	5/2 Monostable	24,91

Pedales neumáticos 5/2 biestable con protección



Pneumatic foot pedal 5/2 bistable with protection

Pédales pneumatiques 5/2 bistable avec protection

Pedali pneumatici 5/2 bistabili con protezione

Referencia Part n°	ROSCA THREAD	PRESIÓN MAX. (bar) MAX. PRESSURE (bar)	€
PC 1/4 B	1/4" BSP	12	64,56

Pedales neumáticos 5/2 monoestable sin protección



Pneumatic foot pedal 5/2 monostable without protection

Pédales pneumatiques monostable 5/2 sans protection

Pedali pneumatici 5/2 monostabili senza protezione

Referencia Part n°	ROSCA THREAD	PRESIÓN MAX. (bar) MAX. PRESSURE (bar)	€
PS 1/4	1/4" BSP	12	44,67

Pedales neumáticos 5/2 monoestable con protección



Pneumatic foot pedal 5/2 monostable with protection

Pédales pneumatiques 5/2 monostable avec protection

Pedali pneumatici 5/2 monostabili con protezione

Referencia Part n°	ROSCA THREAD	PRESIÓN MAX. (bar) MAX. PRESSURE (bar)	€
PC 1/4 M	1/4" BSP	12	59,85

VÁLVULAS DE MANIOBRA

Maneuvering valves
Valves de manoeuvre
Valvole di manovra

Pedales eléctricos



Electric foot pedal
Pédales électriques
Interruttore a pedale

Referencia Part n°	Interrupcor Switch	€
PML	15 A - 220 VCA	56,16

Válvulas con acc. palanca 5/2 monoestable



Manual pneumatic valve 5/2 monostable
Vannes avec actionnement levier 5/2 monostables
Valvole ad azionamento a leva - 5/2 monostabile

Referencia Part n°	ROSCA THREAD	PRESION TRABAJO (bar) WORK PRESSURE (bar)	€
NEU100505	1/8" BSP	8	34,40
NEU100510	1/4" BSP	8	50,37
NEU100515	3/8" BSP	8	54,41
NEU100518	1/2" BSP	8	57,40

Válvulas con acc. palanca 5/2 biestable



Manual pneumatic valve 5/2 bistable
Vannes avec actionnement levier 5/2 bistables
Valvole ad azionamento a leva 5/2 bistabile

Referencia Part n°	ROSCA THREAD	PRESION TRABAJO (bar) WORK PRESSURE (bar)	€
NEU100520	1/8" BSP	8	30,28
NEU100525	1/4" BSP	8	26,13
NEU100530	3/8" BSP	8	29,53
NEU100533	1/2" BSP	8	58,31

Válvulas con acc. palanca 5/3 centro cerrado monoestable



Manual pneumatic valve 5/3 closed center monostable
Vannes avec actionnement levier 5/3 monostables
Valvole ad azionamento a leva - 5/3 C.C monostabile

Referencia Part n°	ROSCA THREAD	PRESION TRABAJO (bar) WORK PRESSURE (bar)	€
NEU100535	1/8" BSP	8	46,88
NEU100540	1/4" BSP	8	50,20
NEU100545	3/8" BSP	8	60,97
NEU100548	1/2" BSP	8	62,55

Válvulas con acc. palanca 5/3 centro cerrado biestable



Manual pneumatic valve 5/3 closed center bistable
Vannes avec actionnement levier 5/3 centre fermé bistables
Valvole ad azionamento a leva - 5/3 C.C bistabile

Referencia Part n°	ROSCA THREAD	PRESION TRABAJO (bar) WORK PRESSURE (bar)	€
NEU100565	1/8" BSP	8	47,86
NEU100570	1/4" BSP	8	47,94
NEU100575	3/8" BSP	8	51,36
NEU100578	1/2" BSP	8	58,39

VÁLVULAS DE MANIOBRA

Maneuvering valves
Valves de manoeuvre
Valvole di manovra



Válvulas con acc. palanca 5/3 centro abierto monoestable

Manual pneumatic valve 5/3 open center monostable
Vannes avec actionnement levier 5/3 centre ouvert monostables
Valvole ad azionamento a leva - 5/3 C.A monostabile

Referencia Part n°	ROSCA THREAD	PRESION TRABAJO (bar) WORK PRESSURE (bar)	€
NEU100550	1/8" BSP	8	43,13
NEU100555	1/4" BSP	8	50,20
NEU100560	3/8" BSP	8	50,20
NEU100563	1/2" BSP	8	58,22



Válvulas con acc. palanca 5/3 centro abierto biestable

Manual pneumatic valve 5/3 open center bistable
Vannes avec actionnement levier 5/3 centre ouvert bistables
Valvole ad azionamento a leva - 5/3 C.A bistabile

Referencia Part n°	ROSCA THREAD	PRESION TRABAJO (bar) WORK PRESSURE (bar)	€
NEU100580	1/8" BSP	8	43,26
NEU100585	1/4" BSP	8	50,20
NEU100590	3/8" BSP	8	50,20
NEU100593	1/2" BSP	8	58,31



Válvulas pulsador raso 3/2 normalmente cerrada

Shrouded push button 3/2 normally closed
Vannes à poussoir court 3/2 normalement fermée
Valvole a pulsante raso 3/2 NC

Referencia Part n°	ROSCA THREAD	PRESION TRABAJO (bar) WORK PRESSURE (bar)	€
NEU100260	1/8" BSP	8	18,07



Válvulas pulsador raso 3/2 normalmente abierta

Shrouded push button 3/2 normally open
Vannes à poussoir court 3/2 normalement ouverte
Valvole a pulsante raso 3/2 NA

Referencia Part n°	ROSCA THREAD	PRESION TRABAJO (bar) WORK PRESSURE (bar)	€
NEU100270	1/8" BSP	8	25,71



Válvulas pulsador raso 3/2 normalmente cerrada

Shrouded push button 3/2 normally closed
Vannes à poussoir court 3/2 normalement fermée
Valvole a pulsante raso 3/2 NC

Referencia Part n°	ROSCA THREAD	PRESION TRABAJO (bar) WORK PRESSURE (bar)	€
NEU100280	1/8" BSP	8	25,12



Válvulas pulsador raso 3/2 normalmente abierta

Shrouded push button 3/2 normally open
Vannes à poussoir court 3/2 normalement ouverte
Valvole a pulsante raso 3/2 NA

Referencia Part n°	ROSCA THREAD	PRESION TRABAJO (bar) WORK PRESSURE (bar)	€
NEU100290	1/8" BSP	8	32,62

VÁLVULAS DE MANIOBRA

Maneuvering valves
Valves de manoeuvre
Valvole di manovra



Válvulas pulsador normal 3/2 normalmente cerrada

Push button 3/2 normally closed
Vannes à poussoir 3/2 normalement fermée
Valvole a pulsante standard 3/2 NC

Referencia Part n°	ROSCA THREAD	PRESION TRABAJO (bar) WORK PRESSURE (bar)	€
NEU100300	1/8" BSP	8	18,07



Válvulas pulsador normal 3/2 normalmente abierta

Push button 3/2 normally open
Vannes à poussoir 3/2 normalement ouverte
Valvole a pulsante standard 3/2 NA

Referencia Part n°	ROSCA THREAD	PRESION TRABAJO (bar) WORK PRESSURE (bar)	€
NEU100305	1/8" BSP	8	27,95



Válvulas pulsador normal 3/2 normalmente cerrada

Push button 3/2 normally closed
Vannes à poussoir 3/2 normalement fermée
Valvole a pulsante standard 3/2 NC

Referencia Part n°	ROSCA THREAD	PRESION TRABAJO (bar) WORK PRESSURE (bar)	€
NEU100310	1/4" BSP	8	25,12



Válvulas pulsador normal 3/2 normalmente abierta

Push button 3/2 normally open
Vannes à poussoir 3/2 normalement ouverte
Valvole a pulsante standard 3/2 NA

Referencia Part n°	ROSCA THREAD	PRESION TRABAJO (bar) WORK PRESSURE (bar)	€
NEU100315	1/4" BSP	8	32,62



Válvulas pulsador emergencia 3/2 normalmente cerrada

Head push button 3/2 normally closed
Vannes à poussoir d'urgence 3/2 normalement fermée
Valvole a pulsante di emergenza 3/2 NC

Referencia Part n°	ROSCA THREAD	PRESION TRABAJO (bar) WORK PRESSURE (bar)	€
NEU100320	1/8" BSP	8	16,50



Válvulas pulsador emergencia 3/2 biestable normalmente cerrada

Head push button 3/2 normally closed
Vannes à poussoir d'urgence 3/2 normalement fermée
Valvole a pulsante di emergenza 3/2 NC bistabile

Referencia Part n°	ROSCA THREAD	PRESION TRABAJO (bar) WORK PRESSURE (bar)	€
NEU100330	1/8" BSP	8	22,33



Válvulas selectoras palanca giratoria 3/2 biestable

Selector valves rotating lever 3/2 bistable
Vannes sélectrices à levier tournant 3/2 bistable
Valvole con selettore girevole 3/2 bistabile

Referencia Part n°	ROSCA THREAD	PRESION TRABAJO (bar) WORK PRESSURE (bar)	€
NEU100340	1/8" BSP	8	16,07

VÁLVULAS DE MANIOBRA

Maneuvering valves
Valves de manoeuvre
Valvole di manovra



Válvulas selectoras palanca giratoria 3/2 biestable

Selector valves rotating lever 3/2 bistable
Vannes sélectrices à levier tournant 3/2 bistable
Valvole con selettore girevole 3/2 bistabile

Referencia Part n°	ROSCA THREAD	PRESION TRABAJO (bar) WORK PRESSURE (bar)	€
NEU100345	1/8" BSP	8	29,00



Válvulas selectoras palanca giratoria 5/2 biestable

Selector valves rotating lever 5/2 bistable
Vannes sélectrices à levier tournant 5/2 bistable
Valvole con selettore girevole 5/2 bistabile

Referencia Part n°	ROSCA THREAD	PRESION TRABAJO (bar) WORK PRESSURE (bar)	€
NEU100350	1/8" BSP	8	26,06



Válvulas con acc. neumático 5/2 monoestable

Pneumatic control valve 5/2 monoestable
Vannes avec actionnement pneum.5/2 monostable
Valvole ad azionamento pneumatico 5/2 monostabile

Referencia Part n°	ROSCA THREAD	PRESION TRABAJO (bar) WORK PRESSURE (bar)	€
NEU100000	1/8" BSP	8	23,27
NEU100005	1/4" BSP	8	22,13
NEU100010	3/8" BSP	8	27,13
NEU100015	1/2" BSP	8	43,07



Válvulas con acc. neumático 5/2 biestable

Pneumatic control valve 5/2 bistable
Vannes avec actionnement pneum. 5/2 bistable
Valvole ad azionamento pneumatico 5/2 bistabile

Referencia Part n°	ROSCA THREAD	PRESION TRABAJO (bar) WORK PRESSURE (bar)	€
NEU100020	1/8" BSP	8	37,74
NEU100025	1/4" BSP	8	32,13
NEU100030	3/8" BSP	8	38,12
NEU100035	1/2" BSP	8	62,30



Válvulas con acc. neumático 5/3 centro cerrado

Pneumatic control valve 5/3 closed center
Vannes avec actionnement pneum. 5/3 centre fermé
Valvole ad azionamento pneumatico 5/3 C.C

Referencia Part n°	ROSCA THREAD	PRESION TRABAJO (bar) WORK PRESSURE (bar)	€
NEU100040	1/8" BSP	8	80,64
NEU100045	1/4" BSP	8	65,86
NEU100050	1/2" BSP	8	88,90



Válvulas con acc. neumático 5/3 centro abierto

Pneumatic control valve 5/3 open center
Vannes avec actionnement pneum. 5/3 centre ouvert
Valvole ad azionamento pneumatico 5/3 C.A

Referencia Part n°	ROSCA THREAD	PRESION TRABAJO (bar) WORK PRESSURE (bar)	€
NEU100055	1/8" BSP	8	102,23
NEU100060	1/4" BSP	8	68,59
NEU100065	1/2" BSP	8	97,76

VÁLVULAS DE MANIOBRA

Maneuvering valves
Valves de manoeuvre
Valvole di manovra



Silenciador bronce largo

Nickel-plated brass silencer (long)
Silencieux en bronze long
Silenziatore in ottone nickelato -lungo

Referencia Part n°	ROSCA THREAD	€
SE 1/8	1/8" BSP	0,76
SE 1/4	1/4" BSP	4,21
SE 3/8	3/8" BSP	7,48
SE 1/2	1/2" BSP	9,77



Silenciador bronce corto

Nickel-plated brass silencer (short)
Silencieux en bronze court
Silenziatore in ottone nickelato -corto

Referencia Part n°	ROSCA THREAD	€
SCQ 1/8	1/8" BSP	2,45
SCQ 1/4	1/4" BSP	3,59
SCQ 3/8	3/8" BSP	6,52
SCQ 1/2	1/2" BSP	9,59



Silenciador malla acero

Steel braid silencer
Silencieux tresse acier
Silenziatore in treccia di acciaio

Referencia Part n°	ROSCA THREAD	€
SFE 1/8	1/8" BSP	1,43
SFE 1/4	1/4" BSP	1,65
SFE 3/8	3/8" BSP	1,31
SFE 1/2	1/2" BSP	1,97



Silenciador regulable

Regulator silencer
Silencieux réglable
Silenziatore regolabile

Referencia Part n°	ROSCA THREAD	PRESIÓN MAX. (bar) MAX. PRESSURE (bar)	€
SVE 1/8	1/8" BSP	12	5,86
SVE 1/4	1/4" BSP	12	6,28
SVE 3/8	3/8" BSP	12	10,79
SVE 1/2	1/2" BSP	12	11,25



Válvula de paso corredera 3 vías

Sleeve valves
Vannes de passage tiroir 3 voies
Valvola di chiusura scorrevole 3 vie BSP

Referencia Part n°	ROSCA THREAD	PRESION MAX.(bar) MAX. PRESSURE (bar)	€
6060 1/8	1/8" BSP	10	22,33
6060 1/4	1/4" BSP	10	27,68
6060 3/8	3/8" BSP	10	32,89
6060 1/2	1/2" BSP	10	43,08

VÁLVULAS DE MANIOBRA

Maneuvering valves
Valves de manoeuvre
Valvole di manovra



Grifo purga

Drain valve
Robinet de purge
Valvola di spurgo

Referencia Part n°	ROSCA THREAD	€
16A 1/8	1/8" BSP	4,04
16A 1/4	1/4" BSP	4,50
16A 3/8	3/8" BSP	4,72
16A 1/2	1/2" BSP	5,78



Nebulizador

Nebulizer
Brumificateur
Nebulizzatore

Referencia Part n°	ROSCA THREAD	PRESION TRABAJO (bar) WORK PRESSURE (bar)	DETALLES DETAILS	€
NEU100501	M5	3-8	Cuadrado / Square	90,68

VÁLVULAS NEUMÁTICAS EN LÍNEA

Pneumatic valves in line
Valves pneumatiques en ligne
Valvole pneumatiche in linea



Válvula bola mini H-H

Mini ball valve female - female
Robinet mini femelle - femelle
Mini valvola a sfera F-F

Referencia Part n°	ROSCA THREAD	PRESIÓN MAX. (bar) MAX. PRESSURE (bar)	€
6300 1/8	1/8" BSP	20	12,14
6300 1/4	1/4" BSP	20	12,66
6300 3/8	3/8" BSP	20	13,26
6300 1/2	1/2" BSP	20	17,63



Válvula bola mini M-H BSPT

Mini ball valve male - female BSPT
Robinet mini mâle - femelle BSPT
Mini valvola a sfera M-F BSPT

Referencia Part n°	ROSCA MACHO MALE THREAD	ROSCA HEMBRA FEMALE THREAD	PRESIÓN MAX. (bar) MAX. PRESSURE (bar)	€
6310 1/8	1/8" BSPT	1/8" BSP	20	12,14
6310 1/4	1/4" BSPT	1/4" BSP	20	12,66
6310 3/8	3/8" BSPT	3/8" BSP	20	13,10
6310 1/2	1/2" BSPT	1/2" BSP	20	18,94



Válvula bola mini hexagonal H-H

Mini ball valve female - female
Robinet mini hexagonal femelle - femelle
Mini valvola esagonale a sfera F-F

Referencia Part n°	ROSCA THREAD	PRESIÓN MAX. (bar) MAX. PRESSURE (bar)	€
6065 1/8	1/8" BSP	20	11,44
6065 1/4	1/4" BSP	20	11,04
6065 3/8	3/8" BSP	20	10,97
6065 1/2	1/2" BSP	20	13,84



Regulador flujo unidireccional

Unidirectional flow regulator
Régulateur de débit unidirectionnel
Regolatori di flusso unidirezionali

Referencia Part n°	ROSCA THREAD	PRESIÓN MAX. (bar) MAX. PRESSURE (bar)	€
8850 1/8	1/8" BSP	10	19,84
8850 1/4	1/4" BSP	10	26,46
8850 3/8	3/8" BSP	10	53,54
8850 1/2	1/2" BSP	10	58,63



Regulador flujo bidireccional

Bidirectional flow regulator
Régulateur de débit bidirectionnel
Regolatori di flusso bidirezionali

Referencia Part n°	ROSCA THREAD	PRESIÓN MAX. (bar) MAX. PRESSURE (bar)	€
8860 1/8	1/8" BSP	10	19,84
8860 1/4	1/4" BSP	10	26,46
8860 3/8	3/8" BSP	10	53,54
8860 1/2	1/2" BSP	10	58,63

VÁLVULAS NEUMÁTICAS EN LÍNEA

Pneumatic valves in line
Valves pneumatiques en ligne
Valvole pneumatiche in linea



Regulador flujo (regulación pomo)

Unidirectional flow restrictor valve (hand control)
Régulateur de débit unidirectionnel (contrôle manuel)
Regolatore di flusso (regolazione a pomello)

Referencia Part n°	TUBO PIPE	ROSCA THREAD	PRESION MAX.(bar) MAX. PRESSURE (bar)	€
8965 6/4 1/8	6/4 mm	1/8" BSP	10	20,44
8965 6/4 1/4	6/4 mm	1/4" BSP	10	22,99
8965 8/6 1/8	8/6 mm	1/8" BSP	10	20,44
8965 8/6 3/8	8/6 mm	3/8" BSP	10	33,48
8965 10/8 3/8	10/8 mm	3/8" BSP	10	33,66
8965 12/10 3/8	12/10 mm	3/8" BSP	10	34,62
8965 12/10 1/2	12/10 mm	1/2" BSP	10	43,53



Regulador flujo (regulación tornillo)

Unidirectional flow restrictor valve (screwdriver control)
Régulateur de débit unidirectionnel (contrôle tournavis)
Regolatore di flusso (regolazione a vite)

Referencia Part n°	TUBO PIPE	ROSCA THREAD	PRESION MAX.(bar) MAX. PRESSURE (bar)	€
8953 6 1/8	6/4 mm	1/8" BSP	10	24,21
8953 6 1/4	6/4 mm	1/4" BSP	10	25,21
8953 8 1/8	8/6 mm	1/8" BSP	10	24,21
8953 8 1/4	8/6 mm	1/4" BSP	10	25,21
8953 10 1/4	10/8 mm	1/4" BSP	10	27,00
8953 10 3/8	10/8 mm	3/8" BSP	10	38,25
8953 12 3/8	12/10 mm	3/8" BSP	10	38,25
8953 12 1/2	12/10 mm	1/2" BSP	10	52,14



Antirretorno H-H

Check valve valve female - female
Antiretour femelle - femelle
Valvola di ritegno in linea H-H

Referencia Part n°	ROSCA THREAD	PRESION MAX.(bar) MAX. PRESSURE (bar)	€
6062 1/8	1/8" BSP	8	12,48
6062 1/4	1/4" BSP	8	15,43
6062 3/8	3/8" BSP	8	33,64
6062 1/2	1/2" BSP	8	34,58



Antirretorno H-H con membrana

Check valve valve female - female with membrane
Antiretour femelle - femelle avec membrane
Valvola di ritegno in linea H-H- con membrana

Referencia Part n°	ROSCA THREAD	PRESION MAX.(bar) MAX. PRESSURE (bar)	€
6036 3/8	3/8" BSP	15	14,06
6036 1/2	1/2" BSP	15	14,31
6036 3/4	3/4" BSP	15	19,64
6036 1	1" BSP	15	25,90

VÁLVULAS NEUMÁTICAS EN LÍNEA

Pneumatic valves in line
Valves pneumatiques en ligne
Valvole pneumatiche in linea



Válvula de escape rápido BSP

Quick exhaust valves
Vannes d'échappement rapide
Valvola di scarico rapido BSP

Referencia Part n°	ROSCA THREAD	Pres. max. (bar) Max. Press. (bar)	€
6050 1/8	1/8" BSP	10	15,20
6050 1/4	1/4" BSP	10	17,54
6050 3/8	3/8" BSP	10	21,97
6050 1/2	1/2" BSP	10	31,51

Válvula seguridad regulable BSP



Adjustable relief valve
Vannes de sécurité réglable
Valvola di sicurezza regolabile BSP

Referencia Part n°	ROSCA THREAD	TARAJE (BAR) PRESSURE (Bar)	€
VS 1/8 8-12	1/8" BSP	8 - 12	10,21
VS 1/8 13-16	1/8" BSP	13 - 16	10,21
VS 1/4 8-12	1/4" BSP	8 - 12	11,59
VS 1/4 13-16	1/4" BSP	13 - 16	11,59
VS 3/8 8-12	3/8" BSP	8 - 12	17,77
VS 3/8 13-16	3/8" BSP	13 - 16	17,77
VS 1/2 0.5-5	1/2" BSP	0,5 - 5	22,45
VS 1/2 8-12	1/2" BSP	8 - 12	22,45
VS 1/2 13-16	1/2" BSP	13 - 16	22,45
VS 3/4 8-12	3/4" BSP	8 - 12	72,78
VS 3/4 13-16	3/4" BSP	13 - 16	72,78
VS 1 8-12	1" BSP	8 - 12	83,99
VS 1 13-16	1" BSP	13 - 16	83,99

Válvula seguridad taraje fijo BSP



Relief valve
Vannes de sécurité tarage fixe
Valvola di sicurezza taratura fissa BSP

Referencia Part n°	ROSCA THREAD	TARAJE (BAR) PRESSURE (Bar)	€
VSN 1/8 10	1/8" BSP	10	21,99
VSN 1/8 12	1/8" BSP	12	21,99
VSN 1/4 8	1/4" BSP	8	22,97
VSN 1/4 10	1/4" BSP	10	22,97
VSN 1/4 12	1/4" BSP	12	22,97
VSN 1/4 15	1/4" BSP	15	22,97
VSN 3/8 8	3/8" BSP	8	32,24
VSN 3/8 10	3/8" BSP	10	32,24
VSN 3/8 12	3/8" BSP	12	32,24
VSN 3/8 15	3/8" BSP	15	32,24
VSN 1/2 8	1/2" BSP	8	40,00
VSN 1/2 10	1/2" BSP	10	40,00
VSN 1/2 12	1/2" BSP	12	40,00
VSN 1/2 15	1/2" BSP	15	40,00
VSN 3/4 8	3/4" BSP	8	111,99
VSN 3/4 10	3/4" BSP	10	111,99
VSN 3/4 12	3/4" BSP	12	111,99
VSN 3/4 15	3/4" BSP	15	111,99
VSN 1 8	1" BSP	8	139,98
VSN 1 10	1" BSP	10	139,98
VSN 1 12	1" BSP	12	139,98
VSN 1 15	1" BSP	15	139,98