

VÁLVULAS DE CORTE BAJA PRESIÓN

Low pressure valves
Vannes à clapet basse pression
Valvole bassa pressione



VÁLVULAS DE CORTE BAJA PRESIÓN **323**

Low pressure valves
Vannes à clapet basse pression
Valvole di chiusura bassa pressione

FLUIDAL

VÁLVULAS DE CORTE BAJA PRESIÓN

Low pressure valves

Vannes à clapet basse pression
Valvole di chiusura bassa pressione

Válvula corte baja presión con bobina normalmente abierta

Low pressure valve with coil normally open

Vanne à clapet basse pression avec bobine normalement ouverte

Valvola di chiusura bassa pressione NA con bobina

Referencia Part n°	ROSCA THREAD	PRESIÓN MÍN. (bar) MÍN. PRESS. (bar)	VOLTAJE (V) VOLTAGE (V)	PRESIÓN MAX. AIRE (bar) AIR MAX. PRESSURE (bar)	€
VCBP14NA12CC	1/4" BSP	0	12 VDC	15	127,17
VCBP38NA12CC	3/8" BSP	0,5	12 VDC	8	189,15
VCBP12NA12CC	1/2" BSP	0,5	12 VDC	8	189,15
VCBP34NA12CC	3/4" BSP	0,5	12 VDC	8	206,79
VCBP1NA12CC	1" BSP	0,5	12 VDC	8	251,13
VCBP14NA24CC	1/4" BSP	0	24 VDC	15	127,17
VCBP38NA24CC	3/8" BSP	0,5	24 VDC	8	189,15
VCBP12NA24CC	1/2" BSP	0,5	24 VDC	8	189,15
VCBP34NA24CC	3/4" BSP	0,5	24 VDC	8	206,79
VCBP1NA24CC	1" BSP	0,5	24 VDC	8	251,13
VCBP14NA24CA	1/4" BSP	0	24 VAC	15	127,17
VCBP38NA24CA	3/8" BSP	0,5	24 VAC	8	189,15
VCBP12NA24CA	1/2" BSP	0,5	24 VAC	8	189,15
VCBP34NA24CA	3/4" BSP	0,5	24 VAC	8	206,79
VCBP1NA24CA	1" BSP	0,5	24 VAC	8	251,13
VCBP14NA110CA	1/4" BSP	0	110 VAC	15	127,17
VCBP38NA110CA	3/8" BSP	0,5	110 VAC	8	189,15
VCBP12NA110CA	1/2" BSP	0,5	110 VAC	8	189,15
VCBP34NA110CA	3/4" BSP	0,5	110 VAC	8	206,79
VCBP1NA110CA	1" BSP	0,5	110 VAC	8	251,13
VCBP14NA220CA	1/4" BSP	0	220 VAC	15	127,17
VCBP38NA220CA	3/8" BSP	0,5	220 VAC	8	189,15
VCBP12NA220CA	1/2" BSP	0,5	220 VAC	8	189,15
VCBP34NA220CA	3/4" BSP	0,5	220 VAC	8	206,79
VCBP1NA220CA	1" BSP	0,5	220 VAC	8	251,13



Válvula corte baja presión con bobina normalmente cerrada

Low pressure valve with coil normally closed

Vanne à clapet basse pression avec bobine normalement fermée

Valvola di chiusura bassa pressione NC con bobina

Referencia Part n°	ROSCA THREAD	PRESIÓN MÍN. (bar) MÍN. PRESS. (bar)	VOLTAJE (V) VOLTAGE (V)	PRESIÓN MAX. AIRE (bar) AIR MAX. PRESSURE (bar)	€
VCBP14NC12CC	1/4" BSP	0	12 VDC	16	84,85
VCBP38NC12CC	3/8" BSP	0,5	12 VDC	16	94,87
VCBP12NC12CC	1/2" BSP	0,5	12 VDC	16	94,87
VCBP34NC12CC	3/4" BSP	0,5	12 VDC	13	106,14
VCBP1NC12CC	1" BSP	0,5	12 VDC	10	159,76
VCBP14NC24CC	1/4" BSP	0	24 VDC	16	84,85
VCBP38NC24CC	3/8" BSP	0,5	24 VDC	16	94,87
VCBP12NC24CC	1/2" BSP	0,5	24 VDC	16	94,87
VCBP34NC24CC	3/4" BSP	0,5	24 VDC	13	106,14
VCBP1NC24CC	1" BSP	0,5	24 VDC	10	157,44
VCBP14NC24CA	1/4" BSP	0	24 VAC	18	84,85
VCBP38NC24CA	3/8" BSP	0,5	24 VAC	18	94,87
VCBP12NC24CA	1/2" BSP	0,5	24 VAC	18	94,87
VCBP34NC24CA	3/4" BSP	0,5	24 VAC	16	106,14
VCBP1NC24CA	1" BSP	0,5	24 VAC	12	159,76
VCBP14NC110CA	1/4" BSP	0	110 VAC	18	84,85
VCBP38NC110CA	3/8" BSP	0,5	110 VAC	18	94,87
VCBP12NC110CA	1/2" BSP	0,5	110 VAC	18	94,87
VCBP34NC110CA	3/4" BSP	0,5	110 VAC	16	106,14
VCBP1NC110CA	1" BSP	0,5	110 VAC	12	159,76
VCBP14NC220CA	1/4" BSP	0	220 VAC	18	84,85
VCBP38NC220CA	3/8" BSP	0,5	220 VAC	18	94,87
VCBP12NC220CA	1/2" BSP	0,5	220 VAC	18	94,87
VCBP34NC220CA	3/4" BSP	0,5	220 VAC	16	106,14
VCBP1NC220CA	1" BSP	0,5	220 VAC	12	159,76

VÁLVULAS DE CORTE BAJA PRESIÓN

Low pressure valves
Vannes à clapet basse pression
Valvole di chiusura bassa pressione



Válvula corte baja presión sin bobina normalmente abierta

Low pressure valve without coil normally open
Vanne à clapet basse pression sans bobine normalement ouverte
Valvola di chiusura bassa pressione NA senza bobina

Referencia Part n°	ROSCA THREAD	PRESIÓN MÍN. (bar) MÍN. PRESS. (bar)	PRESIÓN MAX. VAC (bar) VAC MAX PRESSURE (Bar)	PRESIÓN MAX. VDC (bar) VDC MAX PRESSURE (Bar)	€
VCBP14NA	1/4" BSP	0	16	10	71,76
VCBP38NA	3/8" BSP	0,5	16	10	106,95
VCBP12NA	1/2" BSP	0,5	16	10	106,95
VCBP34NA	3/4" BSP	0,5	12	10	140,36
VCBP1NA	1" BSP	0,5	12	18	159,86
VCBP114NA	1"1/4 BSP	0,5	10	10	322,18
VCBP112NA	1"1/2 BSP	0,5	10	10	323,98
VCBP2NA	2" BSP	0,5	10	10	*

*Consultar / *Consult us / *Consultez-nous / *Su richiesta



Válvula corte baja presión sin bobina normalmente cerrada

Low pressure valve without coil- normally closed
Vanne à clapet basse pression sans bobine normalement fermée
Valvola di chiusura bassa pressione NC senza bobina

Referencia Part n°	ROSCA THREAD	PRESIÓN MÍN. (bar) MÍN. PRESS. (bar)	PRESIÓN MAX. VAC (bar) VAC MAX PRESSURE (Bar)	PRESIÓN MAX. VDC (bar) VDC MAX PRESSURE (Bar)	€
VCBP14NC	1/4" BSP	0	18	16	74,41
VCBP38NC	3/8" BSP	0,5	18	16	75,93
VCBP12NC	1/2" BSP	0,5	18	16	83,19
VCBP34NC	3/4" BSP	0,5	16	13	88,58
VCBP1NC	1" BSP	0,5	12	10	143,95
VCBP114NC	1"1/4 BSP	0,5	10	10	257,83
VCBP112NC	1"1/2 BSP	0,5	10	10	292,34
VCBP2NC	2" BSP	0,5	10	10	441,70



Válvulas corte baja presión INOX 316 normalmente abierta con bobina

316 S.S. Low pressure valve with coil normally open
Vanne à clapet basse pression INOX 316 normalement ouverte avec bobine
Valvole di chiusura bassa pressione NA con bobina INOX 316

Referencia Part n°	ROSCA THREAD	PRESIÓN MÍN. (bar) MÍN. PRESS. (bar)	VOLTAJE (V) VOLTAGE (V)	PRESIÓN MAX. AIRE (bar) AIR MAX. PRESSURE (bar)	€
Z VCBP14NA12CC	1/4" BSP	0	12 VDC	20	153,71
Z VCBP38NA12CC	3/8" BSP	0,5	12 VDC	13	268,77
Z VCBP12NA12CC	1/2" BSP	0,5	12 VDC	13	268,77
Z VCBP14NA24CC	1/4" BSP	0	24 VDC	20	153,71
Z VCBP38NA24CC	3/8" BSP	0,5	24 VDC	13	268,77
Z VCBP12NA24CC	1/2" BSP	0,5	24 VDC	13	268,77
Z VCBP14NA24CA	1/4" BSP	0	24 VAC	20	153,71
Z VCBP38NA24CA	3/8" BSP	0,5	24 VAC	13	268,77
Z VCBP12NA24CA	1/2" BSP	0,5	24 VAC	20	268,77
Z VCBP14NA110CA	1/4" BSP	0	110 VAC	20	153,71
Z VCBP38NA110CA	3/8" BSP	0,5	110 VAC	13	268,77
Z VCBP12NA110CA	1/2" BSP	0,5	110 VAC	16	268,77
Z VCBP14NA220CA	1/4" BSP	0	220 VAC	13	153,71
Z VCBP38NA220CA	3/8" BSP	0,5	220 VAC	13	268,77
Z VCBP12NA220CA	1/2" BSP	0,5	220 VAC	13	268,77

VÁLVULAS DE CORTE BAJA PRESIÓN

Low pressure valves

Vannes à clapet basse pression

Valvole di chiusura bassa pressione



Válvulas corte baja presión INOX 316 normalmente cerrada con bobina

316 S.S. Low pressure valve with coil normally closed

Vanne à clapet basse pression INOX 316 normalement fermée avec bobine

Valvole di chiusura bassa pressione NC con bobina INOX 316

Referencia Part n°	ROSCA THREAD	PRESIÓN MÍN. (bar) MIN. PRESS. (bar)	VOLTAJE (V) VOLTAGE (V)	PRESIÓN MAX. AIRE (bar) AIR MAX. PRESSURE (bar)	€
Z VCBP14NC12CC	1/4" BSP	0	12 VDC	10	156,74
Z VCBP38NC12CC	3/8" BSP	0,5	12 VDC	16	153,76
Z VCBP12NC12CC	1/2" BSP	0,5	12 VDC	16	134,81
Z VCBP14NC24CC	1/4" BSP	0	24 VDC	10	156,74
Z VCBP38NC24CC	3/8" BSP	0,5	24 VDC	16	153,76
Z VCBP12NC24CC	1/2" BSP	0,5	24 VDC	16	134,81
Z VCBP14NC24CA	1/4" BSP	0	24 VAC	18	156,74
Z VCBP38NC24CA	3/8" BSP	0,5	24 VAC	16	153,76
Z VCBP12NC24CA	1/2" BSP	0,5	24 VAC	16	134,81
Z VCBP14NC110CA	1/4" BSP	0	110 VAC	10	156,74
Z VCBP38NC110CA	3/8" BSP	0,5	110 VAC	16	176,86
Z VCBP12NC110CA	1/2" BSP	0,5	110 VAC	16	176,86
Z VCBP14NC220CA	1/4" BSP	0	220 VAC	10	156,74
Z VCBP38NC220CA	3/8" BSP	0,5	220 VAC	16	153,76
Z VCBP12NC220CA	1/2" BSP	0,5	220 VAC	16	134,81



Válvulas corte baja presión INOX 316 normalmente abierta sin bobina

316 S.S. Low pressure valve without coil normally open

Vanne à clapet basse pression INOX 316 normalement ouverte sans bobine

Valvole di chiusura bassa pressione NA senza bobina INOX 316

Referencia Part n°	ROSCA THREAD	PRESIÓN MÍN. (bar) MIN. PRESS. (bar)	PRESIÓN MAX. AIRE (bar) AIR MAX. PRESSURE (bar)	€
Z VCBP14NA	1/4" BSP	0	20	83,38
Z VCBP38NA	3/8" BSP	0,5	13	176,23
Z VCBP12NA	1/2" BSP	0,5	13	176,23



Válvulas corte baja presión INOX 316 normalmente cerrada sin bobina

316 S.S. Low pressure valve without coil normally closed

Vanne à clapet basse pression INOX 316 normalement fermée sans bobine

Valvole di chiusura bassa pressione NC senza bobina INOX 316

Referencia Part n°	ROSCA THREAD	PRESIÓN MÍN. (bar) MIN. PRESS. (bar)	PRESIÓN MAX. AIRE (bar) AIR MAX. PRESSURE (bar)	€
Z VCBP14NC	1/4" BSP	0	10	99,68
Z VCBP38NC	3/8" BSP	0,5	16	105,08
Z VCBP12NC	1/2" BSP	0,5	16	105,48

VÁLVULAS DE CORTE BAJA PRESIÓN

Low pressure valves
Vannes à clapet basse pression
Valvole di chiusura bassa pressione



Bobinas válvula corte

Coils
Bobines
Bobine

Referencia Part n°	DESCRIPCIÓN DESCRIPTION	€
C-12CC NC	12 VDC NC	32,64
C-24CC NC	24 VDC NC	31,24
C-220CA NC	220 VAC NC	31,24
C-24CA NC	24 VAC NC	32,64
C-110CA NC	110 VAC NC	32,64
C-12CC NA	12 VDC NA / 12 VDC NO	45,69
C-24CC NA	24 VDC NA / 24 VDC NO	45,69
C-220CA NA	220 VAC NA / 220 VAC NO	45,69
C-24CA NA	24 VAC NA / 24 VAC NO	45,69
C-110CA NA	110 VAC NA / 110 VAC NA	45,69

Incluye conector / Connector included / Avec connecteur / Compreso il connettore



Conectores válvula corte

Connectors
Connecteurs
Conettori

Referencia Part n°	CONECTOR CONNECTOR	€
CONC1	CC/CA 21,5x28,8x41,2	2,69
CONC3	Standard DIN43650 30x32x42	3,55

Accesorios Membranas

Accessories
Accessoires
Accesori membrane



Referencia Part n°	Accesorio usado en Válvulas VCP Accessory Used in VCP valve	€
MEMBRANAVCBP1	VCBP1NA/VCBP1NC	8,80
MEMBRANAVCBP12	VCBP12NA/VCBP12NC	5,98
MEMBRANAVCBP14	VCBP14NA/VCBP14NC	5,59
MEMBRANAVCBP34	VCBP34NA/VCBP34NC	7,34
MEMBRANAVCBP38	VCBP38NA/VCBP38NC	5,59
MEMBRANAZVCBP12	VCBP38NA/VCBP38NC	14,68
MEMBRANAZVCBP14	VCBP38NA/VCBP38NC	13,95
MEMBRANAZVCBP38	VCBP38NA/Z VCBP38NC	13,95