

ENCHUFES RÁPIDOS

Quick-release couplings
Coupleurs rapides
Innesti rapidi



ENCHUFES RÁPIDOS DNP 327

DNP Quick-release couplings
Coupleurs rapides DNP
Innesti rapidi DNP

ENCHUFES RÁPIDOS TRALE 337

TrAle quick-release couplings
Coupleurs rapides TrAle
Innesti rapidi TrAle

ENCHUFES RÁPIDOS GREENLINE 339

GreenLine quick-release couplings
Coupleurs rapides GreenLine
Innesti rapidi GreenLine

ENCHUFES RÁPIDOS DNP

DNP Quick-release couplings

Coupleurs rapides DNP

Innesti rapidi DNP

Enchufes cara plana ▪ Flat face quick release couplings ▪ Coupleurs rapides à clapet face plane ▪ Innesti a faccia piana



A8701/A8702 A9003M/A9004M A8711/A8712 A9021 A8721 A900...M...P A9001/A9002 A9011/A9012

Enchufes autorroscantes ▪ Quick release screw couplings ▪ Coupleurs rapides à visser ▪ Innesti a vite



A9051/A9052 A8081/A8082 A8008/A8009

Enchufes punzón ▪ Quick release couplings ▪ Coupleurs rapides à clapet ▪ Innesti a valvola



A8001/A8002 A807/A844 A8311/A8312 A801 A803 A8101/A8102 A8103/A8104 A8201/A8202 A8211/A8212

Enchufes Push-Pull ▪ Push-Pull couplings ▪ Coupleurs Push-Pull ▪ Innesti Push-Pull



A80/A84 A70/A74 A8951/A8952 A8451/A8452 A8911/A8912 A8901/A8902 A8461/8462

Enchufes de bola ▪ Quick release couplings ball type ▪ Coupleurs rapides à bille ▪ Innesti a sfera




A7001/A7002 A701 A703 A700...TAZ

Enchufes altísima presión ▪ Couplings high pressure ▪ Coupleurs haute pression ▪ Innesti alta pressione



A9031/A9032 A706/A711 A9201/A9202

Válvulas de frenado ▪ Brake valves ▪ Valves freinage ▪ Valvole di frenaggio



A910/A912 A9102 A9501/A9141 A9502

Enchufes latón ▪ Brass couplings ▪ Coupleurs laiton ▪ Innesti ottone



A850 PTFEA NBRA

Accesorios para enchufes ▪ Accessories for couplings ▪ Accessoires pour coupleurs rapides ▪ Accessori per innesto rapido



A9901/A9902 A9911/A9912 A9931/A9932 A9941/A9942 A9981/A9982 A9921 A9951/A9952

ENCHUFES RÁPIDOS TRALE

TrAle quick-release couplings

Coupleurs rapides TrAle

Innesti rapidi TrAle

Enchufes punzón Trale ▪ Trale quick release couplings ▪ Coupleurs rapides à clapet Trale ▪ Innesti a valvola Trale



B800

B810

B820

B801

Enchufes válvula plana y válvulas de frenado Trale ▪ Trale flat face quick release couplings and brake valves ▪ Coupleurs rapides à clapet face plane Trale ▪ Innesti a faccia piana e valvole di frenaggio Trale



B900

B910

Enchufes Push-Pull Trale ▪ Trale Push-Pull couplings ▪ Coupleurs Push-Pull Trale ▪ Innesti Push-Pull Trale



B840

Accesorios para enchufes Trale ▪ Accessories for Trale couplings ▪ Accessoires pour coupleurs rapides Trale ▪ Accessori per innesto rapido Trale



B990

B991

FLUIDAL

ENCHUFES RÁPIDOS GREENLINE

GreenLine quick-release couplings

Coupleurs rapides GreenLine

Innesti rapidi GreenLine

Enchufes punzón GreenLine ▪ GreenLine Quick release couplings ▪ Coupleurs rapides à clapet GreenLine ▪ In-
nesti a valvola GreenLine



C800

Accesorios para enchufes ▪ Accessories for couplings ▪ Accessoires pour coupleurs rapides ▪ Accessori per
innesto rapido



JAGNBR



JAGPTFE

FLUIDAL

ENCHUFES RÁPIDOS DNP

DNP Quick-release couplings
Coupleurs rapides DNP
Innesti rapidi DNP

E.R. cara plana para martillos BSP

Flat face quick release coupling inner threads BSP

Coupleur rapide à clapet face plane (marteau) BSP

Innesto rapido a faccia piana per martelli BSP




ROSCA THREAD	TAMAÑO ISO ISO SIZE	TAMAÑO BG BG SIZE	E. C.	Referencia Part n°	€
1/4" BSP	6,3	1	M	A870104	21,08
3/8" BSP	10	2	M	A870106	22,75
1/2" BSP	10	2	M	A870108	23,22
1/2" BSP	12,5	3	M	A87011208	40,14
3/4" BSP	12,5	3	M	A870112	42,15
3/4" BSP	16	4A	M	A87011612	40,14
1" BSP	19	4	M	A870116	80,96
1 1/4 BSP	25	5	M	A870120	133,81
1/4" BSP	6,3	1	H	A870204	44,29
3/8" BSP	10	2	H	A870206	53,99
1/2" BSP	10	2	H	A870208	53,99
1/2" BSP	12,5	3	H	A87021208	83,10
3/4" BSP	12,5	3	H	A870212	73,26
3/4" BSP	16	4A	H	A87021612	100,36
1" BSP	19	4	H	A870216	152,54
1 1/4 BSP	25	5	H	A870220	249,62

E.R. cara plana para martillos (rosca Métrica)

Flat face coupling (Metric thread)

Coupleur rapide à clapet face plane (filetage Métrique)

Innesto a faccia piana (Metrico)



ROSCA THREAD	TAMAÑO ISO ISO SIZE	TAMAÑO BG BG SIZE	E. C.	Referencia Part n°	€
M16X1.5-10L	6,3	1	M	A9003M16	22,34
M18X1.5-12L	10	2	M	A9003M18	23,81
M22X1.5-15L	10	2	M	A9003M22	24,61
M26X1.5-18L	12,5	3	M	A9003M26	49,64
M16X1.5-10L	6,3	1	H	A9004M16	60,56
M18X1.5-12L	10	2	H	A9004M18	69,27
M22X1.5-15L	10	2	H	A9004M22	71,62
M26X1.5-18L	12,5	3	H	A9004M26	102,11

E.R. cara plana para martillos (rosca UNF)

Flat face quick release coupling inner threads (UNF thread)

Coupleur rapide à clapet face plane pour marteau (filetage UNF)

Innesto rapido a faccia piana per martelli (filetatura UNF)



ROSCA THREAD	TAMAÑO ISO ISO SIZE	TAMAÑO BG BG SIZE	E. C.	Referencia Part n°	€
9/16"-18h UNF	6,3	1	M	A87110906	21,08
9/16"-18h UNF	10	2	M	A87110913	22,41
3/4"-16h UNF	10	2	M	A87111213	32,11
7/8"-14h UNF	12,5	3	M	A87111420	46,83
1 1/16-12h UNF	16	4A	M	A87111722	49,18
1 1/16-12h UNF	19	4	M	A87111725	80,96
9/16"-18h UNF	6,3	1	H	A87120906	56,20
9/16"-18h UNF	10	2	H	A87120913	67,57
3/4"-16h UNF	10	2	H	A87121213	72,26
7/8"-14h UNF	12,5	3	H	A87121420	102,36
1 1/16-12h UNF	16	4A	H	A87121722	112,40
1 1/16-12h UNF	19	4	H	A87121725	168,60

E.R. cara plana Ecológico acoplamiento en presión BSP

Flat face quick release coupling connectable u/ pressure BSP

Coupleur rapide à clapet face plane "Ecologique" pression BSP

Innesto rapido a faccia piana Ecologico innestabile in pressione BSP



ROSCA THREAD	TAMAÑO ISO ISO SIZE	TAMAÑO BG BG SIZE	E. C.	Referencia Part n°	€
1/4" BSP	6,3	1	M	A902104	83,63
3/8" BSP	10	2	M	A902106	80,29
1/2" BSP	10	2	M	A902108	80,29
1/2" BSP	12,5	3	M	A90211208	130,46
3/4" BSP	12,5	3	M	A902112	130,46
3/4" BSP	16	4A	M	A90211612	182,65
1" BSP	19	4	M	A902116	183,45

Se montan con enchufe hembra A870 / To assemble with female coupling A870 / À monter avec coupleur femelle A870 / Per montare con innesto femmina A870

E.R. cara plana para martillos altas pulsaciones BSP

Flat face quick release coupling inner threads high pulsations BSP

Coupleur rapide à clapet face plane (marteau) hautes pulsations BSP

Innesto rapido a faccia piana per martelli alti pulsazioni BSP



ROSCA THREAD	TAMAÑO ISO ISO SIZE	TAMAÑO BG BG SIZE	E. C.	Referencia Part n°	€
3/4" BSP	19	4	M	A872112	108,89
1" BSP	19	4	M	A872116	107,05

Se montan con enchufe hembra A870 / To assemble with female coupling A870 / À monter avec coupleur femelle A870 / Per montare con innesto femmina A870

E.R. cara plana pasatabique para martillos (rosca Métrica)

Flat face coupling bulkhead (Metric thread)

Coupleur rapide à clapet face plane passe cloison (filetage Métrique)

Innesto a faccia piana passaparete (Metrico)



ROSCA THREAD	TAMAÑO ISO ISO SIZE	TAMAÑO BG BG SIZE	E. C.	Referencia Part n°	€
M16x1.5	6,3	1	M	A9001M16P	24,62
M18x1.5	10	2	M	A9001M18P	26,76
M22x1.5	10	2	M	A9001M22P	26,76
M26x1.5	12,5	3	M	A9001M26P	62,56
M16x1.5	6,3	1	H	A9002M16P	65,37
M18x1.5	10	2	H	A9002M18P	73,60
M22x1.5	10	2	H	A9002M22P	78,28
M26x1.5	12,5	3	H	A9002M26P	112,40

ENCHUFES RÁPIDOS DNP

DNP Quick-release couplings
Coupleurs rapides DNP
Innesti rapidi DNP

E.R. cara plana Ecológico (rosca BSP) - ISO16028

BSP Ecological flat face coupling-- ISO16028

Coupleur rapide à clapet face plane "Ecologique"
filetage BSP- ISO16028

Innesto rapido a faccia piana Ecologico BSP--
ISO16028



ROSCA THREAD	TAMAÑO ISO ISO SIZE	TAMAÑO BG BG SIZE	E. C.	Referencia Part n°	€
1/4" BSP	6,3	1	M	A900104	19,74
3/8" BSP	10	2	M	A900106	20,07
1/2" BSP	10	2	M	A900108	20,07
1/2" BSP	12,5	3	M	A90011208	44,17
3/4" BSP	12,5	3	M	A900112	42,82
1" BSP	19	4	M	A900116	73,60
1"1/4 BSP	25	5	M	A900120	140,50
1"1/2 BSP	40	7	M	A900124	325,16
2" BSP	50	8	M	A900132	847,35
1/4" BSP	6,3	1	H	A900204	41,41
3/8" BSP	10	2	H	A900206	46,83
1/2" BSP	10	2	H	A900208	46,83
1/2" BSP	12,5	3	H	A90021208	80,09
3/4" BSP	12,5	3	H	A900212	66,84
1" BSP	19	4	H	A900216	155,22
1"1/4 BSP	25	5	H	A900220	248,22
1"1/2 BSP	40	7	H	A900224	548,62
2" BSP	50	8	H	A900232	1.190,91

E.R. cara plana Ecológico (rosca NPT)

NPT Ecological flat face coupling

Coupleur rapide à clapet face plane "Ecologique"
filetage NPT

Innesto rapido a faccia piana Ecologico NPT



ROSCA THREAD	TAMAÑO ISO ISO SIZE	TAMAÑO BG BG SIZE	E. C.	Referencia Part n°	€
1/4" NPT	6,3	1	M	A901104	19,74
3/8" NPT	10	2	M	A901106	20,07
1/2" NPT	10	2	M	A901108	20,07
3/4" NPT	12,5	3	M	A901112	42,82
1" NPT	19	4	M	A901116	73,60
1"1/4 NPT	25	5	M	A901120	140,50
1"1/2 NPT	40	7	M	A901124	281,00
2" NPT	50	8	M	A901132	828,29
1/4" NPT	6,3	1	H	A901204	46,83
3/8" NPT	10	2	H	A901206	48,84
1/2" NPT	10	2	H	A901208	48,84
3/4" NPT	12,5	3	H	A901212	74,93
1" NPT	19	4	H	A901216	176,63
1"1/2 NPT	40	7	H	A901224	495,10
2" NPT	50	8	H	A901232	1.190,91

E.R. cara plana Autorroscantes acoplamiento en presión (rosca BSP)

BSP flat face screw coupling u/pressure

Coupleur rapide à clapet face plane à visser
pression (filetage BSP)

Innesto rapido faccia piana a vite in pressione



ROSCA THREAD	TAMAÑO ISO ISO SIZE	TAMAÑO BG BG SIZE	E. C.	Referencia Part n°	€
1/4" BSP	6,3	1	M	A905104	141,50
3/8" BSP	10	2	M	A905106	124,44
1/2" BSP	12,5	3	M	A905108	155,89
3/4" BSP	16	4A	M	A905112	162,58
1" BSP	19	4	M	A905116	199,38
1" 1/4 BSP	25	5	M	A905120	336,53
1" 1/2 BSP	40	7	M	A905124	677,95
1/4" BSP	6,3	1	H	A905204	107,05
3/8" BSP	10	2	H	A905206	88,98
1/2" BSP	12,5	3	H	A905208	107,05
3/4" BSP	16	4A	H	A905212	119,09
1" BSP	19	4	H	A905216	150,54
1" 1/4 BSP	25	5	H	A905220	232,83
1" 1/2 BSP	40	7	H	A905224	772,76

E.R. Punzón Autorroscantes alta resistencia

BSP high resistance quick release screw coupling

Coupleur rapide à vis haute résistance y filetage
BSP

Innesto rapido a vite ad alta resistenza BSP

NEW



ROSCA THREAD	TAMAÑO ISO ISO SIZE	TAMAÑO BG BG SIZE	E. C.	Referencia Part n°	€
3/8"	10	2	M	A808106	298,53
1/2"	12,5	3	M	A808108	299,40
3/4"	19	4	M	A808112	394,20
1"	25	5	M	A808116	385,94
1"1/4	31,5	6	M	A808120	454,40
1/2"	40	7	M	A808124	728,22
3/8"	10	2	H	A808206	324,90
1/2"	12,5	3	H	A808208	273,03
3/4"	19	4	H	A808212	381,80
1"	25	5	H	A808216	357,87
1"1/4	31,5	6	H	A808220	377,60
1"1/2	40	7	H	A808224	620,93

E.R. Punzón Autorroscantes acoplamiento en presión (rosca BSP) ISO14541

BSP Quick release screw coupling ISO14541

Coupleur rapide à visser taraudage norme DIN
forme y filetage BSP ISO14541

Innesto rapido a vite (BSP) ISO14541



ROSCA THREAD	TAMAÑO ISO ISO SIZE	TAMAÑO BG BG SIZE	E. C.	Referencia Part n°	€
1/4" BSP	10	2	M	A800804	24,42
3/8" BSP	10	2	M	A800806	24,42
1/2" BSP	12,5	3	M	A800808	25,42
3/4" BSP	20	4	M	A800812	59,55
1" BSP	25	5	M	A800816	74,26
1"1/4 BSP	31,5	6	M	A805820	274,31
1"1/2 BSP	31,5	6	M	A805824	267,62
1/4" BSP	10	2	H	A800904	24,42
3/8" BSP	10	2	H	A800906	24,42
1/2" BSP	12,5	3	H	A800908	24,56
3/4" BSP	20	4	H	A800912	57,67
1" BSP	25	5	H	A800916	62,89
1"1/4 BSP	31,5	6	H	A805920	247,01
1"1/2 BSP	31,5	6	H	A805924	214,10

ENCHUFES RÁPIDOS DNP

DNP Quick-release couplings
Coupleurs rapides DNP
Innesti rapidi DNP

E.R. Punzón ISO A

ISO A Quick release coupling

Coupleur rapide à clapet norme ISO A

Innesto rapido a valvola ISO A



ROSCA THREAD	TAMAÑO ISO ISO SIZE	TAMAÑO BG BG SIZE	E. C.	Referencia Part n°	€
1/4" BSP	6,3	1	M	A800104	7,69
3/8" BSP	10	2	M	A800106	8,10
1/2" BSP	12,5	3	M	A800108	8,10
M22X1,5	12,5	3	M	A802122	9,03
3/4" BSP	20	4	M	A800112	15,39
1" BSP	25	5	M	A800116	35,46
1"1/4 BSP	31,5	6	M	A800120	103,03
1"1/2 BSP	40	7	M	A800124	139,83
2" BSP	50	8	M	A800132	238,18
1/4" BSP	6,3	1	H	A800204	16,06
3/8" BSP	10	2	H	A800206	18,06
1/2" BSP	12,5	3	H	A800208	22,08
3/4" BSP	20	4	H	A800212	33,45
M22X1,5	12,5	3	H	A802222	23,42
1" BSP	25	5	H	A800216	73,60
1"1/4 BSP	31,5	6	H	A800220	211,42
1"1/2 BSP	40	7	H	A800224	285,02
2" BSP	50	8	H	A800232	660,35

E.R. Punzón ISO A (rosca NPT)

ISO A NPT Quick release coupling

Coupleur rapide à clapet norme ISO A filetage NPT

Innesto rapido a valvola ISO A NPT



ROSCA THREAD	TAMAÑO ISO ISO SIZE	TAMAÑO BG BG SIZE	E. C.	Referencia Part n°	€
1/4" NPT	6,3	1	M	A801104	7,69
3/8" NPT	10	2	M	A801106	8,10
1/2" NPT	12,5	3	M	A801108	8,96
3/4" NPT	20	4	M	A801112	17,60
1" NPT	25	5	M	A801116	41,48
1"1/4 NPT	31,5	6	M	A801120	100,36
1"1/2 NPT	40	7	M	A801124	139,83
2" NPT	50	8	M	A801132	238,18
1/4" NPT	6,3	1	H	A801204	16,06
3/8" NPT	10	2	H	A801206	18,06
1/2" NPT	12,5	3	H	A801208	23,42
3/4" NPT	20	4	H	A801212	38,14
1" NPT	25	5	H	A801216	76,94
1"1/4 NPT	31,5	6	H	A801220	221,58
1"1/2 NPT	40	7	H	A801224	305,09
2" NPT	50	8	H	A801232	660,35

E.R. Punzón ISO A (rosca UNF)

ISO A UNF Quick release coupling

Coupleur rapide à clapet norme ISO A filetage UNF

Innesto rapido a valvola ISO B UNF




ROSCA THREAD	TAMAÑO ISO ISO SIZE	TAMAÑO BG BG SIZE	E. C.	Referencia Part n°	€
3/4" UNF	12,5	3	M	A803112	8,70
3/4" UNF	12,5	3	H	A803212	23,42

E.R. Punzón ISO A -acoplamiento a presión residual

ISO A Quick release coupling (coupling under residual pressure)

Coupleur rapide à clapet accouplable sous pression résiduelle

Innesto rapido a valvole ISO a innestabili in pressione residua



ROSCA THREAD	TAMAÑO ISO ISO SIZE	TAMAÑO BG BG SIZE	E. C.	Referencia Part n°	€
1/2" BSP	12,5	3	M (Tipo B)	A807108	18,06
1/2" BSP	12,5	3	M (Tipo A)	A844108	18,06
1/2" NPT	12,5	3	M (Tipo A)	A806108	18,06

E.R. ISO A Paso total BSP

ISO A Quick release coupling free flow BSP

Coupleur rapide à clapet ISO A pass.total BSP

innesto rapido ISO A passaggio libero BSP



ROSCA THREAD	TAMAÑO ISO ISO SIZE	TAMAÑO BG BG SIZE	E. C.	Referencia Part n°	€
1/4" BSP	6,3	1	M	A831104	3,68
3/8" BSP	10	2	M	A831106	6,02
1/2" BSP	12,5	3	M	A831108	7,02
3/4" BSP	20	4	M	A831112	15,06
1" BSP	25	5	M	A831116	35,46
1"1/4 BSP	31,5	6	M	A831120	73,60
1/4" BSP	6,3	1	H	A831204	13,38
3/8" BSP	10	2	H	A831206	15,92
1/2" BSP	12,5	3	H	A831208	22,75
3/4" BSP	20	4	H	A831212	37,80
1" BSP	25	5	H	A831216	72,93
1"1/4 BSP	31,5	6	H	A831220	168,75

ENCHUFES RÁPIDOS DNP

DNP Quick-release couplings

Coupleurs rapides DNP


Innesti rapidi DNP

E.R. Punzón ISO B (rosca BSP)

ISO B Quick release coupling (BSP)

Coupleur rapide à clapet norme ISO B (BSP)

Innesto rapido a valvola ISO B (BSP)




ROSCA THREAD	TAMAÑO ISO ISO SIZE	TAMAÑO BG BG SIZE	E. C.	Referencia Part n°	€
1/8" BSP	5	0	M	A810102	8,70
1/4" BSP	6,3	1	M	A810104	8,70
3/8" BSP	10	2	M	A810106	8,16
1/2" BSP	12,5	3	M	A810108	10,30
3/4" BSP	20	4	M	A810112	20,74
1" BSP	25	5	M	A810116	47,90
1"1/4 BSP	40	7	M	A810120	220,79
1"1/2 BSP	40	7	M	A810124	220,79
2" BSP	50	8	M	A810132	602,15
1/8" BSP	5	0	H	A810202	19,74
1/4" BSP	6,3	1	H	A810204	19,40
3/8" BSP	10	2	H	A810206	22,41
1/2" BSP	12,5	3	H	A810208	34,79
3/4" BSP	20	4	H	A810212	65,70
1" BSP	25	5	H	A810216	111,06
1"1/4 BSP	40	7	H	A810220	297,73
1"1/2 BSP	40	7	H	A810224	299,74
2" BSP	50	8	H	A810232	849,70

E.R. Punzón ISO B (rosca NPT)

ISO B NPT Quick release couplings

Coupleur rapide à clapet norme ISO B NPT

Innesto rapido a valvola ISO B NPT



ROSCA THREAD	TAMAÑO ISO ISO SIZE	TAMAÑO BG BG SIZE	E. C.	Referencia Part n°	€
1/8" NPT	5	0	M	A810302	8,03
1/4" NPT	6,3	1	M	A810304	8,70
3/8" NPT	10	2	M	A810306	8,16
1/2" NPT	12,5	3	M	A810308	10,30
3/4" NPT	20	4	M	A810312	20,74
1" NPT	25	5	M	A810316	47,90
1"1/4 NPT	40	7	M	A810320	220,79
1"1/2 NPT	40	7	M	A810324	220,79
2" NPT	50	8	M	A810332	588,76
1/8" NPT	5	0	H	A810402	18,40
1/4" NPT	6,3	1	H	A810404	19,40
3/8" NPT	10	2	H	A810406	22,41
1/2" NPT	12,5	3	H	A810408	34,79
3/4" NPT	20	4	H	A810412	65,70
1" NPT	25	5	H	A810416	111,06
1"1/4 NPT	40	7	H	A810420	301,07
1"1/2 NPT	40	7	H	A810424	301,07
2" NPT	50	8	H	A810432	849,70

E.R. Punzón Serie NV (rosca BSP)

Quick release coupling NV serie

Coupleur rapide à clapet serie NV

Innesto rapido valvola Serie NV



ROSCA THREAD	TAMAÑO ISO ISO SIZE	TAMAÑO BG BG SIZE	E. C.	Referencia Part n°	€
1/4" BSP	6,3	1	M	A820104	7,56
3/8" BSP	10	2	M	A820106	8,30
3/4" BSP	19	4	M	A820112	18,73
1" BSP	25	5	M	A820116	45,50
1"1/4 BSP	31,5	6	M	A820120	98,35
1"1/2 BSP	40	7	M	A820124	139,50
2" BSP	50	8	M	A820132	444,92
1/4" BSP	6,3	1	H	A820204	18,06
3/8" BSP	10	2	H	A820206	20,87
3/4" BSP	19	4	H	A820212	46,83
1" BSP	25	5	H	A820216	86,98
1"1/4 BSP	31,5	6	H	A820220	214,10
1"1/2 BSP	40	7	H	A820224	281,00
2" BSP	50	8	H	A820232	756,03

E.R. Punzón Serie NV (rosca NPT)

NPT Quick release couplings NV1 serie

Coupleur rapide à clapet serie NV 1 NPT

Innesto rapido a valvola serie NV 1 NPT



ROSCA THREAD	TAMAÑO ISO ISO SIZE	TAMAÑO BG BG SIZE	E. C.	Referencia Part n°	€
1/4" NPT	6,3	1	M	A821104	8,56
3/8" NPT	10	2	M	A821106	8,56
3/4" NPT	19	4	M	A821112	20,74
1" NPT	25	5	M	A821116	48,51
1"1/4 NPT	31,5	6	M	A821120	98,35
1"1/2 NPT	40	7	M	A821124	139,50
2" NPT	50	8	M	A821132	444,92
1/4" NPT	6,3	1	H	A821204	18,40
3/8" NPT	10	2	H	A821206	20,94
3/4" NPT	19	4	H	A821212	50,85
1" NPT	25	5	H	A821216	86,98
1"1/4 NPT	31,5	6	H	A821220	214,43
1"1/2 NPT	40	7	H	A821224	285,02
2" NPT	50	8	H	A821232	756,03

ENCHUFES RÁPIDOS DNP

DNP Quick-release couplings

Coupleurs rapides DNP


Innesti rapidi DNP

E.R. Push-Pull Punzón ISO A

Push-Pull quick release ISO A

Coupleurs Push-Pull ISO A

Innesto rapido a valvola ISO A




ROSCA THREAD	TAMAÑO ISO ISO SIZE	TAMAÑO BG BG SIZE	E. C.	Referencia Part n°	€
1/2" BSP	12,5	3	M	A840108	8,70
1/2" BSP	12,5	3	H	A840208	24,94
1/2" NPT	12,5	3	H	A841208	24,94
M22X1.5	12,5	3	H	A842222	24,94
3/4" UNF	12,5	3	H	A843234	24,94

E.R. Push-Pull bola ISO A

Push-Pull coupling ball type ISO A

Coupleurs Push-Pull à bille ISO A

Innesto rapido a sfera ISO A



ROSCA THREAD	TAMAÑO ISO ISO SIZE	TAMAÑO BG BG SIZE	E. C.	Referencia Part n°	€
1/2" BSP	12,5	3	M	A704108	11,78
1/2" NPT	12,5	3	M	A705108	11,78
1/2" BSP	12,5	3	H	A740208	26,70
1/2" NPT	12,5	3	H	A741208	26,70
3/4" UNF	12,5	3	H	A702212	26,70

E.R. Push-Pull Punzón aplic.agric. BSP ISO A

Push-Pull quick release coupling agric.application BSP ISO A

Coupleurs Push-Pull à clapet application agricole BSP ISO A

Innesto rapido a valvola applicazioni agricole BSP ISO A



ROSCA THREAD	TAMAÑO ISO ISO SIZE	TAMAÑO BG BG SIZE	E. C.	Referencia Part n°	€
1/4" BSP	6,3	1	M	A895104	34,26
3/8" BSP	10	2	M	A895106	14,05
1/2" BSP	12,5	3	M	A895108	11,04
3/4" BSP	19	4	M	A895112	37,47
1" BSP	25	5	M	A895116	46,16
1/4" BSP	6,3	1	H	A895204	77,48
3/8" BSP	10	2	H	A895206	28,10
1/2" BSP	12,5	3	H	A895208	25,09
3/4" BSP	19	4	H	A895212	115,75
1" BSP	25	5	H	A895216	113,74

E.R. Push-Pull Punzón aplic. agric. SAE ISO A

Push-Pull quick release coupling agric.application SAE ISO A

Coupleurs Push-Pull à clapet application agricole SAE ISO A

Innesto rapido a valvola applicazioni agricole SAE ISO A



ROSCA THREAD	TAMAÑO ISO ISO SIZE	TAMAÑO BG BG SIZE	E. C.	Referencia Part n°	€
3/4" SAE	12,5	3	M	A845112	12,71
3/4" SAE	12,5	3	H	A845212	29,57

E.R. Push-Pull Punzón aplic. agric. M mét. ISO A

Push-Pull quick release coupling agric.application Met. M ISO A

Coupleurs Push-Pull à clapet application agricole M mét. ISO A

Innesto rapido a valvola applicazioni agricole M Met ISO A



ROSCA THREAD	TAMAÑO ISO ISO SIZE	TAMAÑO BG BG SIZE	E. C.	Referencia Part n°	€
M14X1.5-8L	10	2	M	A89111408	14,72
M16X1.5-10L	10	2	M	A89111610	14,05
M18X1.5-12L	12,5	3	M	A89111812	10,97
M20X1.5-12S	12,5	3	M	A89112012	10,91
M22X1.5-15L	12,5	3	M	A89112215	11,11
M26X1.5-18L	19	4	M	A89112618	37,47
M30X2-22L	19	4	M	A89113022	37,47
M14X1.5-8L	10	2	H	A89121408	28,10
M16X1.5-10L	10	2	H	A89121610	28,10
M18X1.5-12L	12,5	3	H	A89121812	24,62
M20X1.5-12S	12,5	3	H	A89122012	24,62
M22X1.5-15L	12,5	3	H	A89122215	24,62
M26X1.5-18L	19	4	H	A89122618	119,76
M30X2-22L	19	4	H	A89123022	119,76

E.R. Push-Pull Punzón aplic. agric. M mét. pasat ISO A

Push-Pull quick release coupling agric.application Met. M bulkhead ISO A

Coupleurs Push-Pull à clapet application agricole M mét. passe-cloison ISO A

Innesto rapido a valvola applicazioni agricole M Met. pasaparete ISO A



ROSCA THREAD	TAMAÑO ISO ISO SIZE	TAMAÑO BG BG SIZE	E. C.	Referencia Part n°	€
M16X1.5-10L	10	2	M	A89011610	14,72
M18X1.5-12L	12,5	3	M	A89011812	13,78
M22X1.5-15L	12,5	3	M	A89012215	13,78
M16X1.5-10L	10	2	H	A89021610	28,44
M18X1.5-12L	12,5	3	H	A89021812	27,43
M22X1.5-15L	12,5	3	H	A89022215	27,63

E.R. Push-Pull Punzón acoplamiento en presión ISO A

Push-Pull quick release coupling u/ pressure ISO A

Coupleurs Push-Pull à clapet pression ISO A

Innesto rapido a valvola in pressione ISO A



ROSCA THREAD	TAMAÑO ISO ISO SIZE	TAMAÑO BG BG SIZE	E. C.	Referencia Part n°	€
1/2" BSP	12,5	3	M	A8461108	20,74
1/2" NPT	12,5	3	M	A8462108	20,74
M22X1.5	12,5	3	M	A8463122	20,07
3/4" UNF	12,5	3	M	A8464134	28,77
1/2" BSP	12,5	3	H	A8461208	36,80
1/2" NPT	12,5	3	H	A8462208	36,80
M22X1.5	12,5	3	H	A8463222	35,80
3/4" UNF	12,5	3	H	A8464234	44,83

ENCHUFES RÁPIDOS DNP

DNP Quick-release couplings

Coupleurs rapides DNP


Innesti rapidi DNP

E.R. Bola Serie NS (rosca BSP)

BSP Quick release coupling ball type NS Serie

Coupleur rapide à bille série NS

Innesto rapido a sfera BSP Serie NS




ROSCA THREAD	TAMAÑO ISO ISO SIZE	TAMAÑO BG BG SIZE	E. C.	Referencia Part n°	€
1/4" BSP	6,3	1	M	A700104	8,03
3/8" BSP	10	2	M	A700106	10,17
1/2" BSP	12,5	3	M	A700108	11,37
3/4" BSP	19	4	M	A700112	22,95
1" BSP	25	5	M	A700116	53,86
1/4" BSP	6,3	1	H	A700204	16,19
3/8" BSP	10	2	H	A700206	22,41
1/2" BSP	12,5	3	H	A700208	25,96
3/4" BSP	19	4	H	A700212	51,52
1" BSP	25	5	H	A700216	96,01

E.R. Bola Serie NS (rosca NPT)

NPT Quick release coupling ball type NS Serie

Coupleur rapide à bille filetage NPT série NS

Innesto rapido a sfera NPT serie NS



ROSCA THREAD	TAMAÑO ISO ISO SIZE	TAMAÑO BG BG SIZE	E. C.	Referencia Part n°	€
1/4" NPT	6,3	1	M	A701104	8,03
3/8" NPT	10	2	M	A701106	10,17
1/2" NPT	12,5	3	M	A701108	11,37
3/4" NPT	19	4	M	A701112	22,95
1" NPT	25	5	M	A701116	53,86
1/4" NPT	6,3	1	H	A701204	16,19
3/8" NPT	10	2	H	A701206	22,41
1/2" NPT	12,5	3	H	A701208	25,96
3/4" NPT	19	4	H	A701212	51,52
1" NPT	25	5	H	A701216	96,01

E.R. Bola Serie NS (rosca UNF)

UNF Quick release coupling ball type NS Serie

Coupleur rapide à bille filetage UNF série NS

Innesto rapido a sfera UNF serie NS



ROSCA THREAD	TAMAÑO ISO ISO SIZE	TAMAÑO BG BG SIZE	E. C.	Referencia Part n°	€
3/4" UNF	12,5	3	M	A703112	11,98
3/4" UNF	12,5	3	H	A703212	26,09

E.R. Bola Tipo Taz (góndolas y semirem.) BSP

Quick release coupling ball type Type Taz (gondolas and semi-tows) BSP

Coupleur rapide à bille Type Taz spécial carrières BSP

Innesto rapido a sfera tipo Taz per semirimorchio BSP



ROSCA THREAD	TAMAÑO ISO ISO SIZE	E. C.	Referencia Part n°	€
3/4" BSP	19	M	A700112TAZ	18,55
1" BSP	25	M	A700116TAZ	28,06
3/4" BSP	19	H	A700212TAZ	43,31
1" BSP	25	H	A700216TAZ	65,48

ENCHUFES RÁPIDOS DNP

DNP Quick-release couplings
Coupleurs rapides DNP
Innesti rapidi DNP

E.R. Válvula plana altísima presión 700 bar

Flat face quick release coupling inner threads high pressure 700 bar

Coupleur rapide à clapet face plane (marteau) haute pression 700 bar

Innesto rapido faccia piana altissima pressione 700 bar



ROSCA THREAD	TAMAÑO ISO ISO SIZE	TAMAÑO BG BG SIZE	E. C.	Referencia Part n°	€
1/4" BSP	6,3	1	M	A903104	46,16
3/8" BSP	6,3	1	M	A903106	67,91
1/4" BSP	6,3	1	H	A903204	83,63
3/8" BSP	6,3	1	H	A903206	143,85

E.R. Bola altísima presión 700 bar

Quick release coupling ball type very high pressure (700 bar)

Coupleur rapide à verrouillage vissé haute pression-700 bar

Innesto rapido a sfera 700 bar




ROSCA THREAD	TAMAÑO ISO ISO SIZE	TAMAÑO BG BG SIZE	E. C.	Referencia Part n°	€
1/4" NPT	6,3	1	M	A711104	14,79
3/8" BSP	10	2	M	A706106	14,72
3/8" NPT	10	2	M	A711106	15,38
1/4" NPT	6,3	1	H	A711204	22,48
1/4" BSP	6,3	1	H*	NEW A711214	25,88
3/8" BSP	10	2	H	A706206	36,80
3/8" NPT	10	2	H	A711206	22,89

Enchufes altísima presión 1500 bar BSP

Couplings 1500 bar BSP

Coupleurs 1500 bar BSP

Innesti 1500 bar BSP




ROSCA THREAD	TAMAÑO ISO ISO SIZE	TAMAÑO BG BG SIZE	E. C.	Referencia Part n°	€
1/4" BSP	6,3	1	M	A920104	56,20
1/4" BSP	6,3	1	H	A920204	145,85

Válvula de frenado macho

Male brake valve

Valve freinage mâle

Valvola di frenaggio maschio



ROSCA THREAD	TAMAÑO ISO ISO SIZE	TAMAÑO BG BG SIZE	E. C.	Referencia Part n°	€
1/2" BSP	12,5	3	M (Tipo C)	A910508	18,73
M18X1,5	12,5	3	M (Tipo B)	A912118	20,14
M20X1,5	12,5	3	M (Tipo B)	A912120	20,54
M22X1,5	12,5	3	M (Tipo B)	A912122	20,87
M16x1,5	12,5	3	M (Tipo A)	A912316	21,08
M18x1,5	12,5	3	M (Tipo A)	A912318	21,08

Válvula de frenado hembra

Female brake valve

Valve freinage femelle

Valvola di frenaggio femmina



ROSCA THREAD	TAMAÑO ISO ISO SIZE	TAMAÑO BG BG SIZE	E. C.	Referencia Part n°	€
3/8" BSP	12,5	3	H	A910206	37,33
1/2" BSP	12,5	3	H	A910208	36,53
M18X1.5	12,5	3	H	A910218	38,00

Válvula agrícola macho acoplamiento en presión

Male agricultural valve

Valve agricole à visser mâle

Valvola agricola maschio



ROSCA THREAD	TAMAÑO ISO ISO SIZE	TAMAÑO BG BG SIZE	E. C.	Referencia Part n°	€
1/2" BSP	12,5	3	M (Tipo C)	A950108	19,67
M18x1,5	12,5	3	M (Tipo B)	A950118	21,81
M20x1,5	12,5	3	M (Tipo B)	A950120	21,81
M22x1,5	12,5	3	M (Tipo B)	A950122	21,81
M16x1,5	12,5	3	M (Tipo A)	A9141620	22,21
M18x1,5	12,5	3	M (Tipo A)	A9141820	22,21

Válvula agrícola hembra acoplamiento en presión

Female agricultural valve

Valve agricole à visser femelle

Valvola agricola femmina



ROSCA THREAD	TAMAÑO ISO ISO SIZE	TAMAÑO BG BG SIZE	E. C.	Referencia Part n°	€
M18X1.5	12,5	3	H	A950218	33,05

E.R. Punzón ISO B (rosca BSP) latón

ISO B Quick release coupling brass

Coupleur rapide à clapet norme ISO B laiton

Innesto rapido a valvola ISO B ottone



ROSCA THREAD	TAMAÑO ISO ISO SIZE	TAMAÑO BG BG SIZE	E. C.	Referencia Part n°	€
1/4" BSP	6,3	1	M	A850104	14,72
3/8" BSP	10	2	M	A850106	18,73
1/2" BSP	12,5	3	M	A850108	26,09
3/4" BSP	19	4	M	A850112	46,83
1" BSP	25	5	M	A850116	84,30
1"1/4 BSP	40	7	M	A850120	468,34
1"1/2 BSP	40	7	M	A850124	468,34
2" BSP	50	8	M	A850132	1.097,24
1/4" BSP	6,3	1	H	A850204	37,47
3/8" BSP	10	2	H	A850206	53,52
1/2" BSP	12,5	3	H	A850208	86,98
3/4" BSP	19	4	H	A850212	150,54
1" BSP	25	5	H	A850216	222,79
1"1/4 BSP	40	7	H	A850220	615,53
1"1/2 BSP	40	7	H	A850224	615,53
2" BSP	50	8	H	A850232	1.719,46

ENCHUFES RÁPIDOS DNP

DNP Quick-release couplings

Coupleurs rapides DNP

Innesti rapidi DNP

Arandelas PTFE

PTFE seals

Rondelles PTFE

Rondelle a PTFE



TAMAÑO ISO ISO SIZE	TAMAÑO BG BG SIZE	Referencia Part n°	€
6,3	1	PTFEA04	0,99
10	2	PTFEA06	1,14
12,5	3	PTFEA08	1,21
19	4	PTFEA12	1,95
25	5	PTFEA16	1,95

Juego de juntas de reparación e.r. ISO A

Kit of seals to repair for ISO A quick release coupling

Jeu de joints pour coupleur ISO A

Guarnizioni per innesto ISO A



Ø INT. Ø INNER	TAMAÑO ISO ISO SIZE	TAMAÑO BG BG SIZE	Espesor (mm) Thickness (mm)	Referencia Part n°	€
11.91	2.62	6,3	1	NBRA04	0,55
17.12	2.62	10	2	NBRA06	0,70
20.24	2.62	12,5	3	NBRA08	0,92
28.24	2.62	19	4	NBRA12	0,99
34.59	2.62	25	5	NBRA16	1,06

FLUIDAL

ENCHUFES RÁPIDOS DNP

DNP Quick-release couplings

Coupleurs rapides DNP

Innesti rapidi DNP

Tapones para enchufes rápidos ISO A

Plugs and caps for ISO A quick release couplings

Bouchons et capuchons de plastique pour coupleurs norme ISO A

Tappi per ISO A



TAMAÑO ISO ISO SIZE	TAMAÑO BG BG SIZE	DESCRIPCION DESCRIPTION	E. C.	Referencia Part n°	€
6,3	1	PLUG	H	A990104	2,48
10	2	PLUG	H	A990106	2,48
12,5	3	PLUG	H	A990108	2,66
19	4	PLUG	H	A990112	4,51
25	5	PLUG	H	A990116	7,58
6,3	1	CAP	M	A990204	2,48
10	2	CAP	M	A990206	2,48
12,5	3	CAP	M	A990208	2,66
19	4	CAP	M	A990212	4,51
25	5	CAP	M	A990216	7,58

Tapones para enchufes autorroscantes ISO 14541

Plugs and caps for quick release screw coupling ISO 14541

Bouchon pour coupleur rapide à visser ISO 14541

Tappi per innesti rapidi a vite ISO 14541



TAMAÑO ISO ISO SIZE	TAMAÑO BG BG SIZE	DESCRIPCION DESCRIPTION	E. C.	Referencia Part n°	€
6,3	1	CAP	H	A994104	7,18
10	2	CAP	H	A994106	7,18
12,5	3	CAP	H	A994108	6,53
19	4	CAP	H	A994112	8,36
25	5	CAP	H	A994116	7,18
6,3	1	PLUG	M	A994204	7,18
10	2	PLUG	M	A994206	7,18
12,5	3	PLUG	M	A994208	7,58
19	4	PLUG	M	A994212	8,36
25	5	PLUG	M	A994216	7,18

Tapones para enchufes ISO B

Plugs and caps for ISO B quick release coupling

Bouchons et capuchons de plastique pour coupleurs ISO B

Tappi per ISO B



TAMAÑO ISO ISO SIZE	TAMAÑO BG BG SIZE	DESCRIPCION DESCRIPTION	E. C.	Referencia Part n°	€
6,3	1	PLUG	H	A991104	3,58
10	2	PLUG	H	A991106	3,58
12,5	3	PLUG	H	A991108	3,92
19	4	PLUG	H	A991112	4,26
25	5	PLUG	H	A991116	5,97
6,3	1	CAP	M	A991204	3,58
10	2	CAP	M	A991206	3,58
12,5	3	CAP	M	A991208	3,92
19	4	CAP	M	A991212	4,26
25	5	CAP	M	A991216	5,97

Tapones para enchufes autorroscantes alta resistencia

Plugs and caps for quick release coupling very high resistance

Bouchon pour coupleur rapide très haute résistance

Tappi per innesti rapidi alta resistenza



TAMAÑO ISO ISO SIZE	TAMAÑO BG BG SIZE	DESCRIPCION DESCRIPTION	E. C.	Referencia Part n°	€
10	2	CAP	H	A998106	60,90
12,5	3	CAP	H	A998108	62,53
19	4	CAP	H	A998112	89,57
25	5	CAP	H	A998116	89,57
31,5	6	CAP	H	A998120	89,57
40	7	CAP	H	A998124	123,21
10	2	PLUG	M	A998206	60,90
12,5	3	PLUG	M	A998208	65,21
19	4	PLUG	M	A998212	89,57
25	5	PLUG	M	A998216	89,57
31,5	6	PLUG	M	A998220	89,57
40	7	PLUG	M	A998224	102,72

Tapones para enchufes de válvula plana ISO 16028

Plugs and caps for flat face quick release couplings ISO 16028

Bouchons et capuchons de plastique pour coupleurs face plane ISO 16028

Tappi per innesti a faccia piana ISO 16028



TAMAÑO ISO ISO SIZE	TAMAÑO BG BG SIZE	DESCRIPCION DESCRIPTION	E. C.	Referencia Part n°	€
6,3	1	PLUG	H	A993104	4,48
10	2	PLUG	H	A993106*	3,58
10	2	PLUG	H	A993108	3,58
12,5	3	PLUG	H	A993112	4,55
19	4	PLUG	H	A993116	6,31
25	5	PLUG	H	A993120	8,53
6,3	1	CAP	M	A993204	4,52
10	2	CAP	M	A993206*	3,58
10	2	CAP	M	A993208	3,58
12,5	3	CAP	M	A993212	4,55
19	4	CAP	M	A993216	5,97
25	5	CAP	M	A993220	8,53

Tapones para enchufes altísima presión ISO 14540

Plugs and caps for quick release coupling very high pressure ISO 14540

Bouchon pour coupleur rapide très haute presión ISO 14540

Tappi per innesti rapidi alta pressione ISO 14540



TAMAÑO ISO ISO SIZE	TAMAÑO BG BG SIZE	Referencia Part n°	€
10	2	A992106	9,40

Hasta fin de existencias / Until end of stock / Jusqu'à la fin du stock / Fino ad esaurimento

ENCHUFES RÁPIDOS DNP

DNP Quick-release couplings

Coupleurs rapides DNP

Innesti rapidi DNP

Tapones para enchufes NV

Plugs and caps for NV quick release coupling

Bouchons et capuchons de plastique pour coupleurs NV

Tappi per ISO NV



TAMAÑO ISO ISO SIZE	TAMAÑO BG BG SIZE	DESCRIPCION DESCRIPTION	Referencia Part n°	€
6,3	1	PLUG	A995104	3,20
10	2	PLUG	A995106	3,20
19	4	PLUG	A995112	2,55
25	5	PLUG	A995116	2,22
6,3	1	CAP	A995204	3,20
10	2	CAP	A995206	3,20
19	4	CAP	A995212	2,55
25	5	CAP	A995216	2,22

FLUIDAL

ENCHUFES RÁPIDOS TRALE

TrAle quick-release couplings

Coupleurs rapides TrAle

Innesti rapidi TrAle

E.R. Punzón ISO A BSP

ISO A Quick release coupling BSP

Coupleur rapide à clapet norme ISO A BSP

Innesto rapido a valvula ISO A BSP



ROSCA THREAD	TAMAÑO ISO ISO SIZE	TAMAÑO BG BG SIZE	E. C.	Referencia Part n°	€
1/4" BSP	6,3	1	M	B800104	5,42
3/8" BSP	10	2	M	B800106	6,20
1/2" BSP	12,5	3	M	B800108	7,20
3/4" BSP	20	4	M	B800112	11,85
1" BSP	25	5	M	B800116	20,15
1/4" BSP	6,3	1	H	B800204	11,63
3/8" BSP	10	2	H	B800206	13,56
1/2" BSP	12,5	3	H	B800208	16,74
3/4" BSP	20	4	H	B800212	27,75
1" BSP	25	5	H	B800216	47,74

E.R. Punzón ISO A (rosca NPT)

ISO A Quick release coupling NPT

Coupleur rapide à clapet norme ISO A NPT

Innesto rapido a valvula ISO A NPT




ROSCA THREAD	TAMAÑO ISO ISO SIZE	TAMAÑO BG BG SIZE	E. C.	Referencia Part n°	€
1/4" NPT	6,3	1	M	B801104	5,42
3/8" NPT	10	2	M	B801106	6,20
1/2" NPT	12,5	3	M	B801108	7,61
3/4" NPT	20	4	M	B801112	11,86
1" NPT	25	5	M	B801116	20,15
1/4" NPT	6,3	1	H	B801204	11,63
3/8" NPT	10	2	H	B801206	13,56
1/2" NPT	12,5	3	H	B801208	16,74
3/4" NPT	20	4	H	B801212	27,75
1" NPT	25	5	H	B801216	47,74

E.R. Punzón ISO B BSP

ISO B Quick release coupling BSP

Coupleur rapide à clapet norme ISO B BSP

Innesto rapido a valvula ISO B BSP



ROSCA THREAD	TAMAÑO ISO ISO SIZE	TAMAÑO BG BG SIZE	E. C.	Referencia Part n°	€
1/4" BSP	6	1	M	B810104	5,96
3/8" BSP	10	2	M	B810106	6,82
1/2" BSP	13	3	M	B810108	7,91
3/4" BSP	19	4	M	B810112	13,10
1" BSP	25	5	M	B810116	20,61
1/4" BSP	6	1	H	B810204	12,79
3/8" BSP	10	2	H	B810206	14,96
1/2" BSP	13	3	H	B810208	18,44
3/4" BSP	19	4	H	B810212	30,53
1" BSP	25	5	H	B810216	48,05

E.R. Válvula plana Ecológico BSP ISO 16028

Ecological flat face coupling BSP ISO 16028

Coupleur rapide à clapet face plane "Ecologique" BSP ISO 16028

Innesto rapido a faccia piana Ecologico BSP ISO 16028




ROSCA THREAD	TAMAÑO ISO ISO SIZE	TAMAÑO BG BG SIZE	E. C.	Referencia Part n°	€
1/4" BSP	6	1	M	B900104	12,47
3/8" BSP	10	2	M	B900106	18,60
1/2" BSP	12	3	M	B900108	27,90
3/4" BSP	16	4A	M	B900112	34,10
1" BSP	19	4	M	B900116	52,48
1/4" BSP	6	1	H	B900204	32,48
3/8" BSP	10	2	H	B900206	43,40
1/2" BSP	12	3	H	B900208	57,35
3/4" BSP	16	4A	H	B900212	79,44
1" BSP	19	4	H	B900216	122,52

E.R. Punzón Serie NV BSP

Quick release coupling NV Serie BSP

Coupleur rapide à clapet Serie NV BSP

Innesto rapido a valvula Serie NV BSP



ROSCA THREAD	TAMAÑO ISO ISO SIZE	TAMAÑO BG BG SIZE	E. C.	Referencia Part n°	€
1/4" BSP	6,3	1	M	B820104	5,81
3/8" BSP	10	2	M	B820106	6,67
3/4" BSP	20	4	M	B820112	12,71
1" BSP	25	5	M	B820116	20,07
1/4" BSP	6,3	1	H	B820204	12,48
3/8" BSP	10	2	H	B820206	14,49
3/4" BSP	20	4	H	B820212	29,68
1" BSP	25	5	H	B820216	46,73

Válvulas de frenado BSP

Brake valves BSP

Valves freinage BSP

Valvole di frenaggio BSP




ROSCA THREAD	TAMAÑO ISO ISO SIZE	TAMAÑO BG BG SIZE	E. C.	Referencia Part n°	€
1/2" BSP	12,5	3	M	B910508	12,56
1/2" BSP	12,5	3	H	B910208	27,90

E.R. Push-Pull Punzón Trale BSP

Trale Push-Pull couplings BSP

Coupleurs Push-Pull Trale BSP

Innesti Push-Pull Trale BSP



ROSCA THREAD	TAMAÑO ISO ISO SIZE	TAMAÑO BG BG SIZE	E. C.	Referencia Part n°	€
1/2" BSP	12,5	3	M	B840108	6,94
1/2" BSP	12,5	3	H	B840208	19,40

ENCHUFES RÁPIDOS TRALE

TrAle quick-release couplings

Coupleurs rapides TrAle

Innesti rapidi TrAle

Tapones para enchufes rápidos ISO A

Plugs and caps for ISO A quick release couplings

Bouchons et capuchons de plastique pour coupleurs norme ISO A

Tappi per ISO A



TAMAÑO ISO ISO SIZE	TAMAÑO BG BG SIZE	DESCRIPCION DESCRIPTION	E. C.	Referencia Part n°	€
6,3	1	PLUG	H	B990104	0,62
10	2	PLUG	H	B990106	0,79
12,5	3	PLUG	H	B990108	1,32
20	4	PLUG	H	B990112	1,77
25	5	PLUG	H	B990116	2,03
6,3	1	CAP	M	B990204	0,62
10	2	CAP	M	B990206	0,79
12,5	3	CAP	M	B990208	1,32
20	4	CAP	M	B990212	1,77
25	5	CAP	M	B990216	2,03

Tapones para enchufes rápidos ISO B

Plugs and caps for ISO B quick release couplings

Bouchons et capuchons de plastique pour coupleurs norme ISO B

Tappi per ISO B



TAMAÑO ISO ISO SIZE	TAMAÑO BG BG SIZE	DESCRIPCION DESCRIPTION	E. C.	Referencia Part n°	€
6,3	1	PLUG	H	B991104	0,71
10	2	PLUG	H	B991106	0,88
12,5	3	PLUG	H	B991108	1,50
20	4	PLUG	H	B991112	1,94
25	5	PLUG	H	B991116	2,30
6,3	1	CAP	M	B991204	0,71
10	2	CAP	M	B991206	0,88
12,5	3	CAP	M	B991208	1,50
20	4	CAP	M	B991212	1,94
25	5	CAP	M	B991216	2,30

ENCHUFES RÁPIDOS GREENLINE

GreenLine quick-release couplings

Coupleurs rapides GreenLine

Innesti rapidi GreenLine

E.R. Punzón ISO A

ISO A Quick release coupling

Coupler rapide á clapet norme ISO A

Innesto rapido a valvola ISO A



ROSCA THREAD	TAMAÑO ISO ISO SIZE	TAMAÑO BG BG SIZE	E. C.	Referencia Part n°	€
1/4" BSP	6,3	1	M	C800104	4,76
3/8" BSP	10	2	M	C800106	5,44
1/2" BSP	12,5	3	M	C800108	5,65
3/4" BSP	20	4	M	C800112	10,40
1/4" BSP	6,3	1	H	C800204	11,22
3/8" BSP	10	2	H	C800206	13,09
1/2" BSP	12,5	3	H	C800208	13,19
3/4" BSP	20	4	H	C800212	24,34

Juntas de reparación e.r. ISO A

Seals to repair for ISO A quick release coupling

Jointes pour coupleur ISO A

Guarnizioni per innesto ISO A



TAMAÑO ISO ISO SIZE	TAMAÑO BG BG SIZE	Referencia Part n°	€
6,3	1	JAGNBR04	0,35
10	2	JAGNBR06	0,48
12,5	3	JAGNBR08	0,60
20	4	JAGNBR12	0,71

Arandelas PTFE

PTFE seals

Rondelles PTFE

Rondelle a PTFE



TAMAÑO ISO ISO SIZE	TAMAÑO BG BG SIZE	Referencia Part n°	€
6,3	1	JAGPTFE04	0,71
10	2	JAGPTFE06	0,83
12,5	3	JAGPTFE08	0,96
20	4	JAGPTFE12	1,06