

## RACORES NEUMÁTICOS

Pneumatic fittings  
Raccords pneumatiques



### CONEXIÓN PUSH-IN AUTOMÁTICO 395

Push-in Fittings  
Raccords Automatiques Push-in  
Raccordi automatici Push-in

### CONEXIÓN CON ESPIGA 405

Hose tail-M BSPT tapered  
Raccords avec embout  
Raccordi con inserto

### CONEXIÓN PUSH-ON 406

Push-on Fittings  
Raccords Push-on  
Raccordi Push-on

### ADAPTADOR 410

Adaptors  
Adaptateurs  
Adattatori

## CONEXIÓN PUSH-IN AUTOMÁTICO

Push-in Fittings  
Raccords Automatiques Push-in  
Raccordi automatici Push-in

Racordaje tecnopolímero cónico ▪ Push-in Technopolymeric tapered fittings ▪ Raccords Push-in techno-polymère conique ▪ Raccordi tecnopolimero Push-in conico



PC PH PL PLL PT PST PWT PKD SCLT

Racordaje tecnopolímero cilíndrico ▪ Push-in Technopolymeric cylindrical fittings ▪ Raccords Push-in techno-polymère cylindrique ▪ Raccordi tecnopolimero Push-in cilindrico



PCCI PCF PHCI PLCI 50115 SCL PTCI 50215 PSTCI

50225

Racordaje tecnopolímero otros ▪ Other Push-in Technopolymeric fittings ▪ Raccords Push-in techno-polymère - autres ▪ Raccordi tecnopolimero Push-in altri



PG/PUC 50040 PMM SCU PR PRM 50500 51410 51420

PUL 50130 PLJ PUT 50230 PY 50310 PWJ-PYJ PZA

PKG TAP

Racordaje metálico cónico ▪ Metallic Push-in tapered fittings ▪ Raccords Push-in métallique conique ▪ Raccordi metallici Push-in conico



MPC MPL

Racordaje metálico cilíndrico ▪ Metallic Push-in cylindrical fittings ▪ Raccords Push-in métallique cylindrique ▪ Raccordi metallici Push-in cilindrico



MPCCI MPCF MPHCI MPLCI MSCL MPTCI MPSTCI

Racordaje metálico otros ▪ Other Metallic Push-in fittings ▪ Raccords Push-in métallique - autres ▪ Raccordi metallici Push-in vari



MPUC MPMM MPUL MPU TAP 50600

## CONEXIÓN PUSH-IN AUTOMÁTICO

Push-in Fittings  
Raccords Automatiques Push-in  
Raccordi automatici Push-in

---

Racordaje inoxidable 316 cónico ▪ Stainless steel 316 Push-in tapered fittings ▪ Raccords coniques Push-in en acier inoxydable 316 ▪ Raccordi conici a pressione in acciaio inossidabile 316



ZPC



ZPL

---

Racordaje inoxidable 316 cilíndrico ▪ Stainless steel 316 Push-in cylindrical fittings ▪ Raccords cylindrique Push-in en acier inoxydable 316 ▪ Raccordi cilindrici a pressione in acciaio inox 316



ZPCCI



ZPLCI

---

Racordaje inoxidable 316 otros ▪ Other Stainless steel 316 Push-in fittings ▪ Raccords Push-in en acier inoxydable 316 - autres ▪ Altro Raccordi a innesto in acciaio inossidabile 316



ZPUC



ZPUT

FLUIDAL

## CONEXIÓN CON ESPIGA

Hose tail-M BSPT tapered

Raccords avec embout

Raccordi con inserto

---

Racordaje con espiga cónico ▪ Tapered hose tail fittings ▪ Raccords avec embout conique ▪ Raccordi con inserto conico



3040

3055

---

Racordaje con espiga cilíndrico ▪ Cylindrical hose tail fittings ▪ Raccords avec embout cylindrique ▪ Raccordi con inserto cilindrico



3045



3050



3045A

FLUIDAL

## CONEXIÓN PUSH-ON

Push-on Fittings  
Raccords Push-on  
Raccordi Push-on

Conexión Push-on sin espiral ▪ Push-on fittings without spring ▪ Raccords Push-on sans spirale ▪ Raccordi Push-on sin spirali



Conexión Push-on con muelle ▪ Push-on fittings with nut and spring ▪ Raccords Push-on avec ressort ▪ Raccordi Push-on senza molla



FLUIDAL

## ADAPTADOR

Adaptors  
Adaptateurs  
Adattatori

Adaptadores Rectos ▪ Straight adaptors ▪ Adaptateurs droits ▪ Adattatori diritti



Tapones ▪ Plugs ▪ Bouchons ▪ Tappi



Forja en codo ▪ Elbow forge ▪ Forges en coude ▪ Forgiato a 90°



Forja en T ▪ Forge in T ▪ Forges en T ▪ Forgiato a T



Forja en Cruz e Y ▪ Forge in Cross and Y ▪ Forges en Croix et Y ▪ Forgiato a croce e Y



Tacos ▪ Squares ▪ Nourrices de distribution ▪ Blocco a croce



## CONEXIÓN PUSH-IN AUTOMÁTICO

Push-in Fittings  
Raccords Automatiques Push-in  
Raccordi automatici Push-in

### Auto. Pol.-M BSPT cónico/M métrico

Push-in Pol. - M BSPT tapered/M metric

Push-in Pol. - M BSPT conique /M métrique

Automatico diritto maschio



TUBO PIPE	ROSCA THREAD	Referencia Part n°	€
4 mm	1/8"	PC 0401	0,85
4 mm	1/4"	PC 0402	1,21
4 mm	M5	PC 04M5	0,80
6 mm	1/8"	PC 0601	1,04
6 mm	1/4"	PC 0602	1,30
6 mm	3/8"	PC 0603	1,83
8 mm	1/8"	PC 0801	1,31
8 mm	1/4"	PC 0802	1,39
8 mm	3/8"	PC 0803	1,88
8 mm	1/2"	PC 0804	3,21
10 mm	1/8"	PC 1001	1,87
10 mm	1/4"	PC 1002	2,13
10 mm	3/8"	PC 1003	2,06
10 mm	1/2"	PC 1004	3,07
12 mm	1/4"	PC 1202	2,89
12 mm	3/8"	PC 1203	2,95
12 mm	1/2"	PC 1204	3,64

### Auto. Pol.-codo orientable M BSPT cónico

Push-in Pol. - elbow banjo M BSPT tapered

Push-in Pol. - coude ajustable M BSPT conique

Automatico estremita tubolare a 90



TUBO PIPE	ROSCA THREAD	Referencia Part n°	€
4 mm	1/8"	PH 0401	1,76
6 mm	1/8"	PH 0601	1,97
6 mm	1/4"	PH 0602	2,67
8 mm	1/8"	PH 0801	2,04
8 mm	1/4"	PH 0802	4,61
8 mm	3/8"	PH 0803	4,03
10 mm	1/4"	PH 1002	2,82
10 mm	3/8"	PH 1003	4,54

### Auto. Pol.-codo giratorio M BSPT cónico

Push-in Pol. - elbow adjustable M BSPT tapered

Push-in Pol. - coude tournant M BSPT conique

Automatico maschio girevole



TUBO PIPE	ROSCA THREAD	Referencia Part n°	€
4 mm	1/8"	PL 0401	1,06
4 mm	1/4"	PL 0402	1,55
6 mm	1/8"	PL 0601	1,31
6 mm	1/4"	PL 0602	1,65
6 mm	3/8"	PL 0603	2,15
8 mm	1/8"	PL 0801	1,80
8 mm	1/4"	PL 0802	1,97
8 mm	3/8"	PL 0803	2,34
10 mm	1/4"	PL 1002	2,67
10 mm	3/8"	PL 1003	2,82
10 mm	1/2"	PL 1004	3,98
12 mm	3/8"	PL 1203	3,95
12 mm	1/2"	PL 1204	4,19

### Auto. Pol.-codo giratorio prolongado M BSPT cónico

Push-in Pol. - elbow adjustable extensor M BSPT tapered

Push-in Pol. - coude tournant prolongé M BSPT conique

Automatico a 90 prolunga maschio girevole



TUBO PIPE	ROSCA THREAD	Referencia Part n°	€
4 mm	1/8"	PLL 0401	1,56
4 mm	1/4"	PLL 0402	2,37
6 mm	1/8"	PLL 0601	2,10
6 mm	1/4"	PLL 0602	2,59
8 mm	1/8"	PLL 0801	2,71
8 mm	3/8"	PLL 0803	3,58
10 mm	1/4"	PLL 1002	4,88

### Auto. Pol.-T central giratorio M BSPT cónico

Push-in Pol. - Tee central adjustable M BSPT tapered

Push-in Pol. - T central tournant M BSPT conique

Automatico T maschio girevole centrale



TUBO PIPE	ROSCA THREAD	Referencia Part n°	€
4 mm	1/8"	PT 0401	1,49
6 mm	1/8"	PT 0601	1,80
6 mm	1/4"	PT 0602	2,15
8 mm	1/8"	PT 0801	2,18
8 mm	1/4"	PT 0802	2,35
10 mm	1/4"	PT 1002	3,60
10 mm	3/8"	PT 1003	3,33
12 mm	3/8"	PT 1203	4,58
12 mm	1/2"	PT 1204	3,96

### Auto. Pol.-T lateral giratorio M BSPT cónico

Push-in Pol. - Tee lateral adjustable M BSPT tapered

Push-in Pol. - T lateral tournant M BSPT conique

Automatico T maschio girevole laterale



TUBO PIPE	ROSCA THREAD	Referencia Part n°	€
4 mm	1/8"	PST 0401	1,49
6 mm	1/8"	PST 0601	1,77
6 mm	1/4"	PST 0602	2,15
8 mm	1/8"	PST 0801	2,24
8 mm	1/4"	PST 0802	2,44
10 mm	1/4"	PST 1002	3,04
10 mm	3/8"	PST 1003	3,15
12 mm	3/8"	PST 1203	4,49
12 mm	1/2"	PST 1204	4,56



## CONEXIÓN PUSH-IN AUTOMÁTICO

Push-in Fittings  
Raccords Automatiques Push-in  
Raccordi automatici Push-in

### Auto. Pol.-Y central M BSPT cónico/M métrico

Push-in Pol. - Y central M BSPT tapered/M metric

Push-in Pol. - Y central M BSPT conique /M métrique

Automatico automatico a Y maschio girevole centrale



TUBO PIPE	ROSCA THREAD	Referencia Part n°	€
4 mm	1/8"	PWT 0401	1,85
4 mm	1/4"	PWT 0402	2,44
4 mm	M5	PWT 04M5	1,54
6 mm	1/8"	PWT 0601	2,04
6 mm	1/4"	PWT 0602	2,37
8 mm	1/8"	PWT 0801	2,56
8 mm	1/4"	PWT 0802	2,55
10 mm	1/4"	PWT 1002	4,00
10 mm	3/8"	PWT 1003	4,21
12 mm	3/8"	PWT 1203	5,73
12 mm	1/2"	PWT 1204	5,96

### Auto. Pol.-múltiple intermedio M BSPT cónico

Push-in Pol.-multiple union M BSPT tapered

Push-in Pol.-intermédiaire multiple M BSPTconique

Automatico maschio con uscite multiple



TUBO (LAT) PIPE (LAT)	TUBO (CENT) PIPE (CENT)	ROSCA THREAD	Referencia Part n°	€
6 mm	4 mm	1/8"	PKD 060401	3,97
8 mm	4 mm	1/4"	PKD 080402	4,48
8 mm	6 mm	1/4"	PKD 080602	4,48
10 mm	8 mm	3/8"	PKD 100803	6,49

### Auto. Pol.-codo microrregulador p/cilindro M BSPT cónico

Push-in Pol. - elbow speed controller for cylinder M BSPT tapered

Push-in Pol. - coude micro-régulateur M BSPT conique

Microregolatore per cilindro BSPT



TUBO PIPE	ROSCA THREAD	Referencia Part n°	€
4 mm	1/8"	SCLT 0401	4,66
4 mm	1/4"	SCLT 0402	6,17
6 mm	1/4"	SCLT 0602	5,33
6 mm	3/8"	SCLT 0603	8,75
8 mm	1/8"	SCLT 0801	4,89
8 mm	1/4"	SCLT 0802	5,22
8 mm	3/8"	SCLT 0803	9,30
10 mm	1/4"	SCLT 1002	5,90
10 mm	3/8"	SCLT 1003	9,49
12 mm	1/4"	SCLT 1202	6,53

### Auto. Pol.-M BSP cilíndrico/M métrico c/junta

Push-in Pol. - M BSP parallel/M metric w/o'ring

Push-in Pol. - coude tournant M BSP cilindrique /M métrique avec o'ring

Automatico diritto maschio con o'ring



TUBO PIPE	ROSCA THREAD	Referencia Part n°	€
4 mm	1/8"	PCCI 0401	0,94
4 mm	1/4"	PCCI 0402	1,48
4 mm	M5	PCCI 04M5	0,91
6 mm	1/8"	PCCI 0601	1,17
6 mm	1/4"	PCCI 0602	1,44
6 mm	3/8"	PCCI 0603	1,93
8 mm	1/8"	PCCI 0801	1,48
8 mm	1/4"	PCCI 0802	1,38
8 mm	3/8"	PCCI 0803	1,88
10 mm	1/4"	PCCI 1002	2,11
10 mm	3/8"	PCCI 1003	2,26
10 mm	1/2"	PCCI 1004	3,11
12 mm	1/4"	PCCI 1202	3,38
12 mm	3/8"	PCCI 1203	3,60
12 mm	1/2"	PCCI 1204	4,01

### Auto. Pol.-H BSP cilíndrico

Push-in Pol. - F BSP parallel

Push-in Pol. - F BSP cilindrique

Automatico diritto femmina



TUBO PIPE	ROSCA THREAD	Referencia Part n°	€
4 mm	1/8"	PCF 0401	1,33
6 mm	1/8"	PCF 0601	1,44
6 mm	1/4"	PCF 0602	1,96
8 mm	1/8"	PCF 0801	1,53
8 mm	1/4"	PCF 0802	1,95
8 mm	3/8"	PCF 0803	2,93
10 mm	1/4"	PCF 1002	2,24
12 mm	3/8"	PCF 1203	3,11

### Auto. Pol.-codo orientable M BSP cilíndrico/M métrico c/junta

Push-in Pol. - elbow banjo M BSP parallel/M metric w/o'ring

Push-in Pol. - coude orientable M BSP cilindrique /M métrique avec o'ring

Automatico orientable a 90 con o'ring



TUBO PIPE	ROSCA THREAD	Referencia Part n°	€
4 mm	1/8"	PHCI 0401	2,49
4 mm	M5	PHCI 04M5	1,76
6 mm	1/8"	PHCI 0601	3,54
6 mm	1/4"	PHCI 0602	5,07
8 mm	1/8"	PHCI 0801	2,54
8 mm	1/4"	PHCI 0802	4,08
8 mm	3/8"	PHCI 0803	6,06
10 mm	3/8"	PHCI 1003	5,18



## CONEXIÓN PUSH-IN AUTOMÁTICO

Push-in Fittings  
Raccords Automatiques Push-in  
Raccordi automatici Push-in

### Auto. Pol.-codo giratorio M BSP cilíndrico/M métrico c/junta

Push-in Pol. - elbow adjustable M BSP parallel/M metric w/o'ring

Push-in Pol. - coude tournant M BSP cylindrique /M métrique avec o'ring

Automatico maschio a 90 girevole con o'ring



TUBO PIPE	ROSCA THREAD	Referencia Part n°	€
4 mm	1/8"	PLCI 0401	1,10
4 mm	1/4"	PLCI 0402	1,61
4 mm	M5	PLCI 04M5	1,06
6 mm	1/8"	PLCI 0601	1,45
6 mm	1/4"	PLCI 0602	1,78
6 mm	3/8"	PLCI 0603	2,36
6 mm	M5	PLCI 06M5	1,31
8 mm	1/8"	PLCI 0801	1,71
8 mm	1/4"	PLCI 0802	2,29
8 mm	3/8"	PLCI 0803	2,54
10 mm	1/4"	PLCI 1002	3,07
10 mm	3/8"	PLCI 1003	3,00
10 mm	1/2"	PLCI 1004	3,92
12 mm	1/4"	PLCI 1202	4,53
12 mm	3/8"	PLCI 1203	4,51
12 mm	1/2"	PLCI 1204	4,16

### Auto. Pol.-codo giratorio cuerpo metálico M BSP cilíndrico/M métrico c/junta

Push-in Pol. - elbow adjustable metallic body M BSP parallel/M metric w/o'ring

Push-in Pol. - coude tournant corps métallique M BSP cylindrique /M métrique avec o'ring

Automatico a 90 maschio girevole con o'ring



TUBO PIPE	ROSCA THREAD	Referencia Part n°	€
4 mm	1/8"	50115 4 1/8	5,44
4 mm	M5	50115 4 M5	5,66
6 mm	1/8"	50115 6 1/8	5,54
6 mm	1/4"	50115 6 1/4	5,98
6 mm	M5	50115 6 M5	5,66
8 mm	1/8"	50115 8 1/8	6,58
8 mm	1/4"	50115 8 1/4	6,05
8 mm	3/8"	50115 8 3/8	8,33
10 mm	1/4"	50115 10 1/4	8,71
10 mm	3/8"	50115 10 3/8	9,25
10 mm	1/2"	50115 10 1/2	10,99
12 mm	3/8"	50115 12 3/8	11,17
12 mm	1/2"	50115 12 1/2	12,46

### Auto. Pol.-codo microrregulador p/cilindro M BSP cilíndrico/M métrico

Push-in Pol. - elbow speed controller for cylinder M BSP parallel/M metric

Push-in Pol. - coude micro-régulateur M BSP cylindrique /M métrique

Microregolatore per cilindro BSP



TUBO PIPE	ROSCA THREAD	Referencia Part n°	€
4 mm	1/8"	SCL 0401	4,34
4 mm	1/4"	SCL 0402	4,87
4 mm	M5	SCL 04M5	3,83
6 mm	1/8"	SCL 0601	5,16
6 mm	1/4"	SCL 0602	5,40
6 mm	3/8"	SCL 0603	8,27
6 mm	M5	SCL 06M5	4,13
8 mm	1/8"	SCL 0801	5,16
8 mm	1/4"	SCL 0802	5,40
8 mm	3/8"	SCL 0803	8,62
10 mm	1/4"	SCL 1002	5,90
10 mm	3/8"	SCL 1003	8,71
12 mm	1/4"	SCL 1202	5,71
12 mm	3/8"	SCL 1203	8,81
12 mm	1/2"	SCL 1204	12,56

### Auto. Pol.-T central giratorio M BSP cilíndrico c/junta

Push-in Pol. - Tee central adjustable M BSP parallel w/o'ring

Push-in Pol. - T central tournant M BSP cylindrique avec o'ring

Automatico T girevole centrale con o'ring



TUBO PIPE	ROSCA THREAD	Referencia Part n°	€
4 mm	1/8"	PTCI 0401	1,45
6 mm	1/8"	PTCI 0601	2,11
8 mm	1/8"	PTCI 0801	2,23
8 mm	3/8"	PTCI 0803	2,73
10 mm	1/4"	PTCI 1002	4,38
10 mm	3/8"	PTCI 1003	9,77
12 mm	3/8"	PTCI 1203	5,33
4 mm	M5	PTCI 04M5	1,43
6 mm	M5	PTCI 06M5	1,77

### Auto. Pol.-T central giratorio cuerpo metálico M BSP cilíndrico c/junta

Push-in Pol. - Tee central adjustable metallic body M BSP parallel w/o'ring

Push-in Pol. - T central tournant corps métallique M BSP cylindrique avec o'ring

Automatico a T maschio girevole centrale con o'ring



TUBO PIPE	ROSCA THREAD	Referencia Part n°	€
4 mm	1/8"	50215 4 1/8	6,10
4 mm	1/4"	50215 4 1/4	8,62
6 mm	1/8"	50215 6 1/8	7,97
6 mm	1/4"	50215 6 1/4	8,47
8 mm	1/8"	50215 8 1/8	9,72
8 mm	1/4"	50215 8 1/4	8,72
10 mm	1/4"	50215 10 1/4	12,87
10 mm	3/8"	50215 10 3/8	13,39
12 mm	3/8"	50215 12 3/8	14,89
12 mm	1/2"	50215 12 1/2	16,91

## CONEXIÓN PUSH-IN AUTOMÁTICO

Push-in Fittings  
Raccords Automatiques Push-in  
Raccordi automatici Push-in

### Auto. Pol.-T lateral giratorio M BSP cilíndrico c/junta

Push-in Pol. - T lateral adjustable M BSP parallel w/o'ring

Push-in Pol. - T lateral tournant M BSP cylindrique avec o'ring

Automatico T girevole laterale con o'ring



TUBO PIPE	ROSCA THREAD	Referencia Part n°	€
4 mm	1/8"	PSTCI 0401	5,58
6 mm	1/8"	PSTCI 0601	5,64
6 mm	1/4"	PSTCI 0602	6,02
8 mm	1/8"	PSTCI 0801	6,87
8 mm	1/4"	PSTCI 0802	3,55
10 mm	1/4"	PSTCI 1002	9,59
10 mm	3/8"	PSTCI 1003	9,94
12 mm	3/8"	PSTCI 1203	10,77

### Auto. Pol.-T lateral giratorio cuerpo metálico M BSP cilíndrico c/junta

Push-in Pol. - T lateral adjustable metallic body M BSP parallel w/o'ring

Push-in Pol. - T lateral tournant corps métallique M BSP cylindrique avec o'ring

Automatico a T maschio girevole laterale con o'ring



TUBO PIPE	ROSCA THREAD	Referencia Part n°	€
4 mm	1/8"	50225 4 1/8	7,93
6 mm	1/8"	50225 6 1/8	6,99
6 mm	1/4"	50225 6 1/4	8,47
8 mm	1/8"	50225 8 1/8	9,72
8 mm	1/4"	50225 8 1/4	9,94
10 mm	1/4"	50225 10 1/4	12,87
10 mm	3/8"	50225 10 3/8	13,63
12 mm	3/8"	50225 12 3/8	14,36

### Auto. Pol.-intermedio

Push-in Pol.-union

Push-in technopolymère - Union à piquage

Automatico intermedio



TUBO PIPE	TUBO PIPE	Referencia Part n°	€
6 mm	4 mm	PG 0604	0,85
8 mm	6 mm	PG 0806	1,21
10 mm	8 mm	PG 1008	1,30
12 mm	10 mm	PG 1210	1,72
4 mm	4 mm	PUC 04	0,82
6 mm	6 mm	PUC 06	0,90
8 mm	8 mm	PUC 08	0,98
10 mm	10 mm	PUC 10	1,23
12 mm	12 mm	PUC 12	1,51

### Auto. Pol.-intermedio cuerpo metálico

Push-in Pol.-union metallic body

Push-in technopolymère - Piquage corps métallique

Automatico intermedio



TUBO PIPE	Referencia Part n°	€
4 mm	50040 4	2,87
6 mm	50040 6	3,27
8 mm	50040 8	3,81
10 mm	50040 10	6,15
12 mm	50040 12	8,00

### Auto. Pol.-intermedio pasatabique tuerca métrica

Push-in Pol.-union bulkhead w/metric nut

Push-in technopolymère -Piquage passe-cloison métrique

Automatico intermedio passaparete



TUBO PIPE	ROSCA THREAD	Referencia Part n°	€
4 mm	M12x1	PMM 04	2,66
6 mm	M14x1	PMM 06	2,76
8 mm	M16x1	PMM 08	3,14
10 mm	M20x1	PMM 10	5,04
12 mm	M22x1	PMM 12	6,28

### Auto. Pol.-regulador en línea unidireccional

Push-in Pol.-unidirectional straight speed controller

Push-in technopolymère -Régulateur de débit en ligne unidirectionnel

Regolatore di flusso in linea



TUBO PIPE	Referencia Part n°	€
4 mm	SCU 04	4,77
6 mm	SCU 06	5,30
8 mm	SCU 08	5,79
10 mm	SCU 10	8,16

### Auto. Pol.-reductor insertable

Push-in Pol.-plug-in reducer

Push-in technopolymère - Piquage de réduction

Automatico di riduzione



TUBO (INSERT) PIPE (INSERT)	TUBO PIPE	Referencia Part n°	€
6 mm	4 mm	PR 0604	1,02
8 mm	4 mm	PR 0804	0,93
8 mm	6 mm	PR 0806	1,02
10 mm	6 mm	PR 1006	1,12
10 mm	8 mm	PR 1008	1,31
12 mm	8 mm	PR 1208	1,77
12 mm	10 mm	PR 1210	1,86

## CONEXIÓN PUSH-IN AUTOMÁTICO

Push-in Fittings  
Raccords Automatiques Push-in  
Raccordi automatici Push-in

### Auto. Pol.-reductor insertable cuerpo metálico

Push-in Pol.-plug-in reducer metallic body

Push-in technopolymère - Piquage de réduction corps métallique

Automatico di riduzione corpo metallico



TUBO (INSERT) PIPE (INSERT)	TUBO PIPE	Referencia Part n°	€
6 mm	4 mm	PRM 0604	1,86
8 mm	4 mm	PRM 0804	2,00
8 mm	6 mm	PRM 0806	2,00
10 mm	6 mm	PRM 1006	2,22
10 mm	8 mm	PRM 1008	2,25
12 mm	8 mm	PRM 1208	2,67
12 mm	10 mm	PRM 1210	2,67

### Auto. Pol.-cuerpo orientable metálico

Push-in Pol.-banjo body metallic body

Push-in technopolymère - Corps orientable métallique

Automatico orientabile



TUBO PIPE	ROSCA THREAD	Referencia Part n°	€
4 mm	M5	50500 4 M5	4,56
4 mm	M6	50500 4 M6	4,56
4 mm	1/2"	50500 4 1/8	4,70
6 mm	M5	50500 6 M5	4,70
6 mm	M6	50500 6 M6	4,70
6 mm	1/8"	50500 6 1/8	4,91
6 mm	1/4"	50500 6 1/4	5,29
8 mm	1/8"	50500 8 1/8	5,48
8 mm	1/4"	50500 8 1/4	5,74
8 mm	3/8"	50500 8 3/8	6,49
10 mm	1/4"	50500 10 1/4	6,51
10 mm	3/8"	50500 10 3/8	7,12
12 mm	3/8"	50500 12 3/8	9,04
12 mm	1/2"	50500 12 1/2	11,03

### Tornillo orientable simple M BSP cilíndrico/M métrico

Simple banjo bolt M BSP parallel/M metric

Vis pour banjo simple M BSP cil./ M Métrique

Bullone per automatico orientabile



ROSCA THREAD	Referencia Part n°	€
M5	51410 M5	1,82
M6	51410 M6	1,97
M12	51410 M12	3,12
1/8"	51410 1/8	2,37
1/4"	51410 1/4	3,02
3/8"	51410 3/8	4,38
1/2"	51410 1/2	7,75

### Tornillo orientable doble M cilíndrico BSP

Double banjo bolt M BSP parallel

Vis pour banjo double M BSP cil.

Bullone forato doppio



ROSCA THREAD	Referencia Part n°	€
1/8"	51420 1/8	3,31
1/4"	51420 1/4	4,75
3/8"	51420 3/8	7,16
1/2"	51420 1/2	10,98

### Auto. Pol.-codo intermedio

Push-in Pol.-elbow union

Push-in technopolymère - Coude d'union à piquage

Automatico intermedio a 90



TUBO PIPE	Referencia Part n°	€
4 mm	PUL 04	0,78
6 mm	PUL 06	0,76
8 mm	PUL 08	0,97
10 mm	PUL 10	1,23
12 mm	PUL 12	1,72

### Auto. Pol.-codo intermedio cuerpo metálico

Push-in Pol.-elbow union metallic body

Push-in technopolymère - Piquage coude corps métallique

Automatico a 90 intermedio



TUBO PIPE	Referencia Part n°	€
4 mm	50130 4	5,70
6 mm	50130 6	5,07
8 mm	50130 8	6,76
10 mm	50130 10	8,35
12 mm	50130 12	10,94

### Auto. Pol.-codo insertable

Push-in Pol.-elbow plug-in

Push-in technopolymère - Coude à piquage lisse

Automatico estremita tubolare



TUBO PIPE	TUBO PIPE	Referencia Part n°	€
4 mm	4 mm	PLJ 04	1,74
6 mm	6 mm	PLJ 06	2,38
8 mm	8 mm	PLJ 08	2,68
10 mm	10 mm	PLJ 10	3,04
12 mm	12 mm	PLJ 12	4,23

## CONEXIÓN PUSH-IN AUTOMÁTICO

Push-in Fittings  
Raccords Automatiques Push-in  
Raccordi automatici Push-in

### Auto. Pol.-T intermedio

Push-in Pol.-Tee union

Push-in technopolymère - Piquage en Té

Automatico T intermedio



TUBO PIPE	Referencia Part n°	€
4 mm	PUT 04	1,06
6 mm	PUT 06	1,06
8 mm	PUT 08	1,19
10 mm	PUT 10	1,59
12 mm	PUT 12	2,21

### Auto. Pol.-T intermedio cuerpo metálico

Push-in Pol.-Tee union metallic body

Push-in technopolymère - Tè à piquage

Automatico a T intermedio



TUBO PIPE	Referencia Part n°	€
4 mm	50230 4	7,81
6 mm	50230 6	6,60
8 mm	50230 8	8,41
10 mm	50230 10	12,46
12 mm	50230 12	14,88

### Auto. Pol.-Y intermedio

Push-in Pol.-Y union

Push-in technopolymère - Piquage en Y

Automatico intermedio a Y



TUBO PIPE	Referencia Part n°	€
4 mm	PY 04	0,91
6 mm	PY 06	1,23
8 mm	PY 08	1,20
10 mm	PY 10	1,69
12 mm	PY 12	2,17

### Auto. Pol.-Y intermedio cuerpo metálico

Push-in Pol.-Y union metallic body

Push-in technopolymère - Piquage en Y

Automatico a Y intermedio



TUBO PIPE	Referencia Part n°	€
4 mm	50310 4	11,03
6 mm	50310 6	11,44
8 mm	50310 8	12,92

### Auto. Pol.-Y central insertable

Push-in Pol.-Y central plug-in

Push-in technopolymère -Piquage en Y simple lisse

Automatico a Y estremita tubolare centrale



TUBO (INSERT) PIPE (INSERT)	TUBO PIPE	Referencia Part n°	€
6 mm	4 mm	PWJ 0604	1,99
8 mm	6 mm	PWJ 0806	2,99
10 mm	8 mm	PWJ 1008	3,43
12 mm	10 mm	PWJ 1210	4,81
4 mm	4 mm	PYJ 04	2,49
6 mm	6 mm	PYJ 06	2,70
8 mm	8 mm	PYJ 08	3,09
10 mm	10 mm	PYJ 10	3,78
12 mm	12 mm	PYJ 12	4,87

### Auto. Pol.-cruz intermedio

Push-in Pol.-cross union

Push-in technopolymère -Croix à piquage

Automatico intermedio a croce



TUBO PIPE	Referencia Part n°	€
4 mm	PZA 04	1,68
6 mm	PZA 06	2,04
8 mm	PZA 08	2,21
10 mm	PZA 10	3,11
12 mm	PZA 12	4,34

### Auto. Pol.-múltiple intermedio

Push-in Pol.-Multiple union

Push-in technopolymère -Piquage multiple

Automatico intermedio con uscite multiple



TUBO (LAT) PIPE (LAT)	TUBO PIPE	Referencia Part n°	€
6 mm	4 mm	PKG 0604	2,44
8 mm	4 mm	PKG 0804	2,90
10 mm	6 mm	PKG 1006	3,98
10 mm	8 mm	PKG 1008	3,98

### Tapón insertable para automático

Plug-in for push-in

Piquage bouchon

Automatico tappo



TUBO PIPE	Referencia Part n°	€
4 mm	TAP 04	0,40
6 mm	TAP 06	0,51
8 mm	TAP 08	0,60
10 mm	TAP 10	0,63
12 mm	TAP 12	0,92

## CONEXIÓN PUSH-IN AUTOMÁTICO

Push-in Fittings  
Raccords Automatiques Push-in  
Raccordi automatici Push-in

### Auto. Met.-M BSPT cónico

Push-in Met.-M BSPT tapered

Push-in métallique - M BSPT conique

Automatico diritto maschio



TUBO PIPE	ROSCA THREAD	Referencia Part n°	€
4 mm	1/8"	MPC 0401	2,25
4 mm	1/4"	MPC 0402	2,34
6 mm	1/8"	MPC 0601	2,29
6 mm	1/4"	MPC 0602	2,58
6 mm	3/8"	MPC 0603	3,19
8 mm	1/8"	MPC 0801	2,70
8 mm	1/4"	MPC 0802	2,52
8 mm	3/8"	MPC 0803	3,26
10 mm	1/8"	MPC 1001	3,76
10 mm	1/4"	MPC 1002	4,02
10 mm	3/8"	MPC 1003	4,12
10 mm	1/2"	MPC 1004	5,86

### Auto. Met.-codo giratorio M BSPT cónico

Push-in Met.-elbow adjustable M BSPT tapered

Push-in métallique - Coude orientable M BSPT conique

Automatico maschio girevole



TUBO PIPE	ROSCA THREAD	Referencia Part n°	€
4 mm	1/8"	MPL 0401	4,00
4 mm	1/4"	MPL 0402	4,17
6 mm	1/8"	MPL 0601	5,34
6 mm	1/4"	MPL 0602	5,54
8 mm	1/8"	MPL 0801	6,28
8 mm	1/4"	MPL 0802	6,78
8 mm	3/8"	MPL 0803	6,72
10 mm	1/4"	MPL 1002	7,82
10 mm	3/8"	MPL 1003	8,38
10 mm	1/2"	MPL 1004	9,57

### Auto. Met.-M BSP cilíndrico/M métrico c/junta

Push-in Met.-M BSP parallel/M metric w/o'ring

Push-in mét. - Piquage droit mâle BSP cylindrique/  
M métrique avec o'ring

Automatico diritto maschio cilindrico con o'ring



TUBO PIPE	ROSCA THREAD	Referencia Part n°	€
4 mm	M5	MPCCI 04M5	2,22
4 mm	1/8"	MPCCI 0401	2,32
4 mm	1/4"	MPCCI 0402	2,34
6 mm	1/8"	MPCCI 0601	2,37
6 mm	1/4"	MPCCI 0602	2,46
6 mm	3/8"	MPCCI 0603	3,19
8 mm	1/8"	MPCCI 0801	2,51
8 mm	1/4"	MPCCI 0802	2,52
8 mm	3/8"	MPCCI 0803	3,52
10 mm	1/4"	MPCCI 1002	3,76
10 mm	3/8"	MPCCI 1003	3,98
10 mm	1/2"	MPCCI 1004	5,58
12 mm	1/4"	MPCCI 1202	4,69
12 mm	3/8"	MPCCI 1203	5,29
12 mm	1/2"	MPCCI 1204	5,61

### Auto. Met.-H BSP cilíndrico

Push-in Met.-F BSP parallel

Push-in mét. - Piquage droit femelle BSP  
cylindrique

Automatico diritto femmina cilindrico



TUBO PIPE	ROSCA THREAD	Referencia Part n°	€
4 mm	1/8"	MPCF 0401	2,84
6 mm	1/8"	MPCF 0601	2,96
6 mm	1/4"	MPCF 0602	3,19
8 mm	1/8"	MPCF 0801	3,29
8 mm	1/4"	MPCF 0802	3,26
10 mm	1/4"	MPCF 1002	3,88
12 mm	3/8"	MPCF 1203	6,10

### Auto. Met.-codo orientable M BSP cilíndrico c/junta

Push-in Met.-elbow banjo M BSP parallel w/o'ring

Push-in mét. - Coude orientable M BSP cylindrique  
avec o'ring

Automatico estremita tubolare a 90 cilindrico con  
o'ring



TUBO PIPE	ROSCA THREAD	Referencia Part n°	€
6 mm	1/8"	MPHCI 0601	6,29
8 mm	1/4"	MPHCI 0802	9,27
10 mm	1/4"	MPHCI 1002	9,52

### Auto. Met.-codo giratorio M BSP cilíndrico/M métrico c/junta

Push-in Met.-elbow adjustable M BSP parallel/M  
metric w/o'ring

Push-in mét. - Coude orientable M BSP cylindrique  
/ M métrique avec o'ring

Automatico girevole cilindrico con o'ring



TUBO PIPE	ROSCA THREAD	Referencia Part n°	€
4 mm	M5	MPLCI 04M5	3,79
4 mm	1/8"	MPLCI 0401	3,91
4 mm	1/4"	MPLCI 0402	4,17
6 mm	1/8"	MPLCI 0601	5,50
6 mm	1/4"	MPLCI 0602	5,54
6 mm	3/8"	MPLCI 0603	5,93
8 mm	1/8"	MPLCI 0801	6,48
8 mm	1/4"	MPLCI 0802	6,70
8 mm	3/8"	MPLCI 0803	6,99
10 mm	1/4"	MPLCI 1002	8,07
10 mm	3/8"	MPLCI 1003	8,64
12 mm	1/4"	MPLCI 1202	9,89
12 mm	3/8"	MPLCI 1203	10,26
12 mm	1/2"	MPLCI 1204	11,75



## CONEXIÓN PUSH-IN AUTOMÁTICO

Push-in Fittings  
Raccords Automatiques Push-in  
Raccordi automatici Push-in

### Auto. Met.-codo microrregulador p/cilindro M BSP cilíndrico c/junta

Push-in Met.-elbow speed controller for cylinder M BSP parallel w/o'ring

Push-in mét. - Microrégulateur pour vérins cylindrique M BSP cylindrique avec o'ring

Microregolatore cilindrico per cilindro con o'ring



TUBO PIPE	ROSCA THREAD	Referencia Part n°	€
4 mm	1/8"	MSCL 0401	10,61
4 mm	1/4"	MSCL 0402	13,89
6 mm	1/8"	MSCL 0601	10,61
6 mm	1/4"	MSCL 0602	13,89
6 mm	3/8"	MSCL 0603	17,66
8 mm	1/8"	MSCL 0801	10,61
8 mm	1/4"	MSCL 0802	15,30
8 mm	3/8"	MSCL 0803	23,04
10 mm	1/4"	MSCL 1002	15,30

### Auto. Met.-T central giratorio M BSP cilíndrico c/junta

Push-in Met.-Tee central adjustable M BSP parallel w/o'ring

Push-in mét. - Té à piquage mâle tournant central BSP cylindrique avec o'ring

Automatico T maschio girevole centrale cilindrico con o'ring



TUBO PIPE	ROSCA THREAD	Referencia Part n°	€
4 mm	1/8"	MPTCI 0401	5,54
6 mm	1/8"	MPTCI 0601	6,65
6 mm	1/4"	MPTCI 0602	7,73
8 mm	1/8"	MPTCI 0801	9,06
8 mm	1/4"	MPTCI 0802	9,02
8 mm	3/8"	MPTCI 0803	9,79
10 mm	1/4"	MPTCI 1002	10,99
10 mm	3/8"	MPTCI 1003	11,72
12 mm	3/8"	MPTCI 1203	12,61

### Auto. Met.-T lateral giratorio M BSP cilíndrico c/junta

Push-in Met.-Tee lateral adjustable M BSP parallel w/o'ring

Push-in mét. - Té à piquage mâle tournant latéral BSP cylindrique avec o'ring

Automatico T maschio girevole laterale cilindrico con o'ring



TUBO PIPE	ROSCA THREAD	Referencia Part n°	€
4 mm	1/8"	MPSTCI 0401	5,31
4 mm	1/4"	MPSTCI 0402	5,67
6 mm	1/8"	MPSTCI 0601	7,70
6 mm	1/4"	MPSTCI 0602	7,73
6 mm	3/8"	MPSTCI 0603	8,14
8 mm	1/8"	MPSTCI 0801	9,06
8 mm	1/4"	MPSTCI 0802	9,02
8 mm	3/8"	MPSTCI 0803	9,79
10 mm	1/4"	MPSTCI 1002	11,08

### Auto. Met.-intermedio

Push-in Met.-union

Push-in métallique - Union à piquage

Automatico intermedio



TUBO PIPE	Referencia Part n°	€
4 mm	MPUC 04	2,99
6 mm	MPUC 06	3,64
8 mm	MPUC 08	4,53
10 mm	MPUC 10	6,58
12 mm	MPUC 12	7,44

### Auto. Met.-intermedio pasatabique tuerca métrica

Push-in Met.-union bulkhead w/metric nut

Push-in métallique - Piquage passe-cloison cylindrique

Automatico intermedio passaparete cilindrico



TUBO PIPE	ROSCA THREAD	Referencia Part n°	€
4 mm	M12X1	MPMM 04	4,55
6 mm	M14X1	MPMM 06	5,65
8 mm	M16X1	MPMM 08	6,76
10 mm	M20X1	MPMM 10	8,76
12 mm	M22X1	MPMM 12	10,19

### Auto. Met.-codo intermedio

Push-in Met.-elbow union

Push-in technopolymère - Union à piquage

Automatico intermedio a 90



TUBO PIPE	Referencia Part n°	€
4 mm	MPUL 04	3,26
6 mm	MPUL 06	3,60
8 mm	MPUL 08	4,82
10 mm	MPUL 10	6,51

### Auto. Met.-T intermedio

Push-in Met.-Tee union

Push-in métallique - Piquage en Té intermédiaire

Automatico T intermedio



TUBO PIPE	Referencia Part n°	€
4 mm	MPUT 04	4,61
6 mm	MPUT 06	5,54
8 mm	MPUT 08	8,00
10 mm	MPUT 10	9,86
12 mm	MPUT 12	12,10

## CONEXIÓN PUSH-IN AUTOMÁTICO

Push-in Fittings  
Raccords Automatiques Push-in  
Raccordi automatici Push-in

### Auto. Met.-Y intermedio

Push-in Met.-Y union

Push-in métallique - Piquage en Y

Automatico intermedio a Y



TUBO PIPE	Referencia Part n°	€
4 mm	MPY 04	5,80
6 mm	MPY 06	7,04
8 mm	MPY 08	9,22
10 mm	MPY 10	12,07
12 mm	MPY 12	13,66

### Tapón insertable para automático

Plug-in for Push-in

Piquage bouchon

Automatico tappo



TUBO PIPE	Referencia Part n°	€
4 mm	TAP 04	0,40
6 mm	TAP 06	0,51
8 mm	TAP 08	0,60
10 mm	TAP 10	0,63
12 mm	TAP 12	0,92

### Insertable para automático cuerpo metálico M BSP

Plug-in for Push-in M BSP

Insertable pour adaptateur M BSP cylindrique corps métallique

Adattatore maschio cilindrico



TUBO PIPE	ROSCA THREAD	Referencia Part n°	€
4 mm	1/8"	50600 4 1/8	1,89
6 mm	1/8"	50600 6 1/8	1,89
6 mm	1/4"	50600 6 1/4	2,52
8 mm	1/8"	50600 8 1/8	2,02
8 mm	1/4"	50600 8 1/4	2,75
8 mm	3/8"	50600 8 3/8	3,93
10 mm	1/4"	50600 10 1/4	2,85
10 mm	3/8"	50600 10 3/8	4,06
12 mm	1/4"	50600 12 1/4	3,04
12 mm	3/8"	50600 12 3/8	4,23



## CONEXIÓN PUSH-IN AUTOMÁTICO

Push-in Fittings  
Raccords Automatiques Push-in  
Raccordi automatici Push-in

### Auto. Inox.-M BSPT cónico

Push-in stainless steel-M BSPT tapered

Push-in en acier inoxydable-M BSPT conique

Push-in acciaio inossidabile-M BSPT conico



NEW

TUBO PIPE	ROSCA THREAD	Referencia Part n°	€
6mm	1/8"	ZPC 0601	11,56
6mm	1/4"	ZPC 0602	11,56
8mm	1/8"	ZPC 0801	12,24
8mm	1/4"	ZPC 0802	12,24
8mm	3/8"	ZPC 0803	12,92

### Auto. Inox.-codo giratorio M BSPT cónico

Push-in stainless steel-elbow adjustable M BSPT tapered

Coude réglable en acier inoxydable M BSPT conique

Push-in inox-gomito regolabile M BSPT rastremato



NEW

TUBO PIPE	ROSCA THREAD	Referencia Part n°	€
6mm	1/8"	ZPL 0601	21,76
6mm	1/4"	ZPL 0602	21,76
8mm	1/8"	ZPL 0801	21,76
8mm	1/4"	ZPL 0802	21,76
8mm	3/8"	ZPL 0803	23,12

### Auto. Pol.-M BSP cilíndrico

Push-in stainless steel-M BSP

Push-in en acier inoxydable-M BSP

Push-in acciaio inossidabile-M BSP



NEW

TUBO PIPE	ROSCA THREAD	Referencia Part n°	€
6mm	1/8"	ZPCCI 0601	13,07
6mm	1/4"	ZPCCI 0602	13,07
8mm	1/8"	ZPCCI 0801	13,75
8mm	1/4"	ZPCCI 0802	13,75
8mm	3/8"	ZPCCI 0803	14,43

### Auto. Inox.-codo giratorio M BSP cilíndrico c/junta

Push-in stainless steel-elbow adjustable M BSP w/o ring

Coude réglable en acier inoxydable M BSP sans joint torique

Push-in in acciaio inox-gomito regolabile M BSP senza anello



NEW

TUBO PIPE	ROSCA THREAD	Referencia Part n°	€
6mm	1/8"	ZPLCI 0601	23,27
6mm	1/4"	ZPLCI 0602	23,27
8mm	1/8"	ZPLCI 0801	23,27
8mm	1/4"	ZPLCI 0802	23,27
8mm	3/8"	ZPLCI 0803	24,63

### Auto. Inox.-intermedio

Push-in stainless steel-union

Raccord enfichable en acier inoxydable

Raccordo a pressione in acciaio inossidabile



NEW

TUBO PIPE	Referencia Part n°	€
6mm	ZPUC 06	14,28
8mm	ZPUC 08	14,96
10mm	ZPUC 10	16,32

### Auto. Inox.-T intermedio

Push-in stainless steel-Tee unión

Té union en acier inoxydable enfichable

Raccordo a T a pressione in acciaio inossidabile



NEW

TUBO PIPE	Referencia Part n°	€
6mm	ZPUT 06	26,52
8mm	ZPUT 08	29,92
10mm	ZPUT 10	31,28

NEW

AHORA EN ACERO  
INOXIDABLE 316

STAINLESS STEEL  
316 AVAILABLE

## CONEXIÓN CON ESPIGA

Hose tail-M BSPT tapered

Raccords avec embout

Raccordi con inserto

### Espiga-M BSPT cónico

Hose tail-M BSPT tapered

Douille mâle BSPT conique

Inserto maschio cilindrico senza o-ring



TUBO PIPE	ROSCA THREAD	Referencia Part n°	€
6 mm	1/8"	3040 6 1/8	1,03
6 mm	1/4"	3040 6 1/4	1,44
7 mm	1/8"	3040 7 1/8	1,28
7 mm	1/4"	3040 7 1/4	1,46
8 mm	1/8"	3040 8 1/8	1,28
8 mm	1/4"	3040 8 1/4	1,78
9 mm	1/8"	3040 9 1/8	1,36
9 mm	1/4"	3040 9 1/4	1,60
9 mm	3/8"	3040 9 3/8	2,09
9 mm	1/2"	3040 9 1/2	3,18
10 mm	1/4"	3040 10 1/4	2,10
10 mm	3/8"	3040 10 3/8	2,09
10 mm	1/2"	3040 10 1/2	3,64
12 mm	1/4"	3040 12 1/4	1,91
12 mm	3/8"	3040 12 3/8	2,67
12 mm	1/2"	3040 12 1/2	3,56
14 mm	3/8"	3040 14 3/8	2,41
16 mm	3/8"	3040 16 3/8	2,91
14 mm	1/2"	3040 14 1/2	3,87
16 mm	1/2"	3040 16 1/2	4,18

### Espiga doble

Doble hose tail connector

Douille double jonction

Inserto doppio



TUBO PIPE	Referencia Part n°	€
6 mm	3055 6	0,63
8 mm	3055 8	0,94
10 mm	3055 10	1,14

### Espiga-M BSP cilíndrico C/J

Hose tail-M BSP parallel w.o-ring

Douille mâle BSP cylindrique avec joint

Inserto maschio cilindrico con o-ring



TUBO PIPE	ROSCA THREAD	Referencia Part n°	€
7 mm	1/8"	3045 7 1/8	1,21
7 mm	1/4"	3045 7 1/4	1,68
8 mm	1/8"	3045 8 1/8	1,33
9 mm	1/8"	3045 9 1/8	1,58
9 mm	1/4"	3045 9 1/4	1,86
9 mm	3/8"	3045 9 3/8	2,51
12 mm	1/4"	3045 12 1/4	2,26
12 mm	3/8"	3045 12 3/8	2,70
12 mm	1/2"	3045 12 1/2	3,89

### Espiga-H BSP cilíndrico

Hose tail-F BSP parallel

Douille femelle BSP cylindrique

Inserto femmina



TUBO PIPE	ROSCA THREAD	Referencia Part n°	€
6 mm	1/8"	3050 6 1/8	1,17
7 mm	1/8"	3050 7 1/8	1,30
7 mm	1/4"	3050 7 1/4	1,48
8 mm	1/4"	3050 8 1/4	1,67
9 mm	1/4"	3050 9 1/4	1,90
9 mm	3/8"	3050 9 3/8	2,44
10 mm	3/8"	3050 10 3/8	2,32
12 mm	3/8"	3050 12 3/8	2,86
12 mm	1/2"	3050 12 1/2	3,70

### Espiga-M BSP cilíndrico sin junta

Hose tail-M BSP parallel without o'ring

Douille mâle BSP cylindrique sans joint

Inserto maschio cilindrico senza giunta



TUBO PIPE	ROSCA THREAD	Referencia Part n°	€
9 mm	3/8"	3045A 9 3/8	3,17
12 mm	1/4"	3045A 12 1/4	2,84
12 mm	1/2"	3045A 12 1/2	5,46

Hasta fin de existencias. / Until end of stock. / Jusqu'à la fin du stock. / Fino ad esaurimento scorta.

## CONEXIÓN PUSH-ON

Push-on Fittings  
Raccords Push-on  
Raccordi Push-on

### Push-on-M BSPT cónico

Push-on-M BSPT tapered

Raccord droit mâle conique

Raccordo maschio conico



TUBO PIPE	ROSCA THREAD	Referencia Part n°	€
4/2.7 mm	1/8"	1000 4/2.7 1/8	2,17
6/4 mm	1/8"	1000 6/4 1/8	1,90
6/4 mm	1/4"	1000 6/4 1/4	2,26
6/4 mm	3/8"	1000 6/4 3/8	3,31
8/6 mm	1/8"	1000 8/6 1/8	2,49
8/6 mm	1/4"	1000 8/6 1/4	2,41
8/6 mm	3/8"	1000 8/6 3/8	3,41
8/6 mm	1/2"	1000 8/6 1/2	4,85
10/8 mm	1/4"	1000 10/8 1/4	3,07
10/8 mm	3/8"	1000 10/8 3/8	3,75
10/8 mm	1/2"	1000 10/8 1/2	5,10
12/10 mm	3/8"	1000 12/10 3/8	3,97
12/10 mm	1/2"	1000 12/10 1/2	5,46

\*Until end of stock. / \*Until end of stock. / \*Jusqu'à la fin du stock. / \*Fino ad esaurimento scorta.

### Push-on-giratorio M BSPT cónico

Push-on-adjustable M BSPT tapered

Raccord droit mâle tournant conique

Raccordo maschio conico girevole



TUBO PIPE	ROSCA THREAD	Referencia Part n°	€
6/4 mm	1/8"	1010 6/4 1/8	4,48
6/4 mm	1/4"	1010 6/4 1/4	4,85
8/6 mm	1/8"	1010 8/6 1/8	4,75
8/6 mm	1/4"	1010 8/6 1/4	5,23
10/8 mm	1/4"	1010 10/8 1/4	5,88
12/10 mm	3/8"	1010 12/10 3/8	8,07

### Push-on-codo M BSPT cónico

Push-on-elbow M BSPT tapered

Raccord coudé mâle conique

Raccordo a 90 maschio conico



TUBO PIPE	ROSCA THREAD	Referencia Part n°	€
4/2.7 mm	1/8"	1100 4/2.7 1/8	3,99
6/4 mm	1/8"	1100 6/4 1/8	2,96
6/4 mm	1/4"	1100 6/4 1/4	3,12
6/4 mm	3/8"	1100 6/4 3/8	4,20
8/6 mm	1/8"	1100 8/6 1/8	3,16
8/6 mm	1/4"	1100 8/6 1/4	3,49
8/6 mm	3/8"	1100 8/6 3/8	3,96
8/6 mm	1/2"	1100 8/6 1/2	7,54
10/8 mm	1/4"	1100 10/8 1/4	4,24
10/8 mm	3/8"	1100 10/8 3/8	4,81
10/8 mm	1/2"	1100 10/8 1/2	7,36
12/10 mm	3/8"	1100 12/10 3/8	5,94
12/10 mm	1/2"	1100 12/10 1/2	8,07

### Push-on-codo giratorio M BSPT cónico

Push-on-elbow adjustable M BSPT tapered

Raccord coudé tournant mâle conique

Raccordo a 90 maschio conico girevole



TUBO PIPE	ROSCA THREAD	Referencia Part n°	€
4/2.7 mm	1/8"	1110 4/2.7 1/8	4,99
6/4 mm	1/8"	1110 6/4 1/8	4,99
6/4 mm	1/4"	1110 6/4 1/4	5,76
8/6 mm	1/8"	1110 8/6 1/8	5,33
8/6 mm	1/4"	1110 8/6 1/4	5,94
10/8 mm	1/4"	1110 10/8 1/4	6,87

### Push-on-T central giratorio M BSPT cónico

Push-on-Tee central adjustable M BSPT tapered

Raccord en té avec tournant mâle central

Raccordo a T maschio conico girevole centrale



TUBO PIPE	ROSCA THREAD	Referencia Part n°	€
6/4 mm	1/8"	1210 6/4 1/8	6,87
6/4 mm	1/4"	1210 6/4 1/4	7,12
8/6 mm	1/8"	1210 8/6 1/8	6,87
8/6 mm	1/4"	1210 8/6 1/4	7,48
10/8 mm	1/4"	1210 10/8 1/4	9,29

### Push-on-T lateral M BSPT cónico

Push-on-Tee lateral M BSPT tapered

Raccord en té avec mâle conique latéral

Raccordo a Y laterale conico maschio



TUBO PIPE	ROSCA THREAD	Referencia Part n°	€
6/4 mm	1/8"	1220 6/4 1/8	4,34
6/4 mm	1/4"	1220 6/4 1/4	4,56
8/6 mm	1/8"	1220 8/6 1/8	4,85
8/6 mm	1/4"	1220 8/6 1/4	5,13
10/8 mm	1/4"	1220 10/8 1/4	6,49
10/8 mm	3/8"	1220 10/8 3/8	7,62
12/10 mm	3/8"	1220 12/10 3/8	9,33

## CONEXIÓN PUSH-ON

Push-on Fittings  
Raccords Push-on  
Raccordi Push-on

### Push-on-M BSP cilíndrico/M métrico c/junta

Push-on-M BSP/M metric w/o'ring parallel

Raccord droit mâle cylindrique avec o'ring

Raccordo maschio cilindrico con o-ring



TUBO PIPE	ROSCA THREAD	Referencia Part n°	€
4/2.7 mm	1/8"	1020 4/2.7 1/8	2,17
6/4 mm	1/8"	1020 6/4 1/8	2,45
6/4 mm	1/4"	1020 6/4 1/4	3,10
6/4 mm	3/8"	1020 6/4 3/8	3,91
6/4 mm	1/2"	1020 6/4 1/2	6,08
8/6 mm	1/8"	1020 8/6 1/8	2,74
8/6 mm	1/4"	1020 8/6 1/4	2,81
8/6 mm	3/8"	1020 8/6 3/8	3,87
10/8 mm	1/4"	1020 10/8 1/4	3,63
10/8 mm	3/8"	1020 10/8 3/8	4,12
10/8 mm	1/2"	1020 10/8 1/2	6,55
12/10 mm	3/8"	1020 12/10 3/8	4,66
12/10 mm	1/2"	1020 12/10 1/2	7,16
6/4 mm	M5	1021 6/4 M5	2,03
6/4 mm	M6	1021 6/4 M6	2,03

### Push-on-H BSP cilíndrico

Push-on-F BSP parallel

Raccord droit femelle

Raccordo femmina



TUBO PIPE	ROSCA THREAD	Referencia Part n°	€
6/4 mm	1/8"	1030 6/4 1/8	2,54
6/4 mm	1/4"	1030 6/4 1/4	2,81
6/4 mm	3/8"	1030 6/4 3/8	4,46
8/6 mm	1/8"	1030 8/6 1/8	2,56
8/6 mm	1/4"	1030 8/6 1/4	3,10
8/6 mm	3/8"	1030 8/6 3/8	4,58
8/6 mm	1/2"	1030 8/6 1/2	5,12
10/8 mm	1/4"	1030 10/8 1/4	3,49
10/8 mm	3/8"	1030 10/8 3/8	4,81
10/8 mm	1/2"	1030 10/8 1/2	6,08
12/10 mm	3/8"	1030 12/10 3/8	6,87

### Push-on-codo giratorio M BSP cilíndrico c/junta

Push-on-elbow adjustable M BSP parallel w/o'ring

Raccord coudé tournant mâle cylindrique avec o'ring

Raccordo a 90 maschio girevole con o'ring



TUBO PIPE	ROSCA THREAD	Referencia Part n°	€
4/2.7 mm	1/8"	1115 4/2.7 1/8	4,99
6/4 mm	1/4"	1115 6/4 1/4	5,76
8/6 mm	1/8"	1115 8/6 1/8	5,33
8/6 mm	1/4"	1115 8/6 1/4	5,94
10/8 mm	1/4"	1115 10/8 1/4	6,87

### Push-on-codo H BSP cilíndrico

Push-on-elbow F BSP parallel

Raccord coudé femelle

Raccordo a 90 femmina fissa



TUBO PIPE	ROSCA THREAD	Referencia Part n°	€
6/4 mm	1/8"	1120 6/4 1/8	3,39
6/4 mm	1/4"	1120 6/4 1/4	4,10
8/6 mm	1/8"	1120 8/6 1/8	3,71
8/6 mm	1/4"	1120 8/6 1/4	4,46
10/8 mm	1/4"	1120 10/8 1/4	4,99
10/8 mm	3/8"	1120 10/8 3/8	8,62

### Push-on-T central giratorio M BSP cilíndrico c/junta

Push-on-Tee central adjustable M BSP parallel w/o'ring

Raccord en té avec tournant mâle central avec o'ring

Raccordo a Tmaschio girevole centrale con o'ring



TUBO PIPE	ROSCA THREAD	Referencia Part n°	€
6/4 mm	1/8"	1215 6/4 1/8	7,20
6/4 mm	1/4"	1215 6/4 1/4	7,44
8/6 mm	1/8"	1215 8/6 1/8	7,20
8/6 mm	1/4"	1215 8/6 1/4	7,91
10/8 mm	1/4"	1215 10/8 1/4	9,80

### Tuerca para push-on rosca métrica

Nut for Push-on metric thread

Vis de fixation

Dado di fissaggio



TUBO PIPE	ROSCA THREAD	Referencia Part n°	€
4/2.7 mm	M6X0,5	1700 4/2.7	0,66
6/4 mm	M10X1	1700 6/4	0,64
8/6 mm	M12x1	1700 8/6	0,83
10/8 mm	M14X1	1700 10/8	1,08
12/10 mm	M16X1	1700 12/10	1,44

### Push-on-intermedio

Push-on-Union

Raccord intermédiaire

Raccordo intermedio



TUBO PIPE	Referencia Part n°	€	
4/2.7 mm	4/2.7 mm	1040 4/2.7	3,77
6/4 mm	6/4 mm	1040 6/4	3,49
8/6 mm	6/4 mm	1040 8/6 6/4	3,81
8/6 mm	8/6 mm	1040 8/6	3,76
10/8 mm	6/4 mm	1040 10/8 6/4	5,19
10/8 mm	8/6 mm	1040 10/8 8/6	5,46
10/8 mm	10/8 mm	1040 10/8	5,04
12/10 mm	12/10 mm	1040 12/10	8,29

## CONEXIÓN PUSH-ON

Push-on Fittings  
Raccords Push-on  
Raccordi Push-on

### Push-on-intermedio pasatabique c/tuerca métrica

Push-on-Union bulkhead w/metric nut

Raccord passe-cloison

Raccordo passaparete



TUBO PIPE	ROSCA THREAD	Referencia Part n°	€	
4/2.7 mm	4/2.7 mm	M6x0,5	1050 4/2.7	5,80
6/4 mm	6/4 mm	M10x1	1050 6/4	5,98
8/6 mm	6/4 mm	M12x1	1050 8/6X6/4	6,92
8/6 mm	8/6 mm	M12x1	1050 8/6	6,80
10/8 mm	6/4 mm	M14x1	1050 10/8X6/4	8,25
10/8 mm	8/6 mm	M14x1	1050 10/8X8/6	8,25
10/8 mm	10/8 mm	M14x1	1050 10/8	7,69
12/10 mm	12/10 mm	M16x1	1050 12/10	8,63

### Push-on-cuerpo orientable

Push-on-Banjo body

Banjo simple

Occhio orientabile semplice



TUBO PIPE	ROSCA THREAD	Referencia Part n°	€
4/2.7 mm	1/8"	1500 4/2.7 1/8	3,53
6/4 mm	1/8"	1500 6/4 1/8	3,87
6/4 mm	1/4"	1500 6/4 1/4	3,96
6/4 mm	3/8"	1500 6/4 3/8	5,03
6/4 mm	M6	1500 6/4 M6	3,16
8/6 mm	1/8"	1500 8/6 1/8	3,96
8/6 mm	1/4"	1500 8/6 1/4	4,12
8/6 mm	3/8"	1500 8/6 3/8	5,33
8/6 mm	1/2"	1500 8/6 1/2	6,87
10/8 mm	1/8"	1500 10/8 1/8	4,20
10/8 mm	1/4"	1500 10/8 1/4	4,52
10/8 mm	3/8"	1500 10/8 3/8	5,70
10/8 mm	1/2"	1500 10/8 1/2	7,20
12/10 mm	3/8"	1500 12/10 3/8	6,69
12/10 mm	1/2"	1500 12/10 1/2	8,34

### Push-on doble-Cuerpo orientable

Dual Push-on-Banjo body

Banjo double

Occhio orientabile doppio



TUBO PIPE	ROSCA THREAD	Referencia Part n°	€
4/2.7 mm	1/8"	1510 4/2.7 1/8	6,45
6/4 mm	1/8"	1510 6/4 1/8	6,49
6/4 mm	1/4"	1510 6/4 1/4	6,98
6/4 mm	3/8"	1510 6/4 3/8	8,07
8/6 mm	1/8"	1510 8/6 1/8	6,79
8/6 mm	1/4"	1510 8/6 1/4	6,79
8/6 mm	3/8"	1510 8/6 3/8	8,07
8/6 mm	1/2"	1510 8/6 1/2	9,80
10/8 mm	1/8"	1510 10/8 1/8	7,44
10/8 mm	1/4"	1510 10/8 1/4	7,54
10/8 mm	3/8"	1510 10/8 3/8	8,58
10/8 mm	1/2"	1510 10/8 1/2	10,28
12/10 mm	3/8"	1510 12/10 3/8	9,94
12/10 mm	1/2"	1510 12/10 1/2	11,54

### Tornillo orientable simple M BSP cilíndrico/M métrico

Simple banjo bolt M BSP parallel/M metric

Vis pour banjo simple

Bullone forato singolo



ROSCA THREAD	Referencia Part n°	€
M5	51410 M5	1,82
M6	51410 M6	1,97
M12	51410 M12	3,12
1/8"	51410 1/8	2,37
1/4"	51410 1/4	3,02
3/8"	51410 3/8	4,38
1/2"	51410 1/2	7,75

### Tornillo orientable doble M BSP cilíndrico

Double banjo bolt M BSP parallel

Vis pour banjo double

Bullone forato doppio



ROSCA THREAD	Referencia Part n°	€
1/8"	51420 1/8	3,31
1/4"	51420 1/4	4,75
3/8"	51420 3/8	7,16
1/2"	51420 1/2	10,98

### Push-on-codo intermedio

Push-on-elbow union

Raccord coudé intermédiaire

Raccordo a 90 intermedio



TUBO PIPE	Referencia Part n°	€	
4/2.7 mm	4/2.7 mm	1130 4/2.7	5,41
6/4 mm	6/4 mm	1130 6/4	3,92
8/6 mm	6/4 mm	1130 8/6 6/4	4,38
8/6 mm	8/6 mm	1130 8/6	4,38
10/8 mm	10/8 mm	1130 10/8	5,56
12/10 mm	12/10 mm	1130 12/10	7,49

### Push-on-T intermedio

Push-on-Tee union

Raccord en té intermédiaire

Raccordo a T intermedio



TUBO PIPE	Referencia Part n°	€
4/2.7 mm	1230 4/2.7	6,04
6/4 mm	1230 6/4	5,10
8/6 mm	1230 8/6	5,76
10/8 mm	1230 10/8	7,54
12/10 mm	1230 12/10	10,46



## CONEXIÓN PUSH-ON

Push-on Fittings  
Raccords Push-on  
Raccordi Push-on

### Push-on-cruz intermedio

Push-on-cross union

Raccord en croix intermédiaire

Raccordo a croce intermedio



TUBO PIPE	Referencia Part n°	€
6/4 mm	1300 6/4	8,33
8/6 mm	1300 8/6	9,59
10/8 mm	1300 10/8	5,97
12/10 mm	1300 12/10	7,77

### Push-on c/muelle-M BSPT cónico

Push-on w/nut+spring-M BSPT tapered

Raccord droit mâle conique avec ressort

Raccordo maschio conico+molla



TUBO PIPE	ROSCA THREAD	Referencia Part n°	€
6/4 mm	1/8"	1025 6/4 1/8	3,99
6/4 mm	1/4"	1025 6/4 1/4	4,30
8/6 mm	1/8"	1025 8/6 1/8	4,20
8/6 mm	1/4"	1025 8/6 1/4	4,34
8/6 mm	3/8"	1025 8/6 3/8	5,03
8/6 mm	1/2"	1025 8/6 1/2	6,55
10/8 mm	1/8"	1025 10/8 1/8	4,91
10/8 mm	1/4"	1025 10/8 1/4	4,95
10/8 mm	3/8"	1025 10/8 3/8	5,74
10/8 mm	1/2"	1025 10/8 1/2	7,22
12/10 mm	3/8"	1025 12/10 3/8	6,73
12/10 mm	1/2"	1025 12/10 1/2	8,07

### Push-on c/muelle-M BSP cilíndrico c/junta

Push-on w/nut+spring-M BSP w/o ring parallel

Raccord droit mâle cylindrique avec ressort

Raccordo maschio +molla



TUBO PIPE	ROSCA THREAD	Referencia Part n°	€
6/4 mm	1/8"	1028 6/4 1/8	4,12
6/4 mm	1/4"	1028 6/4 1/4	4,75
6/4 mm	3/8"	1028 6/4 3/8	5,23
6/4 mm	1/2"	1028 6/4 1/2	6,92
8/6 mm	1/8"	1028 8/6 1/8	4,30
8/6 mm	1/4"	1028 8/6 1/4	4,75
8/6 mm	3/8"	1028 8/6 3/8	5,33
8/6 mm	1/2"	1028 8/6 1/2	6,75
10/8 mm	1/4"	1028 10/8 1/4	5,41
10/8 mm	3/8"	1028 10/8 3/8	5,88
10/8 mm	1/2"	1028 10/8 1/2	7,36
12/10 mm	3/8"	1028 12/10 3/8	7,54
12/10 mm	1/2"	1028 12/10 1/2	9,25

### Push-on c/muelle-giratorio M BSP cilíndrico c/junta

Push-on w/nut+spring-adjustable M BSP w/o ring parallel

Raccord droit tournant mâle cylindrique avec ressort

Raccordo maschio cilindrico girevole con molla



TUBO PIPE	ROSCA THREAD	Referencia Part n°	€
6/4 mm	1/8"	1027 6/4 1/8	6,08
6/4 mm	1/4"	1027 6/4 1/4	6,59
8/6 mm	1/4"	1027 8/6 1/8	6,21
8/6 mm	1/4"	1027 8/6 1/4	6,75
10/8 mm	1/4"	1027 10/8 1/4	7,62
12/10 mm	3/8"	1027 12/10 3/8	9,90

### Push-on c/muelle-H BSP cilíndrico

Push-on w/nut+spring-F BSP parallel

Raccord droit femelle avec ressort

Raccordo femmina+molla



TUBO PIPE	ROSCA THREAD	Referencia Part n°	€
6/4 mm	1/8"	1035 6/4 1/8	4,24
6/4 mm	1/4"	1035 6/4 1/4	4,76
6/4 mm	3/8"	1035 6/4 3/8	5,98
8/6 mm	1/8"	1035 8/6 1/8	4,46
8/6 mm	1/4"	1035 8/6 1/4	5,19
8/6 mm	3/8"	1035 8/6 3/8	6,55
8/6 mm	1/2"	1035 8/6 1/2	7,36
10/8 mm	1/4"	1035 10/8 1/4	5,84
10/8 mm	3/8"	1035 10/8 3/8	6,79
10/8 mm	1/2"	1035 10/8 1/2	7,77
12/10 mm	3/8"	1035 12/10 3/8	8,34

### Push-on c/muelle-Tuerca de fijación métrica

Push-on w/nut+spring-fixing nut F Métrica parallel

Vis de fixation avec ressort

Dado di fissaggio con molla



TUBO PIPE	ROSCA THREAD	Referencia Part n°	€
6/4 mm	M10x1	1710 6/4	2,63
8/6 mm	M12x1	1710 8/6	2,97
10/8 mm	M14x1	1710 10/8	3,23
12/10 mm	M16x1	1710 12/10	4,48

## ADAPTADOR

Adaptors  
Adaptateurs  
Adattatori

### Adaptador M BSPT cónico

Adaptor M BSPT tapered

Adapteur mâle BSPT conique

Maschio conico BSPT



ROSCA THREAD	Referencia Part n°	€
1/8"	2000 1/8	1,07
1/4"	2000 1/4	1,48
3/8"	2000 3/8	2,13
1/2"	2000 1/2	3,55
3/4"	2000 3/4	6,13
1"	2000 1	9,91

### Tapón reductor M BSPT cónico-H BSP cilíndrica

Reducer M BSPT tapered-F BSP parallel

Bouchon reducteur mâle BSPT conique- femelle BSP cilindrique

Tappo di riduzione M BSPT - F BSP



ROSCA (M) THREAD (M)	ROSCA (H) THREAD (F)	Referencia Part n°	€
1/4"	1/8"	2080 1/4 1/8	0,95
3/8"	1/8"	2080 3/8 1/8	1,71
3/8"	1/4"	2080 3/8 1/4	1,42
1/2"	1/4"	2080 1/2 1/8	2,96
1/2"	1/4"	2080 1/2 1/4	2,62
1/2"	3/8"	2080 1/2 3/8	2,24
3/4"	3/8"	2080 3/4 3/8	5,42
3/4"	1/2"	2080 3/4 1/2	4,08
1"	1/2"	2080 1 1/2	9,77

### Reductor M BSPT cónico

Reducer M BSPT tapered

Réducteur mâle BSPT conique

Riduzione Maschio BSPT



ROSCA THREAD	Referencia Part n°	€
1/8"	2020 1/8-1/4	1,26
1/8"	2020 1/8 3/8	1,99
1/8"	2020 1/8 1/2	3,79
1/4"	2020 1/4 1/2	3,41
1/4"	2020 1/4-3/8	2,05
3/8"	2020 3/8-1/2	2,92
1/2"	2020 1/2 3/4	6,00

### Prolongador M BSPT cónico - H BSP cilíndrico

Extensor M BSPT tapered - F BSP parallel

Prolongateur mâle BSPT conique - femelle BSP cilindrique

Prolunga M BSPT - F BSP



ROSCA (M) THREAD (M)	ROSCA (H) THREAD (F)	Referencia Part n°	€
1/8"	1/8"	2040 1/8 1/8	1,32
1/8"	1/4"	2040 1/8 1/4	1,69
1/8"	3/8"	2040 1/8 3/8	2,29
1/4"	1/4"	2040 1/4 1/4	1,73
1/4"	3/8"	2040 1/4 3/8	2,96
1/4"	1/2"	2040 1/4 1/2	3,76
3/8"	3/8"	2040 3/8 3/8	2,84
3/8"	1/2"	2040 3/8 1/2	3,86
1/2"	3/8"	2040 1/2 3/8	3,11
1/2"	1/2"	2040 1/2 1/2	4,40
1/2"	3/4"	2040 1/2 3/4	6,44

### Prolongador pasatabique rosca M métrico-H BSP cilíndrica/métrica

Extensor bulkhead w/metric M - F BSP parallel/metric

Prolongateur passe-cloison filetage métrique  
Mâle.-Fem. BSP cilindrique/métrique

Prolunga Passaparete M - F BSP/metrica cil.



ROSCA THREAD	Referencia Part n°	€
M10x1	3060 M5	1,95
M16x1,5	3060 1/8	3,83
M14x1,5	3060 1/8 M14	4,53
M20x1,5	3060 1/4	6,33
M26x1,5	3060 3/8	10,26
M28x15	3060 1/2	13,50

### Adaptador M BSP cilíndrico

Adaptor M BSP parallel

Adapteur mâle BSP cilindrique

Addattatori cilindrico M BSP



ROSCA THREAD	Referencia Part n°	€
1/8"	2010 1/8	1,15
1/4"	2010 1/4	1,41
3/8"	2010 3/8	2,49
1/2"	2010 1/2	3,86
3/4"	2010 3/4	5,36
1"	2010 1	8,54



## ADAPTADOR

Adaptors  
Adaptateurs  
Adattatori

### Reductor M métrico/M BSP cilíndrico

Reducer M BSP parallel / M metric

Réducteur mâle métrique-mâle BSP cylindrique

Maschio cilindrico di riduzione



ROSCA THREAD		Referencia Part n°	€
M5	1/8"	2030 M5 1/8	0,99
1/8"	1/4"	2030 1/8 1/4	1,59
1/8"	3/8"	2030 1/8 3/8	1,95
1/4"	3/8"	2030 1/4 3/8	2,02
1/4"	1/2"	2030 1/4 1/2	3,25
3/8"	1/2"	2030 3/8 1/2	3,31
1/2"	3/4"	2030 1/2 3/4	5,42

### Prolongador M BSP cilíndrico/Métrico - H BSP cilíndrica

Extensor M BSP Parallel/M metric - F BSP parallel

Prolongateur mâle BSP cylindrique/métrique -fem. BSP cylindrique

Prolunga cilindrica standard



ROSCA (M) THREAD (M)	ROSCA (H) THREAD (F)	Referencia Part n°	€
M5	1/8"	2050 M5 1/8	1,26
1/8"	1/8"	2050 1/8 1/8	1,10
1/8"	1/4"	2050 1/8 1/4	1,60
1/4"	1/4"	2050 1/4 1/4	1,87
1/4"	3/8"	2050 1/4 3/8	2,80
3/8"	3/8"	2050 3/8 3/8	3,27
3/8"	1/2"	2050 3/8 1/2	4,06
1/2"	1/2"	2050 1/2 1/2	5,46

### Prolongador extra M-H BSP cilíndrico

Extra extensor M-F BSP parallel

Prolongateur extra mâle -fem. BSP cylindrique

Prolunga cilindrica



ROSCA THREAD		Referencia Part n°	€
1/8"	1/8"	2070 1/8 1/8 22	1,39
1/8"	1/8"	2070 1/8 1/8 42	2,51
1/4"	1/4"	2070 1/4 1/4 35	3,13
1/4"	1/4"	2070 1/4 1/4 51	3,98

### Adaptador H BSP cilíndrico

Adaptor F BSP parallel

Manchon femelle BSP cylindrique

Prolunga femmina



ROSCA THREAD		Referencia Part n°	€
1/8"		3000 1/8	1,18
1/4"		3000 1/4	1,71
3/8"		3000 3/8	2,63
1/2"		3000 1/2	4,46
3/4"		3000 3/4	7,23

### Tapón reductor M BSP cilíndrico/Métrico-H BSP cilíndrico

Reducer M BSP parallel - F BSP parallel

Bouchon réducteur mâle BSP cylindrique/métrique - fem. BSP cylindrique

Tappo di riduzione cilindrico



ROSCA (M) THREAD (M)	ROSCA (H) THREAD (F)	Referencia Part n°	€
1/8"	M5	2090 1/8 M5	0,98
1/4"	1/8"	2090 1/4 1/8	1,13
3/8"	1/8"	2090 3/8 1/8	1,36
3/8"	1/4"	2090 3/8 1/4	1,32
1/2"	1/4"	2090 1/2 1/4	2,53
1/2"	3/8"	2090 1/2 3/8	2,38
3/4"	1/2"	2090 3/4 1/2	3,91

### Reductor H BSP cilíndrico

Reducer F BSP parallel

Réducteur femelle BSP cylindrique

Prolunga femmina di riduzione



ROSCA THREAD		Referencia Part n°	€
1/8"	1/4"	3010 1/8 1/4	1,48
1/8"	3/8"	3010 1/8 3/8	1,97
1/4"	3/8"	3010 1/4 3/8	2,41
1/4"	1/2"	3010 1/4 1/2	2,79
3/8"	1/2"	3010 3/8 1/2	3,55
1/2"	3/4"	3010 1/2 3/4	5,57

### Orientable H BSP cilíndrico

Banjo F BSP parallel

Banjo femelle BSP cylindrique

Occhio filettato femmina



ROSCA THREAD		Referencia Part n°	€
1/8"		6090 1/8	3,16
1/4"		6090 1/4	3,99
3/8"		6090 3/8	5,52

### Tornillo orientable simple M BSP cilíndrico/M métrico

Simple banjo bolt M BSP parallel/M metric

Vis pour banjo simple mâle BSP cylindrique / mâle métrique

Bullone banjo semplice



ROSCA THREAD		Referencia Part n°	€
M5		51410 M5	1,82
M6		51410 M6	1,97
M12		51410 M12	3,12
1/8"		51410 1/8	2,37
1/4"		51410 1/4	3,02
3/8"		51410 3/8	4,38
1/2"		51410 1/2	7,75

## ADAPTADOR

Adaptors  
Adaptateurs  
Adattatori

### Tornillo orientable doble M BSP cilíndrico

Double banjo bolt M BSP parallel

Vis pour banjo double mâle BSP cylindrique

Bullone forato doppio



ROSCA THREAD	Referencia Part n°	€
1/8"	51420 1/8	3,31
1/4"	51420 1/4	4,75
3/8"	51420 3/8	7,16
1/2"	51420 1/2	10,98

### Tapón allen interior M BSPT cónico

Internal Allen plug M BSPT tapered

Bouchon mâle BSPT conique Allen intérieur

Tappo maschio conico Allen



ROSCA THREAD	Referencia Part n°	€
1/8"	3025 1/8	0,66
1/4"	3025 1/4	1,01
3/8"	3025 3/8	1,42
1/2"	3025 1/2	2,27

### Tapón M BSPT cónico

Plug M BSPT tapered

Bouchon mâle BSPT conique

Tappo maschio conico



ROSCA THREAD	Referencia Part n°	€
1/8"	3021 1/8	1,81
1/4"	3021 1/4	2,02
3/8"	3021 3/8	2,31
1/2"	3021 1/2	4,61

### Tapón allen M BSP cilíndrico c/junta

Allen plug M BSP parallel w/o-ring

Bouchon mâle BSP cylindrique Allen avec o-ring

Tappo maschio cilindrico Allen con o-ring



ROSCA THREAD	Referencia Part n°	€
1/8"	3015 1/8	0,96
1/4"	3015 1/4	1,31
3/8"	3015 3/8	1,91
1/2"	3015 1/2	3,33

### Tapón M BSP cilíndrico

Plug M BSP parallel

Bouchon mâle BSP cylindrique

Tappo maschio cilindrico



ROSCA THREAD	Referencia Part n°	€
1/8"	3020 1/8	0,93
1/4"	3020 1/4	1,23
3/8"	3020 3/8	1,87
1/2"	3020 1/2	2,73
3/4"	3020 3/4	4,75

### Tapón H BSP cilíndrico

Cap F BSP parallel

Bouchon femelle BSP cylindrique

Tappo femmina



ROSCA THREAD	Referencia Part n°	€
1/8"	3030 1/8	1,05
1/4"	3030 1/4	1,35
3/8"	3030 3/8	2,95
1/2"	3030 1/2	4,71

## ADAPTADOR

Adaptors  
Adaptateurs  
Adattatori

### Codo M BSPT cónico

Elbow M BSPT tapered

Raccord coudé mâle BSPT conique

Adattore a 90 maschio conico



ROSCA THREAD	Referencia Part n°	€
1/8"	5000 1/8	1,78
1/4"	5000 1/4	2,93
3/8"	5000 3/8	4,36
1/2"	5000 1/2	6,56
3/4"	5000 3/4	8,70

### Codo M BSPT cónico-H BSP cilíndrico

Elbow M BSPT tapered-F BSP

Raccord coudé mâle BSPT conique -femelle BSP  
cylindrique

Adattore maschio conico-femmina



ROSCA THREAD	Referencia Part n°	€
1/8"	5020 1/8	2,01
1/4"	5020 1/4	3,16
3/8"	5020 3/8	4,79
1/2"	5020 1/2	7,69
3/4"	5020 3/4	12,70

### Codo H BSP cilíndrico

Elbow F BSP parallel

Raccord coudé femelle BSP cylindrique

Adattore a 90 femmina



ROSCA THREAD	Referencia Part n°	€
1/8"	5010 1/8	2,43
1/4"	5010 1/4	3,38
3/8"	5010 3/8	4,71
1/2"	5010 1/2	7,69
3/4"	5010 3/4	12,51

### T M BSPT cónico

Tee M BSPT tapered

Raccord en té mâle BSPT conique

Adattore a T maschio conico



ROSCA THREAD	Referencia Part n°	€
1/8"	4010 1/8	2,47
1/4"	4010 1/4	4,22
3/8"	4010 3/8	6,48
1/2"	4010 1/2	9,19
3/4"	4010 3/4	12,30

### T central H BSP-M BSPT cónico-H BSP

Tee central F BSP -M BSPT -F BSP tapered

Raccord en té central femelle BSP - M BSPT  
conique - femelle BSP

Adattore a T maschio conico centrale



ROSCA THREAD	Referencia Part n°	€
1/8"	4040 1/8	2,79
1/4"	4040 1/4	4,46
3/8"	4040 3/8	6,48
1/2"	4040 1/2	11,52
3/4"	4040 3/4	13,98

### T lateral H BSP-H BSP-M BSPT cónico

Tee lateral F BSP -F BSP -M BSPT tapered

Raccord en té latéral femelle BSP - femelle BSP- M  
BSPT conique

Adattore a T maschio conico laterale



ROSCA THREAD	Referencia Part n°	€
1/8"	4050 1/8	3,02
1/4"	4050 1/4	4,79
3/8"	4050 3/8	6,48
1/2"	4050 1/2	10,85
3/4"	4050 3/4	15,45

### T H BSP cilíndrico

Tee F BSP parallel

Raccord en té femelle BSP cylindrique

Adattore a T femmina



ROSCA THREAD	Referencia Part n°	€
1/8"	4000 1/8	3,12
1/4"	4000 1/4	4,75
3/8"	4000 3/8	6,57
1/2"	4000 1/2	10,72
3/4"	4000 3/4	11,87

## ADAPTADOR

Adaptors  
Adaptateurs  
Adattatori

### Y central H BSP cilíndrico-M BSPT cónico-H BSP cilíndrico

Y central F BSP -M BSPT -F BSP

Raccord en Y central femelle BSP cylindrique - mâle BSPT conique-femelle BSP cylindrique

Adattore a Y maschio



ROSCA THREAD	Referencia Part n°	€
1/8"	6000 1/8	4,55
1/4"	6000 1/4	3,85
3/8"	6000 3/8	4,63
1/2"	6000 1/2	13,95

### Cruz M BSPT cónico

Cross M BSPT tapered

Raccord en croix mâle BSPT conique

Croce maschio



ROSCA THREAD	Referencia Part n°	€
1/8"	6030 1/8	2,62
1/4"	6030 1/4	4,91
3/8"	6030 3/8	7,86
1/2"	6030 1/2	10,81

### Cruz H BSP cilíndrico

Cross F BSP parallel

Raccord en croix femelle BSP cylindrique

Croce femmina



ROSCA THREAD	Referencia Part n°	€
1/8"	6020 1/8	6,03
1/4"	6020 1/4	5,74
3/8"	6020 3/8	12,01
1/2"	6020 1/2	20,53

### Cruz en taco H BSP cilíndrico

Cross in block F BSP parallel

Nourrices de distribution en croix taraudée

Croce in blocco



ROSCA THREAD	Referencia Part n°	€
1/8"	6040 1/8	6,02
1/4"	6040 1/4	9,45
3/8"	6040 3/8	14,38
1/2"	6040 1/2	16,91

### Regleta lateral en taco H BSP cilíndrico

Distribution manifold-F BSP parallel

Nourrices de distribution taraudée

Blocco a multiscite



ROSCA (LAT) THREAD (LAT)	ROSCA (CENT) THREAD (CENT)	Nº DE SALIDAS EXITS NR.	Referencia Part n°	€
1/4"	1/8"	2	6047 1/4 1/8 2	17,24
1/4"	1/8"	3	6047 1/4 1/8 3	23,62
1/4"	1/8"	4	6047 1/4 1/8 4	30,66
1/4"	1/8"	5	6047 1/4 1/8 5	39,32
1/4"	1/8"	6	6047 1/4 1/8 6	46,16
3/8"	1/4"	2	6047 3/8 1/4 2	20,50
3/8"	1/4"	3	6047 3/8 1/4 3	25,17
3/8"	1/4"	4	6047 3/8 1/4 4	33,28
3/8"	1/4"	5	6047 3/8 1/4 5	41,37
3/8"	1/4"	6	6047 3/8 1/4 6	49,85
1/2"	3/8"	2	6047 1/2 3/8 2	25,55
1/2"	3/8"	3	6047 1/2 3/8 3	30,58
1/2"	3/8"	4	6047 1/2 3/8 4	38,49
1/2"	3/8"	5	6047 1/2 3/8 5	45,18
1/2"	3/8"	6	6047 1/2 3/8 6	52,97