

## RACORES SOLDABLES

Welding fittings  
Embouts à souder  
Raccordi a saldare

Racores macho para soldar ▪ Welding Male ▪ Raccords mâle à souder ▪ Maschio a saldare



81070

Z1035

Z10351

Z1033

Z1290

Z1032

Z1034

Racores BSP para soldar ▪ Welding BSP nuts ▪ Écrous tournants à souder ▪ Raccordi BSP a saldare



Z1281

Z1037

Z1038

Z1282

Z1039

Z1040

Racores JIC para soldar ▪ Welding JIC fittings ▪ Raccords JIC à souder ▪ Raccordi JIC a saldare



Z1283

Z1036

Z1041

Z1042

Racores Métricos para soldar ▪ Welding metric fittings ▪ Raccords métriques à souder ▪ Raccordi metrici a saldare



Z1051

ZCMORIL/5

KZL00

KZC90

KZC45

Z1052

Z1054

Z1053

Z1055



Z1050

BSP >2" ▪ Welding fittings >2" ▪ Raccords à souder >2" ▪ Raccordi a saldare > 2"



Z1270

ZM1032

ZM1032

Conos ajuste BSP ▪ Other welding BSP fittings ▪ Autres raccords à souder BSP ▪ Raccordi a saldare vari BSP



Z1270

Z1273

Z1274

Conos ajuste JIC ▪ Other welding JIC fittings ▪ Autres raccords à souder JIC ▪ Raccordi a saldare vari JIC



Z1277

ZS110

Racores Microfundido para soldar ▪ Welding fittings microcast ▪ Raccords à souder micro-moulés ▪ Raccordi per saldatura microfuso



ZFIG340...HS

ZFIG340...S

ZFIG341...MS

## RACORES SOLDABLES

Welding fittings  
Embouts à souder  
Raccordi a saldare

### Casquillo soldable

Welding ferrule

Juqe à souder

Boccola a saldare



DN	Ø INT. Ø INNER	Referencia Part n°	€
1/4"	14	810700400	1,67
1/4"	12	810700401	1,80
3/8"	19	810700600	2,60
3/8"	17	810700601	1,91
1/2"	22	810700800	2,44
1/2"	19	810700801	2,44
5/8"	25	810701000	2,83
3/4"	30	810701200	3,01
3/4"	32	810701201	3,30
1"	35	810701500	3,45
1"	37	810701600	5,56
1"1/4	47,8	810702000	6,33
1"1/4	44,3	810702001	6,13
1"1/2	56,3	810702400	7,41
2"	66	810703201	11,54
2"1/2	84,9	810704000	15,48
2"1/2	95,6	810704001	23,17
3"	100	810704801	27,05
4"	125	810706400	35,86

### Macho soldable BSP cono 60° con guía

Welding BSP 60° Male with guide

Mâle gaz BSP 60° à souder avec guide

Maschio a saldare BSP 60° con guida



ROSCA THREAD	DN	Referencia Part n°	€
1/4" BSP	1/4"	Z103504	13,98
3/8" BSP	3/8"	Z103506	14,08
1/2" BSP	1/2"	Z103508	12,96
3/4" BSP	3/4"	Z103512	18,39
1" BSP	1"	Z103516	33,00
1"1/4 BSP	1"1/4	Z103520	54,30
1"1/2 BSP	1"1/2	Z103524	68,25
2" BSP	2"	Z103532	85,36

### Macho BSP 60° soldable interior

Inside welding BSP Male

Mâle à souder int. BSP

Maschio BSP 60° a saldare interno



ROSCA THREAD	DN	Referencia Part n°	€
1/4" BSP	1/4"	Z1035104	14,79
3/8" BSP	3/8"	Z1035106	18,93
1/2" BSP	1/2"	Z1035108	20,34
3/4" BSP	3/4"	Z1035112	22,74
1" BSP	1"	Z1035116	32,66
1"1/4 BSP	1"1/4	Z1035120	53,56
1"1/2 BSP	1"1/2	Z1035124	62,07
2" BSP	2"	Z1035132	90,57

### Macho soldable BSP asiento plano con guía

Welding BSP Male flat seat with guide

Mâle gaz BSP fond plat à souder avec guide

Maschio a saldare BSP faccia piana con guida



ROSCA THREAD	DN	Referencia Part n°	€
1/4" BSP	1/4"	Z103304	13,48
3/8" BSP	3/8"	Z103306	21,57
1/2" BSP	1/2"	Z103308	16,50
3/4" BSP	3/4"	Z103312	21,88
1" BSP	1"	Z103316	34,13
1"1/4 BSP	1"1/4	Z103320	56,54
1"1/2 BSP	1"1/2	Z103324	72,27
2" BSP	2"	Z103332	95,81

### Empalme liso soldable macho BSP 60°

Welding male BSP 60° union

Embout mâle lisse à souder BSP cône 60°

Mezzo Niples tondo maschio a saldare BSP 60°



ROSCA THREAD	DN	Referencia Part n°	€
1/8" BSP	1/8"	Z129002	7,65
1/4" BSP	1/4"	Z129004	7,78
3/8" BSP	3/8"	Z129006	7,96
1/2" BSP	1/2"	Z129008	8,76
3/4" BSP	3/4"	Z129012	19,63
1" BSP	1"	Z129016	26,00
1"1/4 BSP	1"1/4	Z129020	33,48
1"1/2 BSP	1"1/2	Z129024	48,53
2" BSP	2"	Z129032	109,72

### Macho soldable BSPT cono 60° con guía

Welding BSPT Male 60° with guide

Mâle gaz conique à souder 60° avec guide

Maschio conico BSPT 60° con guida



ROSCA THREAD	DN	Referencia Part n°	€
1/4" BSPT	1/4"	Z103204	12,72
3/8" BSPT	3/8"	Z103206	15,76
1/2" BSPT	1/2"	Z103208	13,76
3/4" BSPT	3/4"	Z103212	19,49
1" BSPT	1"	Z103216	30,22
1"1/4 BSPT	1"1/4	Z103220	49,91
1"1/2 BSPT	1"1/2	Z103224	61,83
2" BSPT	2"	Z103232	91,95

## RACORES SOLDABLES

Welding fittings  
Embouts à souder  
Raccordi a saldare

### Macho soldable NPT cono 60° con guía

Welding NPT Male 60° with guide

Mâle NPT à souder 60° avec guide

Maschio a saldare NPT 60° con guida



ROSCA THREAD	DN		Referencia Part n°	€
1/8" NPT	1/4"	NEW	Z10340204	21,4421,44
1/4" NPT	1/4"		Z10340400	11,22
3/8" NPT	3/8"		Z10340600	14,49
1/2" NPT	1/2"		Z10340800	16,61
3/4" NPT	3/4"		Z10341200	20,78
1" NPT	1"		Z10341600	31,14
1"1/4 NPT	1"1/4		Z10342000	50,69
1"1/2 NPT	1"1/2		Z10342400	57,42
2" NPT	2"		Z10343200	101,67

### Hembra giratoria prensada soldable BSP 60° con guía

Welding BSP 60° swept with guide

Femelle tournante BSP 60° à souder avec guide

Femmina girevole a saldare BSP 60° con guida



ROSCA THREAD	DN		Referencia Part n°	€
1/4" BSP	1/4"		Z128104	12,52
3/8" BSP	3/8"		Z128106	12,91
1/2" BSP	1/2"		Z128108	16,45
3/4" BSP	3/4"		Z128112	21,31
1" BSP	1"		Z128116	30,40
1"1/4 BSP	1"1/4		Z128120	61,12
1"1/2 BSP	1"1/2		Z128124	71,28
2" BSP	2"		Z128132	115,88

### Hembra giratoria 90° prensada soldable BSP 60°

Welding BSP 60° swept 90°

Femelle tournante à souder 90° BSP cône 60°

Femmina girevole 90° a saldare BSP 60°



ROSCA THREAD	DN		Referencia Part n°	€
1/4" BSP	1/4"		Z103704	27,45
3/8" BSP	3/8"		Z103706	32,34
1/2" BSP	1/2"		Z103708	38,17
3/4" BSP	3/4"		Z103712	56,45
1" BSP	1"		Z103716	69,71
1"1/4 BSP	1"1/4		Z103720	112,88
1"1/2 BSP	1"1/2		Z103724	149,09
2" BSP	2"		Z103732	157,78

### Hembra giratoria 45° prensada soldable BSP 60°

Welding BSP 60° swept 45°

Femelle tournante à souder 45° BSP cône 60°

Femmina girevole 45° a saldare BSP 60°



ROSCA THREAD	DN		Referencia Part n°	€
1/4" BSP	1/4"		Z103804	27,80
3/8" BSP	3/8"		Z103806	33,22
1/2" BSP	1/2"		Z103808	41,76
3/4" BSP	3/4"		Z103812	49,22
1" BSP	1"		Z103816	66,96
1"1/4 BSP	1"1/4		Z103820	119,13
1"1/2 BSP	1"1/2		Z103824	127,73
2" BSP	2"		Z103832	155,52

### Hembra giratoria prensada soldable BSP asiento plano con guía

Welding BSP flat seat swept with guide

Femelle tournante BSP fond plat à souder avec guide

Femmina girevole a saldare BSP faccia piana con guida



ROSCA THREAD	DN		Referencia Part n°	€
1/4" BSP	1/4"		Z128204	10,84
3/8" BSP	3/8"		Z128206	13,58
1/2" BSP	1/2"		Z128208	15,05
3/4" BSP	3/4"		Z128212	18,09
1" BSP	1"		Z128216	27,59
1"1/4 BSP	1"1/4		Z128220	58,53
1"1/2 BSP	1"1/2		Z128224	80,56
2" BSP	2"		Z128232	116,74

### Hembra giratoria 90° prensada soldable BSP asiento plano

Welding BSP Female 90° flat seat swept

Femelle tournante à souder 90° BSP fond plat

Femmina 90° girevole a saldare BSP faccia piana



ROSCA THREAD	DN		Referencia Part n°	€
1/4" BSP	1/4"		Z103904	34,83
3/8" BSP	3/8"		Z103906	40,90
1/2" BSP	1/2"		Z103908	34,30
3/4" BSP	3/4"		Z103912	56,28
1" BSP	1"		Z103916	66,91
1"1/4 BSP	1"1/4		Z103920	149,28
1"1/2 BSP	1"1/2		Z103924	154,72
2" BSP	2"		Z103932	166,88

## RACORES SOLDABLES

Welding fittings  
Embouts à souder  
Raccordi a saldare

### Hembra giratoria 45° prensada soldable BSP asiento plano

Welding BSP Female 45° flat seat swept

Femelle tournante à souder 45° BSP fond plat

Femmina 45° girevole a saldare BSP faccia piana



ROSCA THREAD	DN	Referencia Part n°	€
1/4" BSP	1/4"	Z104004	24,51
3/8" BSP	3/8"	Z104006	25,34
1/2" BSP	1/2"	Z104008	34,92
3/4" BSP	3/4"	Z104012	49,55
1" BSP	1"	Z104016	60,97
1"1/4 BSP	1"1/4	Z104020	90,37
1"1/2 BSP	1"1/2	Z104024	140,50
2" BSP	2"	Z104032	164,28

### Hembra giratoria prensada soldable JIC 37° con guía

Welding JIC female 37° swept with guide

Femelle tournante JIC 37° à souder avec guide

Femmina girevole a saldare JIC 37°



ROSCA THREAD	DN	Referencia Part n°	€
7/16" 20h UNF	1/4"	Z12830704	19,31
1/2" 20h UNF	1/4"	Z12830804	15,53
9/16" 18h UNF	3/8"	Z12830906	15,97
3/4" 16h UNF	3/8"	Z12831206	17,74
3/4" 16h UNF	1/2"	Z12831208	17,15
7/8" 14h UNF	1/2"	Z12831408	18,82
1"1/16 12h UN	3/4"	Z12831712	22,63
1"5/16 12h UN	1"	Z12832116	31,30
1"5/8 12h UN	1"1/4	Z12832620	59,19
1"7/8 12h UN	1"1/2	Z12833024	87,71

### Macho soldable JIC 37° con guía

Welding fixed male JIC 37° with guide

Mâle à souder JIC 37° avec guide

Maschio JIC 37° a saldare



ROSCA THREAD	DN	Referencia Part n°	€
7/16" 20h UNF	1/4"	Z10360704	21,09
1/2" 20h UNF	1/4"	Z10360804	12,49
9/16" 18h UNF	3/8"	Z10360906	15,92
3/4" 16h UNF	3/8"	Z10361206	17,94
3/4" 16h UNF	1/2"	Z10361208	17,54
7/8" 14h UNF	1/2"	Z10361408	19,20
7/8" 14h UNF	5/8"	Z10361410	20,15
1"1/16 12h UN	3/4"	Z10361712	25,20
1"5/16 12h UN	1"	Z10362116	33,02
1"5/8 12h UN	1"1/4	Z10362620	52,22
1"7/8 12h UN	1"1/4	Z10363020	84,09
2" 1/2 12h UN	2"	<b>NEW</b> Z10364032	102,39

### Hembra giratoria 90° prensada soldable JIC 37°

Welding 90° JIC Female 37° swept

Femelle tournante à souder 90° JIC 37°

Femmina 90° girevole a saldare JIC



ROSCA THREAD	DN	Referencia Part n°	€
7/16" 20h UNF	1/4"	Z10410704	24,66
1/2" 20h UNF	1/4"	Z10410804	24,19
9/16" 18h UNF	3/8"	Z10410906	27,42
3/4" 16h UNF	1/2"	Z10411208	34,02
7/8" 14h UNF	1/2"	Z10411408	34,50
1"1/16 12h UN	3/4"	Z10411712	54,12
1"5/16 12h UN	1"	Z10412116	64,79
1"5/8 12h UN	1"1/4	Z10412620	103,54
1"7/8 12h UN	1"1/2	Z10413024	175,53

### Hembra giratoria 45° prensada soldable JIC 37°

Welding 45° JIC Female 37° swept

Femelle tournante à souder 45° JIC 37°

Femmina 45° girevole a saldare JIC



ROSCA THREAD	DN	Referencia Part n°	€
7/16" 20h UNF	1/4"	Z10420704	25,61
1/2" 20h UNF	1/4"	Z10420804	26,13
9/16" 18h UNF	3/8"	Z10420906	26,51
3/4" 16h UNF	1/2"	Z10421208	27,04
7/8" 14h UNF	1/2"	Z10421408	29,39
1"1/16 12h UN	3/4"	Z10421712	50,13
1"5/16 12h UN	1"	Z10422116	66,93
1"5/8 12h UN	1"1/4	Z10422620	111,82
1"7/8 12h UN	1"1/2	Z10423024	182,28

## RACORES SOLDABLES

Welding fittings  
Embouts à souder  
Raccordi a saldare

### Tuercas Métricas

DIN nut

Écrou DIN

Dado DIN



TUBO PIPE	ROSCA THREAD	Referencia Part n°	€
6	M12X1.5	Z10510612	2,76
6	M14X1.5	Z10510614	3,03
8	M14X1.5	Z10510814	2,97
8	M16X1.5	Z10510816	3,41
10	M16X1.5	Z10511016	3,33
10	M18X1.5	Z10511018	4,09
12	M18X1.5	Z10511218	3,69
12	M20X1.5	Z10511220	4,54
14	M22X1.5	Z10511422	7,39
15	M22X1.5	Z10511522	5,34
16	M24X1.5	Z10511624	8,20
18	M26X1.5	Z10511826	8,29
20	M30X2	Z10512030	12,50
22	M30X2	Z10512230	10,77
25	M36X2	Z10512536	29,52
28	M36X2	Z10512836	22,16
30	M42X2	Z10513042	35,83
35	M45X2	Z10513545	34,66
38	M52X2	Z10513852	56,21
42	M52X2	Z10514252	42,10

### Boquilla para soldar cono metal

Welding metal cone nipple

Raccord collet cône métallique à souder

Ogiva a saldare senza o'ring



TUBO PIPE	SERIE	Referencia Part n°	€
15X2,5	L	Z CMORIL 15	14,95
18X2,5	L	Z CMORIL 18	15,84
22X2,5	L	Z CMORIL 22	19,96
28X3	L	Z CMORIL 28	23,49
35X4	L	Z CMORIL 35	38,91
42X3	L	Z CMORIL 42	61,72
6X2	L/S	Z CMORIS 6	7,27
8X2	L/S	Z CMORIS 8	9,39
10X2	L/S	Z CMORIS 10	8,87
12X2	L/S	Z CMORIS 12	10,55
14X3	S	Z CMORIS 14	11,38
16X3	S	Z CMORIS 16	15,25
20X3	S	Z CMORIS 20	17,48
25X4	S	Z CMORIS 25	27,28
30X5	S	Z CMORIS 30	29,86
38X5	S	Z CMORIS 38	43,78

En caso de querer la pieza con junta, ver pág. 124 / If you want the item with o'ring, please see page 124 / Si vous voulez la pièce avec le joint, voir page 124 / En caso de querer la pieza con junta, ver pág. 124

### Espiga lisa métrica recta

Welding metric standpipe

Embout lisse métrique à souder

Estremità tubolare metrica diritta



Ø EXT. Ø OUTER	Ø INT. Ø INNER	Referencia Part n°	€
10	7	KZL0010	7,93
12	9	KZL0012	8,20
14	10	KZL0014	11,31
15	12	KZL0015	10,84
16	12	KZL0016	12,27
18	14	KZL0018	16,03
20	14	KZL0020	19,27
22	18	KZL0022	20,57

### Espiga lisa métrica 90º

Welding metric standpipe 90º

Embout lisse métrique 90º à souder

Estremità tubolare metrica a 90º



Ø EXT. Ø OUTER	Ø INT. Ø INNER	Referencia Part n°	€
6	4	KZC9006	7,73
8	4	KZC9008	11,28
10	6	KZC9010	11,37
12	8	KZC9012	11,87
15	11	KZC9015	15,13
18	14	KZC9018	20,29
20	12	KZC9020	23,90
22	18	KZC9022	27,85

### Espiga lisa métrica 45º

Welding metric standpipe 45º

Embout lisse métrique 45º à souder

Estremità tubolare metrica a 45º



Ø EXT. Ø OUTER	Ø INT. Ø INNER	Referencia Part n°	€
6	4	KZC4506	7,73
8	4	KZC4508	11,28
10	6	KZC4510	11,37
12	8	KZC4512	11,87
14	10	KZC4514	13,94
15	11	KZC4515	15,13
16	11	KZC4516	17,54
18	14	KZC4518	20,29
20	12	KZC4520	23,91
22	18	KZC4522	27,85

## RACORES SOLDABLES

Welding fittings  
Embouts à souder  
Raccordi a saldare

### Hembra giratoria 90º soldable métrica

Weldable metrical swivel female 90º

Femelle tournante 90º métrique à souder

Femmina girevole 90º metrica a saldare



TUBO PIPE	ROSCA THREAD	Referencia Part nº	€
10	M16X1.5	Z10521610	31,45
12	M18X1.5	Z10521812	30,06
15	M22X1.5	Z10522215	31,59
18	M26X1.5	Z10522618	45,14
22	M30X2	Z10523022	55,77
28	M36X2	Z10523628	79,01
42	M52X2	Z10525242	183,02
12	M20X1.5	Z10522012	34,91
20	M30X2	Z10523020	51,21

### Hembra giratoria 90º soldable métrica sin junta

Weldable metrical swivel female 90º without o´ring

Femelle tournante 90º métrique à souder sans joint

Femmina girevole 90º metrica a saldare senza guarnizione



TUBO PIPE	ROSCA THREAD	Referencia Part nº	€
6	M12X1.5	Z10541206	21,81
8	M14X1.5	Z10541408	22,42
10	M16X1.5	Z10541610	30,50
12	M18X1.5	Z10541812	24,83
15	M22X1.5	Z10542215	30,64
18	M26X1.5	Z10542618	43,79
22	M30X2	Z10543022	54,09
28	M36X2	Z10543628	76,64
35	M45X2	Z10544535	134,32
42	M52X2	Z10545242	177,53
6	M14X1.5	Z10541406	22,82
8	M16X1.5	Z10541608	24,46
10	M18X1.5	Z10541810	23,66
12	M20X1.5	Z10542012	33,86
14	M22X1.5	Z10542214	28,60
16	M24X1.5	Z10542416	40,77
20	M30X2	Z10543020	49,68
25	M36X2	Z10543625	75,28
30	M42X2	Z10544230	110,72
38	M52X2	Z10545238	168,53

### Hembra giratoria 45º soldable métrica

Weldable metrical swivel female 45º

Femelle tournante 45º métrique à souder

Femmina girevole 45º metrica a saldare



TUBO PIPE	ROSCA THREAD	Referencia Part nº	€
10	M16X1.5	Z10531610	27,67
12	M18X1.5	Z10531812	27,64
15	M22X1.5	Z10532215	34,11
22	M30X2	Z10533022	60,22
28	M36X2	Z10533628	82,05
42	M52X2	Z10535242	197,66
20	M30X2	Z10533020	55,31

### Hembra giratoria 45º soldable métrica sin junta

NEW

Weldable metrical swivel female 45º without o´ring

Femelle tournante 45º métrique à souder sans joint

Femmina girevole 45º metrica a saldare senza guarnizione



TUBO PIPE	ROSCA THREAD	Referencia Part nº	€
6	M12X1.5	Z10551206	23,56
8	M14X1.5	Z10551408	24,21
10	M16X1.5	Z10551610	32,94
12	M18X1.5	Z10551812	26,82
15	M22X1.5	Z10552215	33,09
18	M26X1.5	Z10552618	47,29
22	M30X2	Z10553022	58,42
28	M36X2	Z10553628	82,77
35	M45X2	Z10554535	145,06
42	M52X2	Z10555242	191,73
6	M14X1.5	Z10551406	24,64
8	M16X1.5	Z10551608	26,42
10	M18X1.5	Z10551810	25,55
12	M20X1.5	Z10552012	36,57
14	M22X1.5	Z10552214	30,89
16	M24X1.5	Z10552416	44,04
20	M30X2	Z10553020	53,65
25	M36X2	Z10553625	81,30
30	M42X2	Z10554230	119,58
38	M52X2	Z10555238	182,01

### Macho soldable Métrico

Welding DIN Male

Male métrique à souder

Maschio saldare DIN



TUBO PIPE	SERIE	Referencia Part nº	€
6	L	Z1050L06	7,60
8	L	Z1050L08	10,04
10	L	Z1050L10	9,83
12	L	Z1050L12	10,67
15	L	Z1050L15	16,83
18	L	Z1050L18	20,63
22	L	Z1050L22	31,58
28	L	Z1050L28	38,10
35	L	Z1050L35	61,87
42	L	Z1050L42	75,86
6	S	Z1050S06	9,46
8	S	Z1050S08	12,54
10	S	Z1050S10	14,46
12	S	Z1050S12	20,95
14	S	Z1050S14	22,20
16	S	Z1050S16	21,86
20	S	Z1050S20	26,57
25	S	Z1050S25	35,77
30	S	Z1050S30	53,62
38	S	Z1050S38	103,41

## RACORES SOLDABLES

Welding fittings  
Embouts à souder  
Raccordi a saldare

### Tuercas BSP Microfundido AISI-316

Micro-casting BSP nuts AISI-316

Écrous BSP en acier moulé AISI-316

Dadi BSP microfusi AISI-316



ROSCA THREAD	Referencia Part n°	€
2" 1/2 BSP	Z127040	121,95
3" BSP	Z127048	159,12
4" BSP	Z127064	202,89

### Macho BSPT soldar microfundido AISI-316

Micro-casting BSPT welding male AISI-316

Mâle BSPT à souder en acier moulé AISI-316

Maschio BSPT a saldare microfuso AISI-316



DN DN	ROSCA	Referencia Part n°	€
2"1/2	2"1/2 BSPT	ZM103240	130,61
3"	3" BSPT	ZM103248	160,14
4"	4" BSPT	ZM103264	206,13

### Cono ajuste BSP 60° con guía

Welding nipple with 60° cone for BSP nut with guide

Collet à souder BSP cone 60° avec guide

Ogiva a saldare cono 60° con guida per dado BSP



DN DN	ROSCA	Referencia Part n°	€
2"1/2	2"1/2 BSP	Z127840	99,26
3"	3" BSP	Z127848	125,57
4"	4" BSP	Z127864	229,37

FLUIDAL

## RACORES SOLDABLES

Welding fittings  
Embouts à souder  
Raccordi a saldare

### Tuerca cono ajuste BSP

BSP Nut for welding 60° cone nipple

Écrou gaz pour collet à souder

Dado BSP per ogiva a saldare cono 60°



ROSCA THREAD	Referencia Part n°	€
1/4" BSP	Z127004	4,20
3/8" BSP	Z127006	6,03
1/2" BSP	Z127008	5,19
3/4" BSP	Z127012	7,71
1" BSP	Z127016	13,45
1"1/4 BSP	Z127020	29,05
1"1/2 BSP	Z127024	36,46
2" BSP	Z127032	56,18

### Cono ajuste BSP 60°

Welding nipple BSP 60°

Collet à souder BSP cone 60°

Ogiva a saldare BSP



ROSCA THREAD	Referencia Part n°	€
1/4" BSP	Z127304	4,47
3/8" BSP	Z127306	4,47
1/2" BSP	Z127308	6,36
3/4" BSP	Z127312	7,64
1" BSP	Z127316	12,77
1"1/4 BSP	Z127320	21,55
1"1/2 BSP	Z127324	38,98
2" BSP	Z127332	47,92

### Cono ajuste BSP asiento plano

Welding nipple BSP flat seat

Collet à souder BSP fond plat

Ogiva a saldare sede piana



THREAD ROSCA	Ø OUTER Ø EXT.	Part n° Referencia	€
1/2 BSP	16	Z127408	10,09
1"1/4 BSP	33	Z127420	24,36
2" BSP	52,4	Z127432	48,20
1"1/4 BSP	33	Z127920	24,36

Hasta fin de existencias / Until end of stock / Jusqu'à la fin du stock / Fino ad esaurimento

Z127920 con guía. / Z127920 with guide / Z127920 avec guide. / Z127920 con guida

### Cono ajuste JIC 37° con guía

Welding nipple for JIC 37° with guide

Collet à souder femelle JIC cone 37° avec guide

Ogiva a saldare cono JIC 37° con guida



ROSCA THREAD	DN	Referencia Part n°	€
7/16" 20h UNF	1/4"	Z12770704	9,32
1/2" 20h UNF	1/4"	Z12770804	9,92
9/16" 18h UNF	3/8"	Z12770906	7,53
3/4" 16h UNF	3/8"	Z12771206	8,65
7/8" 14h UNF	5/8"	Z12771410	8,83
1"1/16 12h UN	3/4"	Z12771712	13,63

Hasta fin de existencias / Until end of stock / Jusqu'à la fin du stock / Fino ad esaurimento

### Tuercas JIC 37°

Nut JIC 37°

Écrou JIC 37°

Dado JIC



TUBO PIPE	ROSCA THREAD	Referencia Part n°	€
6	1/4"	ZS11006	*
8	5/16"	ZS11008	*
10	3/8"	ZS11010	*
12	1/2"	ZS11012	*
14-15-16	5/8"	ZS11016	*
18-20	-	ZS11020	*
-	3/4"	ZS11020W	*
25	1"	ZS11025	*
30-32	1 1/4"	ZS11032	*
38	1 1/2"	ZS11038	*

\*Ver precios en p.131 (R.JIC) / \*See prices p. 131 (R.JIC) / \*Voir prix p. 131 (R.JIC) / \*Vedere prezzi p. 131 (R.JIC)



## RACORES SOLDABLES

Welding fittings  
Embouts à souder  
Raccordi a saldare

### Unión 3 piezas hembra-soldar FIG.340HS microfundido

Union 3 fem. welding pieces fig.340hs micro-casting

Union 3 pcs fem. à souder fig.340hs acier moulé

Unione a 3 pezzi f.saldare fig.340hs microfusione



ROSCA THREAD	Referencia Part n°	€
1/4"	ZFIG34004HS	*
3/8"	ZFIG34006HS	*
1/2"	ZFIG34008HS	*
3/4"	ZFIG34012HS	*
1"	ZFIG34016HS	*
1" 1/4	ZFIG34020HS	*
1" 1/2	ZFIG34024HS	*
2"	ZFIG34032HS	*

\*Ver precios en p.235 / \*See prices p.235 / \*Voir prix p.235 / \*Vedere prezzi p.235

### Unión 3 piezas macho-soldar FIG.341MS microfundido

Union 3 welding male pieces fig.341ms micro-casting

Union 3 pcs mâle à souder fig.341ms acier moulé

Unione a 3 pezzi m.saldare fig.341ms microfusione



ROSCA THREAD	Referencia Part n°	€
1/4"	ZFIG34104MS	*
3/8"	ZFIG34106MS	*
1/2"	ZFIG34108MS	*
3/4"	ZFIG34112MS	*
1"	ZFIG34116MS	*
1" 1/4	ZFIG34120MS	*
1" 1/2	ZFIG34124MS	*
2"	ZFIG34132MS	*

\*Ver precios en p.235 / \*See prices p.235 / \*Voir prix p.235 / \*Vedere prezzi p.235

### Unión 3 piezas soldar FIG.340S microfundido

Union 3 welding pieces fig.340s micro-casting

Union 3 pièces à souder fig.340s acier moulé

Unione a 3 pezzi a saldare fig.340s microfusione



DN	Referencia Part n°	€
1/4"	ZFIG34004S	*
3/8"	ZFIG34006S	*
1/2"	ZFIG34008S	*
3/4"	ZFIG34012S	*
1"	ZFIG34016S	*
1" 1/4	ZFIG34020S	*
1" 1/2	ZFIG34024S	*
2"	ZFIG34032S	*

\*Ver precios en p.235 / \*See prices p.235 / \*Voir prix p.235 / \*Vedere prezzi p.235