

CM100HY



CP100HK



H100DM



MB200E-E



Push Buttons and Signal Lamps

Push Buttons



B Series Push Buttons, 22 mm, IP 50

Flush, Spring Return

Code	Contact Block Type	Colour*	Box/Pcs
B100D*	1 NO		10
B101D*	2 NO		10
B102D*	1 NO + 1 NC		10
B200D*	1 NC		10
B202D*	2 NC		10



B100DY

Stay-Put, Spring Return

Code	Contact Block Type	Colour*	Box/Pcs
B100F*	1 NO		10
B200F*	1 NC		10



B100FY

Extended, Spring Return

Code	Contact Block Type	Colour*	Box/Pcs
B100H*	1 NO		10
B101H*	2 NO		10
B102H*	1 NO + 1 NC		10
B200H*	1 NC		10
B202H*	2 NC		10



B200HK

Double, Spring Return

Code	Type	Contact Block Type	Colour*	Box/Pcs
B102K20KY		1 NO + 1 NC		8
B102K21KY	Extended	1 NO + 1 NC		8
B102K20HB		1 NO + 1 NC		8
B102K21HB	Extended	1 NO + 1 NC		8



B102K20KY

Big Size Double, Spring Return

Code	Type	Contact Block Type	Colour*	Box/Pcs
B102B20HB	Flush	1 NO + 1 NC		8
B102B20KY	Flush	1 NO + 1 NC		8



B102B20KY

Triple with Extended Stop

Code	Type	Contact Block Type	Colour*	Box/Pcs
B121B30YY	Extended Stop	1 NO + 1 NC + 1 NO		8
B121B30BB	Extended Stop	1 NO + 1 NC + 1 NO		8



B121B30YY

Selector

Code	Type	Contact Block Type	Position	Angle	Colour*	Box/Pcs
B100S20		1 NO	0-1			10
B100S21	Spring Return	1 NO	0-1			10
B101S30		2 NO	II-0-1			10
B101S31	Single Spring Return	2 NO	II-0-1			10
B101S32	Double Spring Return	2 NO	II-0-1			10
B100R20		1 NO	0-1			10
B100R21	Spring Return	1 NO	0-1			10
B100T20		1 NO	0-1			10
B100T21	Spring Return	1 NO	0-1			10



B100S20

Note1: For "12-30V AC/DC" Voltage in LED Illuminational preferences, please use the numbers; 5: White, 6: Red, 7: Blue, 8: Yellow, 9: Green, instead of "0". i.e: B160SL20

Note2: For "100-250VAC/DC" Voltage in LED Illuminational preferences, please use the letters; B: White, K: Red, M: Blue, S: Yellow, Y: Green instead of "0". i.e: B1B0DB

Note3: Please use "3" instead of "0" for the Neon Lamb and Ba9S LED.

Push Buttons



B100SL20Y

Illuminated Selector

Code	Type	Contact Block	Position	Colour*	Box/Pcs
B100SL20*		1 NO	0-1	B K M S Y H	10
B100SL21*	Spring Return	1 NO	0-1	B K M S Y H	10
B101SL30*		2 NO	II-0-1	B K M S Y H	10
B101SL31*	Single Spring Return	2 NO	II-0-1	B K M S Y H	10
B101SL32*	Double Spring Return	2 NO	II-0-1	B K M S Y H	10

Note1: For "12-30V AC/DC" Voltage in LED Illuminational preferences, please use the numbers; 5: White, 6: Red, 7: Blue, 8: Yellow, 9: Green, instead of "0". i.e: B160SL20

Note2: For "100-250VAC/DC" Voltage in LED Illuminational preferences, please use the letters; B: White, K: Red, M: Blue, S: Yellow, Y: Green instead of "0". i.e: B1B0DB

Note3: Please use "3" instead of "0" for the Neon Lamb and Ba9S LED.



B200MK



B100C

Handle and Mushroom Head

Code	Type	Contact Block	Position	Colour*	Box/Pcs
B100C	Handle Button	1 NO		●	10
B200C	Handle Button	1 NC		●	10
B102C	Handle Button	1 NO + 1 NC		●	10
B100M*	Mushroom Head, Spring Return	1 NO		K S Y H	10
B200M*	Mushroom Head, Spring Return	1 NC		K S Y H	10
B102M*	Mushroom Head, Spring Return	1 NO + 1 NC		K S Y H	10

Please choose the colour and replace () with the letter.



B100AC20

Key Operated

Code	Type	Contact Block	Position	Colour*	Box/Pcs
B100AA20		1 NO	0-1	●	10
B100AA21	Spring Return	1 NO	0-1	●	10
B101AA30		2 NO	II-0-1	●	10
B101AA31	Single Spring Return	2 NO	II-0-1	●	10
B101AA32	Double Spring Return	2 NO	II-0-1	●	10
B102AA20		1 NO + 1 NC	0-1	●	10
B100AC20	Key Extraction	1 NO	0-1	●	10
B102AC20	Key Extraction	1 NO + 1 NC	0-1	●	10
B102AC30	Key Extraction	1 NO + 1 NC	II-0-1	●	10



B200E30



B200E-E

B Series Emergency Stop

Code	Type	Contact Block	Diameter	Colour*	Box/Pcs
B200E30	Cylindric	1 NC	30	●	10
B102E30	Cylindric	1 NO + 1 NC	30	●	10
B200E		1 NC	40	●	10
B200E-E	With Label	1 NC	40	●	10
B102E		1 NO + 1 NC	40	●	10
B200E60		1 NC	60	●	5
B102E60		1 NO + 1 NC	60	●	5



BPR01K

Potentiometer (1,5W@70°C IP65)

Code	Features	Colour*	Box/Pcs
BPR01K	1 kΩ (Ceramic, Wired)	●	10
BPR05K	5 kΩ (Ceramic, Wired)	●	10
BPR10K	10 kΩ (Ceramic, Wired)	●	10



B3



B1

Contact Blocks of B Series Push Buttons

Code	Type	Features	Position	Box/Pcs
B1	Contact Block	1 NO		20
B2	Contact Block	1 NC		20
B3	Contact Block	Contact Block for Illumination		20

Push Buttons



B080XS

B Series Signal Lamps with Contact Block

Code	Illumination	Nominal Voltage	Colour*	Box/Pcs
B030X*	With Lampholder for Ba9S		(B) (K) (M) (S) (Y) (H)	10
B050XB	LED	12 - 30V AC/DC	(B)	10
B060XK	LED	12 - 30V AC/DC	(K)	10
B070XM	LED	12 - 30V AC/DC	(M)	10
B080XS	LED	12 - 30V AC/DC	(S)	10
B090XY	LED	12 - 30V AC/DC	(Y)	10
BOB0XB	LED	100-230V AC	(B)	10
BOK0XK	LED	100-230V AC	(K)	10
BOM0XM	LED	100-230V AC	(M)	10
BOS0XS	LED	100-230V AC	(S)	10
BOY0XY	LED	100-230V AC	(Y)	10

Note: B030X* doesn't have lamp. Please choice Ba9S LED from Page 7. *Please choose the colour and replace (*) with the letter.



BDH



BDAA20



BDS20



BDK20KY



BDSL20Y



BDE60



BDC



BK



BDMH



BEBK20



BEB



LED220K



LED24S

Spare Parts of B Series Push Buttons

Code	Type	Features	Position	Colour*	Box/Pcs
BD*	Button	Flush		(B) (K) (M) (S) (Y) (H)	20
BH*	Button	Extended		(B) (K) (M) (S) (Y) (H)	20
BDM*	Button	Mushroom		(B) (K) (M) (S) (Y) (H)	20
BDS20	Button	Selector	0-I	(B)	20
BDS21	Button	Selector	0-I	(K)	20
BDS30	Button	Selector	II-0-I	(M)	20
BDAC20	Button	Key Operated	0-I	(S)	1
BDAA20	Button	Key Operated	0-I	(Y)	1
BDAC30	Button	Key Operated	II-0-I	(H)	1
BDAA30	Button	Key Operated	II-0-I	(H)	1
BDSL20*	Button	Illuminated Selector	0-I	(B) (K) (M) (S) (Y) (H)	20
BDSL30*	Button	Illuminated Selector	II-0-I	(B) (K) (M) (S) (Y) (H)	20
BDB20KY	Button	Double		(B) (K)	8
BDB30YY	Button	Double with Extended Stop Button		(M) (S)	8
BDK20KY	Button	Double		(Y) (H)	8
BDK21KY	Button	Double, Extended		(B) (K)	8
BDK20HB	Button	Double		(M) (S)	8
BDK21HB	Button	Double, Extended		(Y) (H)	8
BDC	Button	Handle		(B)	20
BDE	Button	Emergency Stop, 40 mm		(K)	10
BDE-E	Button	Emergency Stop, 40 mm, with Label		(M)	10
BDE30	Button	Emergency Stop Cylindric, 30 mm		(S)	20
BDE60	Button	Emergency Stop, 60 mm		(Y)	5
TIPASOM	Stopper and Nut			(H)	20
BX*	Signal Head Group	CombiNOtion		(B) (K) (M) (S) (Y) (H)	20
B5	Signal Block with LED	12-30V AC/DC		(B)	20
B6	Signal Block with LED	12-30V AC/DC		(K)	20
B7	Signal Block with LED	12-30V AC/DC		(M)	20
B8	Signal Block with LED	12-30V AC/DC		(S)	20
B9	Signal Block with LED	12-30V AC/DC		(Y)	20
BB	Signal Block with LED	100-230V AC		(H)	20
BK	Signal Block with LED	100-230V AC		(B)	20
BM	Signal Block with LED	100-230V AC		(K)	20
BS	Signal Block with LED	100-230V AC		(M)	20
BY	Signal Block with LED	100-230V AC		(S)	20
BB-4	Signal Block with LED	110V AC/DC		(Y)	20
BK-4	Signal Block with LED	110V AC/DC		(H)	20
BM-4	Signal Block with LED	110V AC/DC		(B)	20
BS-4	Signal Block with LED	110V AC/DC		(K)	20
BY-4	Signal Block with LED	110V AC/DC		(M)	20
BA	Adapter			(S)	100
BEB	Silicon Cover	For Single Buttons		(Y)	20
BEBK20	Silicon Cover	For Double Buttons		(H)	20
BEBK21	Silicon Cover	For Extended Double Buttons		(B)	20
LED24*	Ba9S LED	24 VDC /AC		(B) (K) (M) (S) (Y)	50
LED220*	Ba9S LED	220V AC		(B) (K) (M) (S) (Y)	50
B-Buton Orta	Contact Block Activator			(H)	50
B-Seçici Orta	Contact Block Activator			(B)	50

Please choose the colour and replace () with the letter.

Push Buttons



CP Series Plastic Push Buttons, 22 mm, IP 65



CP100DY

CP200DK



CP102K20KY

CP305DY



NEW

CP100HK



CP100S20



CP200EA30

CP200EP



CP100AC20



CP707DJ40



CP060XK

Flush, Spring Return

Code	Type	Contact Block	Colour*	Box/Pcs
CP100D*		1 NO		10
CP101D*		2 NO		10
CP102D*		1 NO + 1 NC		10
CP200D*		1 NC		10
CP202D*		2 NC		10
CP303D*		2 NO + 2 NO		5
CP305D*		2 NO + 2 NC		5
CP102K20KY	Double	1 NO + 1 NC		8
CP102K20HB	Double	1 NO + 1 NC		8
CP102K21KY	Double Extended	1 NO + 1 NC		8
CP102K21HB	Double Extended	1 NO + 1 NC		8
CP200MK	Mushroom	1 NC		10

Extended, Spring Return

Code	Contact Block	Colour*	Box/Pcs
CP100H*	1 NO		10
CP101H*	2 NO		10
CP102H*	1 NO + 1 NC		10
CP200H*	1 NC		10
CP202H*	2 NC		10

Selector

Code	Type	Contact Block	Position	Colour*	Box/Pcs
CP100S20		1 NO	0-1		10
CP100S21	Spring Return	1 NO	0-1		10
CP101S30		2 NO	II-0-1		10
CP101S31	Single Spring Return	2 NO	II-0-1		10
CP101S32	Double Spring Return	2 NO	II-0-1		10
CP303S30		2 NO + 2 NO	II-0-1		5
CP305S30		2 NO + 2 NC	II-0-1		5

Note1: For "12-30V AC/DC" Voltage in LED illuminational preferences, please use the numbers; 5: White, 6: Red, 7: Blue, 8: Yellow, 9: Green, instead of "0". i.e. CP160S20
 Note2: For "100-250VAC/DC" Voltage in LED illuminational preferences, please use the letters; B: White, K: Red, M: Blue, S: Yellow, Y: Green instead of "0". i.e. CP180S20

Emergency Stop

Code	Type	Contact Block	Dia (mm)	Colour*	Box/Pcs
CP200E30	Turn to Release	1 NC	30		10
CP200ES30	With Signal	1 NC	30		10
CP200EA30	Key Operated	1 NC	30		10
CP200ECN30	Pull to Release	1 NC	30		10
CP200ECS30	With Signal, Pull to Release	1 NC	30		10
CP200E	Turn to Release	1 NC	40		10
CP200EP	With Window, Pull to Release	1 NC	40		10
CP200EK30	Turn to Release-Short	1 NC	30		10

Key Operated

Code	Type	Contact Block	Position	Colour	Box/Pcs
CP100AA20		1 NO	0-1		10
CP101AA21	Spring Return	2 NO	0-1		10
CP101AA31	Single Spring Return	2 NO	II-0-1		10
CP101AA32	Double Spring Return	2 NO	II-0-1		10
CP102AA30		1 NO + 1 NC	II-0-1		10
CP100AC20		1 NO	0-1		10
CP102AC30		1 NO + 1 NC	II-0-1		10

Joystick

Code	Type	Position	Colour	Box/Pcs
CP101DJ20		2 Pos.		1
CP101DJ21	Spring Return	2 Pos.		1
CP707DJ40		4 Pos.		1
CP707DJ41	Spring Return	4 Pos.		1

CP Series Signal Lamps with Contact Block

Code	Illumination	Nominal Voltage	Colour	Box/Pcs
CP050XB	LED	12 - 30V AC/DC		10
CP060XK	LED	12 - 30V AC/DC		10
CP070XM	LED	12 - 30V AC/DC		10
CP080XS	LED	12 - 30V AC/DC		10
CP090XY	LED	12 - 30V AC/DC		10
CP0B0XB	LED	100-230V AC		10
CP0K0XK	LED	100-230V AC		10
CP0M0XM	LED	100-230V AC		10
CP0S0XS	LED	100-230V AC		10
CP0Y0XY	LED	100-230V AC		10

Push Buttons



CM Series Metal Push Buttons, 22 mm, IP 65



CM100DY



CM200DK



CM102K20KY



CM200E



CM100HY



CM100S20



CM100AA20



CM707DJ40



CM090XY

Flush, Spring Return

Code	Type	Contact Block	Colour	Box/Pcs
CM100D*		1 NO		10
CM101D*		2 NO		10
CM102D*		1 NO + 1 NC		10
CM200D*		1 NC		10
CM202D*		2 NC		10
CM305D*		2 NO + 2 NC		5
CM102K20KY		1 NO + 1 NC		8
CM102K20HB		1 NO + 1 NC		8
CM102K21KY	Double Extended	1 NO + 1 NC		8
CM102K21HB	Double Extended	1 NO + 1 NC		8
CM200E	Emergency Stop	1 NC		10
CM200M*	Mushroom	1 NC		10

* Please choose the colour and replace (*) with the letter.

Extended, Spring Return

Code	Contact Block	Colour*	Box/Pcs
CM100H*	1 NO		10
CM101H*	2 NO		10
CM102H*	1 NO + 1 NC		10
CM200H*	1 NC		10
CM202H*	2 NC		10

Selector

Code	Type	Contact Block	Position	Colour	Box/Pcs
CM100S20	Spring Return	1 NO	0-I		10
CM100S21		1 NO	0-I		10
CM101S30	Single Spring Return	2 NO	II-0-I		10
CM101S31		2 NO	II-0-I		10
CM101S32		2 NO	II-0-I		10
CM303S30	Double Spring Return	2 NO + 2 NO	II-0-I		10

Note: For "12-30V AC/DC" Voltage in LED Illuminational preferences, please use the numbers; 5: White, 6: Red, 7: Blue, 8: Yellow, 9: Green, instead of "0". i.e: CM160S20

For "100-250VAC/DC" Voltage in LED Illuminational preferences, please use the letters; B: White, K: Red, M: Blue, S: Yellow, Y: Green, instead of "0". i.e: CM1B0DB.

Key Operated

Code	Type	Contact Block	Position	Colour	Box/Pcs
CM100AA20	Spring Return	1 NO	0-I		10
CM100AA21		1 NO	0-I		10
CM101AA31	Single Spring Return	2 NO	II-0-I		10
CM101AA32	Double Spring Return	2 NO	II-0-I		10
CM102AA20		1 NO + 1 NC	0-I		10
CM102AA30		1 NO + 1 NC	II-0-I		10
CM100AC20		1 NO	0-I		10
CM102AC20		1 NO + 1 NC	0-I		10
CM102AC30		1 NO + 1 NC	II-0-I		10

Joystick

Code	Type	Position	Colour	Box/Pcs
CM101DJ20	Spring Return	2 Pos.		1
CM101DJ21		2 Pos.		1
CM707DJ40	Spring Return	4 Pos.		1
CM707DJ41		4 Pos.		1

CM Series Signal Lamps with Contact Block

Code	Illumination	Nominal Voltage	Colour	Box/Pcs
CM050XB	LED	12 - 30V AC/DC		10
CM060XK	LED	12 - 30V AC/DC		10
CM070XM	LED	12 - 30V AC/DC		10
CM080XS	LED	12 - 30V AC/DC		10
CM090XY	LED	12 - 30V AC/DC		10
CM0B0XB	LED	100-230V AC		10
CM0K0XK	LED	100-230V AC		10
CM0M0XM	LED	100-230V AC		10
CM0S0XS	LED	100-230V AC		10
CM0Y0XY	LED	100-230V AC		10

Push Buttons



Spare Parts for CP/CM Series Push Buttons



C1

C2




C3BK

C3CK



C4BK

C4CK



C12



CPDY

CPDS20



CBB

CPXK



CA

Code	Type	Features	Colour	Box/Pcs
C1	Contact Block	1 NO	●	20
C2	Contact Block	1 NC	●	20
C1AU	Gold Plated Contact Block	1 NO	●	20
C2AU	Gold Plated Contact Block	1 NC	●	20
C12	Joystick Contact Block	2 NO	●	20
C3BK	Contact Block -	1 NO	●	20
C4BK	B Control Boxes	1 NC	●	20
C3CK	Contact Block -	1 NO	●	20
C4CK	C Control Boxes	1 NC	●	20
CPD*	Button - Plastic	Flush IP65	B K M S Y H	50
CPH*	Button - Plastic	Extended	B K M S Y H	50
CPDS20	Selector - Plastic	Selector IP65	●	50
CPDS30	Selector - Plastic	Selector IP65	●	50
CPX*	Signal Head - Plastic		B K M S Y	50
CPDE30	Emergency Stop Head	IP65 - Turn to Release	●	50
CPDEA30	Emergency Stop Head	IP65 - Key Operated	●	50
CPDECN30	Emergency Stop Head	IP65 - Pull to Release	●	50
CPDES30	Emergency Stop Head	IP65 - With Signal	●	50
CMD*	Button - Metal	IP65	B K M S Y H	50
CMH*	Button - Metal	Extended	B K M S Y H	50
CMDS20	Selector - Metal	Selector IP65	●	50
CMDS30	Selector - Metal		●	50
CMX*	Signal Head - Metal		B K M S Y	50

Please choose the colour and replace () with the letter.

For Push Button / For Control Boxes

Code	Type	Features	Colour	Box/Pcs
CB5 / CK5	Signal Block with LED	12-30V AC/DC	○	20
CB6 / CK6	Signal Block with LED	12-30V AC/DC	●	20
CB7 / CK7	Signal Block with LED	12-30V AC/DC	●	20
CB8 / CK8	Signal Block with LED	12-30V AC/DC	●	20
CB9 / CK9	Signal Block with LED	12-30V AC/DC	●	20
CBB / CKB	Signal Block with LED	100-230V AC	○	20
CBK / CKK	Signal Block with LED	100-230V AC	●	20
CBM / CKM	Signal Block with LED	100-230V AC	●	20
CBS / CKS	Signal Block with LED	100-230V AC	●	20
CBY / CKY	Signal Block with LED	100-230V AC	●	20
CBB-4 / CKB-4	Signal Block with LED	110V AC/DC	○	20
CBK-4 / CKK-4	Signal Block with LED	110V AC/DC	●	20
CBM-4 / CKM-4	Signal Block with LED	110V AC/DC	●	20
CBS-4 / CKS-4	Signal Block with LED	110V AC/DC	●	20
CBY-4 / CKY-4	Signal Block with LED	110V AC/DC	●	20
CA	Adapter			20
CEA	Additional Adapter			10
CMB	CM Mounting LiNC (Metal)			20

Pad Printed Push Buttons (mat surface without Illumination)

Code	B102K20KY-10	B101K20YY-12	B101K20YY-OK	B102K20HB-10	B101K20HH-OK	B101K20BB-12	B101K20SH-10	B101K20SS-12
PRINT	CP102K20KY-10	CP101K20YY-12	CP101K20YY-OK	CP102K20HB-10	CP101K20HH-OK	CP101K20BB-12	CP101K20SH-10	CP101K20SS-12
Code	B100DY-OD	B100DY-OY	B100DH-OD	B100DH-OY	B100DB-OD	B100DB-OY	B100DB-Z	B100DB-L
PRINT	CP100DY-OD	CP100DY-OY	CP100DH-OD	CP100DH-OY	CP100DB-OD	CP100DB-OY	CP100DB-Z	CP100DB-L
Code	B100DY-1	B100DY-2	B100DB-1	B100DB-2	B200DK-0	B200DH-0	B200DS-Z	B200DS-L
PRINT	CP100DY-1	CP100DY-2	CP100DB-1	CP100DB-2	CP200DK-0	CP200DH-0	CP200DS-Z	CP200DS-L

Note : Minimum Order Quantity : 50 pcs

Push Buttons



B-ROZET18



B-ROZET08



B-MUHAFAZA



BET60P




B-PUL




B-PROT

Accessories for B and C Series Push Buttons

Code	Type	Features	Position	Box/Pcs
B-ROZET08	Plate Holder	8 mm.		100
B-ROZET18	Plate Holder	18 mm.		100
B-ÇİFTLİROZET18	Double Plate Holder	18 mm.		100
BET08	Plate	8 mm. Empty		100
BET18	Plate	18 mm. Empty		100
BET08-START	Plate	8 mm. Start		100
BET08-STOP	Plate	8 mm. Stop		100
BET08-01	Plate	8 mm.	0-1	100
BET08-010K	Plate	8 mm.	0-1	100
BET08-201	Plate	8 mm.	II-0-1	100
BET08-2010K	Plate	8 mm.	II-0-1	100
BET08-2010K2	Plate	8 mm.	II-0-1	10
BET60P	Plate, Plastic	60 mm. Emergency Stop		10
BET90P	Plate, Plastic	90 mm. Emergency Stop		10
BET60A	Plate, Aluminium	60 mm. Emergency Stop		2
BET90A	Plate, Aluminium	90 mm. Emergency Stop		2
B-MUHAFAZA	Emergency Protective Cover	Stroke Protection		20
C-MUHAFAZA	Emergency Protective Cover	Stroke Protection		20
B-PUL	Plate	Button Tightening		100
TIPASOM	Stopper and Nut			20
BEB	Silicon Cover	For Single Buttons		20
BEBK20	Silicon Cover	For Double Buttons		20
BEBK21	Silicon Cover	For Extended Double Buttons		20
B-PROT	Protective Cover			50



BET08-2010K2



BET08-2010K




BET08




BET18




BET08-START



BET08-STOP



BET08-01



BET08-010K



BET08-201

D Series Push Buttons, 16 mm



D100DDY

Rectangle, Spring Return

Code	Contact Block	Colour*	Box/Pcs
D100DD*	1 NO	B K M S Y H	10
D101DD*	2 NO	B K M S Y H	10
D102DD*	1 NO + 1 NC	B K M S Y H	10
D200DD*	1 NC	B K M S Y H	10
D202DD*	2 NC	B K M S Y H	10



D200KDK

Square, Spring Return

Code	Contact Block	Colour*	Box/Pcs
D100KD*	1 NO	B K M S Y H	10
D101KD*	2 NO	B K M S Y H	10
D102KD*	1 NO + 1 NC	B K M S Y H	10
D200KD*	1 NC	B K M S Y H	10
D202KD*	2 NC	B K M S Y H	10



D200YDK

Round, Spring Return

Code	Contact Block	Colour*	Box/Pcs
D100YD*	1 NO	B K M S Y H	10
D101YD*	2 NO	B K M S Y H	10
D102YD*	1 NO + 1 NC	B K M S Y H	10
D200YD*	1 NC	B K M S Y H	10
D202YD*	2 NC	B K M S Y H	10

Note: For "24V AC/DC" Voltage in LED illumination preferences, please use the numbers; 5: White, 6: Red, 7: Blue, 8: Yellow, 9: Green instead of "0". i.e: D190DDY

Push Buttons



D101YS30

Round, Selector

Code	Type	Contact Block	Position	Colour	Box/Pcs
D100YS20		1 NO	0-I	●	10
D100YS21	Spring Return	1 NO	0-I	●	10
D101YS30		2 NO	II-0-I	●	10
D101YS31	Single Spring Return	2 NO	II-0-I	●	10
D101YS32	Double Spring Return	2 NO	II-0-I	●	10

Mushroom, Spring Return

Code	Contact Block	Colour*	Box/Pcs
D100YM30*	1 NO		10
D102YM30*	1 NO + 1 NC		10
D200YM30*	1 NC		10



D200YE30

Emergency Stop

Code	Contact Block	Colour*	Box/Pcs
D100YE30K	1 NO	●	10
D102YE30K	1 NO + 1 NC	●	10
D200YE30K	1 NC	●	10



D9



D2

Spare Parts for D Series Push Buttons

Code	Contact Block	Colour*	Box/Pcs
D1	1 NO		10
D2	1 NC		10
D5**	-	○	10
D6**	-	●	10
D7**	-	●	10
D8**	-	●	10
D9**	-	●	10
DA	Button Adapter		10

* (**) 24V AC/DC LED.

D Series 16 mm Signal Lamps



D060DXK



D080KXS

Code	Button Series	Illumination	Nominal Voltage	Colour	Box/Pcs
D050DXB	D Types Rectangle Button	LED	24V AC/DC	○	10
D060DXK	D Types Rectangle Button	LED	24V AC/DC	●	10
D070DXM	D Types Rectangle Button	LED	24V AC/DC	●	10
D080DXS	D Types Rectangle Button	LED	24V AC/DC	●	10
D090DXY	D Types Rectangle Button	LED	24V AC/DC	●	10
D050KXB	D Types Square Button	LED	24V AC/DC	○	10
D060KXK	D Types Square Button	LED	24V AC/DC	●	10
D070KXM	D Types Square Button	LED	24V AC/DC	●	10
D080KXS	D Types Square Button	LED	24V AC/DC	●	10
D090KXY	D Types Square Button	LED	24V AC/DC	●	10
D050YXB	D Types Round Button	LED	24V AC/DC	○	10
D060YXK	D Types Round Button	LED	24V AC/DC	●	10
D070YXM	D Types Round Button	LED	24V AC/DC	●	10
D080YXS	D Types Round Button	LED	24V AC/DC	●	10
D090YXY	D Types Round Button	LED	24V AC/DC	●	10

Push Buttons



NEW H Series Buttons, 30 mm, IP 50

Flush, Spring Return

Code	Contact Block	Colour*	Box/Pcs
H100D*	1 NO		10
H101D*	2 NO		10
H102D*	1 NO + 1 NC		10
H200D*	1 NC		10
H202D*	2 NC		10

Spare Parts: You can see Contact Blocks and Illumination Contact Blocks from B Series.

KB Series Buttons, 22 mm, IP 40

Flush, Spring Return

Code	Type	Contact Block	Colour	Box/Pcs
KB12D*		1 NC		10
KB34D*		1 NO		10
KB14D*		1 NC + 1 NO		10
KB12R*	With Silicon Cover	1 NC		10
KB34R*	With Silicon Cover	1 NO		10
KB14R*	With Silicon Cover	1 NC + 1 NO		10
KB14R*-0	With Silicon Cover, With Arrow	1 NC + 1 NO		10
KB34R*-0	With Silicon Cover, With Arrow	1 NO		10
KB12R*-0	With Silicon Cover, With Arrow	1 NC		10

Selector

Code	Contact Block	Colour	Box/Pcs
KB34S2	1 NO		10
KB14S2	1 NO + 1 NC		10

Handle

Code	Contact Block	Colour	Box/Pcs
KB12C	1 NC		10
KB34C	1 NO		10
KB14C	1 NO + 1 NC		10

Key Operated

Code	Contact Block	Colour	Box/Pcs
KB14A2	1 NO + 1 NC		10

Mushroom

Code	Contact Block	Colour	Box/Pcs
KB12MK	1 NC		10
KB34M*	1 NO		10
KB14M*	1 NO + 1 NC		10

Emergency Stop

Code	Contact Block	Colour	Box/Pcs
KB12E	1 NC		10
KB14E	1 NO + 1 NC		10

Spare Parts for KB Series Push Buttons

Code	Type	Contact Block	Colour	Box/Pcs
KB12	Contact Block	1 NC		100
KB34B	Contact Block	1 NO		100
KB14B	Contact Block, For Push Button	1 NO + 1 NC		100
KB14K	Contact Block, For Box	1 NO + 1 NC		100
D*	Button			100

Please choose the colour and replace () with the letter.



H100DY

H200DK



KB34DY

KB14RS-0



KB34S2



KB12C



KB14A2



KB12MK



KB12E



KB12

Push Buttons



MB Series Monoblock Push Buttons, 22 mm, IP 40



MB102DM



MB100DY

Flush, Spring Return

Code	Contact Block	Colour	Box/Pcs
MB100D*	1 NO		10
MB102D*	1 NO + 1 NC		10
MB200D*	1 NC		10
MB101D*	2 NO		10
MB202D*	2 NC		10



MB100FY

Stay-Put, Spring Return

Code	Contact Block	Colour	Box/Pcs
MB100F*	1 NO		10
MB200F*	1 NC		10
MB101F*	2 NO		10
MB102F*	1 NO + 1 NC		10



MB100S20

Selector

Code	Type	Contact Block	Position	Colour	Box/Pcs
MB100S20		1 NO	0-1		10
MB100S21	Spring Return	1 NO	0-1		10
MB101S30		2 NO	II-0-1		10
MB101S32	Double Spring Return	2 NO	II-0-1		10

NEW



MB200E-E

Emergency Stop

Code	Contact Block	Diameter	Colour	Box/Pcs
MB200E	1 NC	40 mm.		10
MB200E-E	1 NC	40 mm.		10



MB200E



MB200MK

Mushroom Head

Code	Contact Block	Colour	Box/Pcs
MB100M*	1 NO		10
MB101M*	2 NO		10
MB102M*	1 NO + 1 NC		10
MB200M*	1 NC		10
MB202M*	2 NC		10



MBSD024Y



MBSP220Y

Monoblock Signal Lamps (LED)

Code	Features	Nominal Voltage	Colour	Box/Pcs
MBSD024*	Flat Glass	24V AC/DC		10
MBSD220*	Flat Glass	220V AC		10
MBSP024*	Cellular Glass	24V AC/DC		10
MBSP220*	Cellular Glass	220V AC		10



MBZS024S



MBZX220S

MB Series Ø 22 mm Monoblock Buzzer Signal Types (LED), 90 db (10 cm Distance)

Code	Features	Nominal Voltage	Features	Box/Pcs
MBZS024S	With Illumination	24V AC/DC	Single Melody	10
MBZS220S	With Illumination	220V AC	Single Melody	10
MBZX024S		24V AC/DC	Single Melody	10
MBZX220S		220V AC	Single Melody	10

*Note: For IP65 preferences, please add "E" alphabet to end of the code
In case of IP65 preferences, volume has been decreased 5 db.*

**Please choose the colour and replace (*) with the letter.*

Signal Lamps



Signal Lamps



S100LK



S102S



S140K



S224B



S140Y2



S222LS



PDA



NO201Y

Code	Dia (mm)	Illumination	Features	Voltage	Colour	Box/Pcs
S100*	10	Bulb		230V AC	(B) (K) (M) (S) (Y)	100
S100L*	10	LED	With Silicon Cable	230V AC	(B) (K) (M) (S) (Y)	100
S100L1*	10	LED	With Silicon Cable	12V AC/DC	(B) (K) (M) (S) (Y)	100
S100L2*	10	LED	With Silicon Cable	24V AC/DC	(B) (K) (M) (S) (Y)	100
S100*5SP0	10	Bulb	With Silicon Cable	230V AC	(B) (K) (M) (S) (Y)	100
S102*	10	Bulb	With Terminal	230V AC	(B) (K) (M) (S) (Y)	50
S105*	10	Bulb	Nutless	230V AC	(B) (K) (M) (S) (Y)	50
S140*	14	Bulb	Thermoglass	230V AC	(B) (K) (M) (S) (Y)	50
S140*1	14	Bulb		12V DC	(B) (K) (M) (S) (Y)	50
S140*2	14	Bulb		24V DC	(B) (K) (M) (S) (Y)	50
S145*	14	Bulb	Hooked	230V AC	(B) (K) (M) (S) (Y)	50
S220*	22	Bulb	Conic Glass	230V	(B) (K) (M) (S) (Y)	20
S220*6	22	With Lampholder	Conic Glass		(B) (K) (M) (S) (Y)	20
S222*	22	Bulb	Finger Proof	230V AC	(B) (K) (M) (S) (Y)	20
S222L*	22	LED	Finger Proof	230V AC	(B) (K) (M) (S) (Y)	20
S224*	22	Bulb	Terminal + Screw	230V AC	(B) (K) (M) (S) (Y)	20
S224*7	22	With Ba9S Lampholder	Terminal + Screw		(B) (K) (M) (S) (Y)	20

Please choose the colour and replace () with the letter.

Note: S1450 ve S2200 Signal Lamps are transparent colour.

Spare Parts

Code	Illumination	Features	Voltage	Colour	Box/Pcs
PDA	Bulb with Plastic Lampholder		220V	()	100
NO201Y	Neon Bulb	Rotat. Mount., Green	220V	()	100
NO201	Neon Bulb	Rotational Mounting	220V	()	100
NO101	Neon Bulb	Screw Mounting	220V	()	100