


Enchufes rápidos AISI 316

Quick couplings AISI 316
 Coupleurs rapides AISI 316
 Innesti rapidi AISI 316


■ Enchufes rápidos / Quick couplings / Quick release couplings / Innesti rapidi

| 214



■ Enchufes rápidos TrΔle / Quick couplings TrΔle / Coupleurs rapides TrΔle / Innesti rapidi TrΔle

| 216



FLUIDAL

Enchufes rápidos AISI 316

Quick couplings AISI 316
Coupleurs rapides AISI 316
Innesti rapidi AISI 316

Crimping fittings for hoses

Pipe fittings

Pipe fittings II

Adaptors

Welding fittings

Industrial fittings

Accessories

Control components

Flow measuring


Tralle LOK

Enchufes de punzón ISO B

Quick coupling ISO B

Coupleurs rapides à clapet

Innesti a valvola ISO B




THREAD ROSCA	ISO SIZE TAMAÑO ISO	BG SIZE TAMAÑO BG	C. E.	Part nº Referencia	€
1/4" BSP	6,3	1	M	Z800104	41,00
3/8" BSP	10	2	M	Z800106	45,56
1/2" BSP	12,5	3	M	Z800108	52,99
3/4" BSP	20	4	M	Z800112	91,11
1" BSP	25	5	M	Z800116	141,73
1"1/4 BSP	40	7	M	Z800120	470,95
1"1/2 BSP	40	7	M	Z800124	476,49
2" BSP	50	8	M	Z800132	*
1/4" BSP	6,3	1	F	Z800204	91,11
3/8" BSP	10	2	F	Z800206	102,50
1/2" BSP	12,5	3	F	Z800208	134,67
3/4" BSP	20	4	F	Z800212	199,88
1" BSP	25	5	F	Z800216	272,59
1"1/4 BSP	40	7	F	Z800220	687,03
1"1/2 BSP	40	7	F	Z800224	687,03
2" BSP	50	8	F	Z800232	*

Enchufes de punzón ISO A

Quick coupling ISO A

Coupleurs rapides à clapet ISO A

Innesti a valvola ISO A




THREAD ROSCA	ISO SIZE TAMAÑO ISO	BG SIZE TAMAÑO BG	C. E.	Part nº Referencia	€
3/8" BSP	10	2	M	Z820106	45,99
1/2" BSP	12,5	3	M	Z820108	53,58
3/4" BSP	20	4	M	Z820112	86,43
1" BSP	25	5	M	Z820116	144,05
1"1/4 BSP	31,5	6	M	Z820120	343,51
1"1/2 BSP	40	7	M	Z820124	476,49
2" BSP	50	8	M	Z820132	*
3/8" BSP	10	2	F	Z820206	126,48
1/2" BSP	12,5	3	F	Z820208	115,24
3/4" BSP	20	4	F	Z820212	178,63
1" BSP	25	5	F	Z820216	257,64
1"1/4 BSP	31,5	6	F	Z820220	681,49
1"1/2 BSP	40	7	F	Z820224	858,78
2" BSP	50	8	F	Z820232	*

Enchufes autoroscantes

Quick screw couplings

Coupleur rapide à visser filetage

Innesti rapidi a vite




THREAD ROSCA	ISO SIZE TAMAÑO ISO	BG SIZE TAMAÑO BG	C. E.	Part nº Referencia	€
1/4" BSP	6,3	1	M	Z800804	174,25
3/8" BSP	10	2	M	Z800806	114,69
1/2" BSP	12,5	3	M	Z800808	138,51
3/4" BSP	20	4	M	Z800812	228,82
1" BSP	25	5	M	Z800816	299,19
1"1/4 BSP	40	7	M	Z800820	*
1"1/2 BSP	40	7	M	Z800824	*
1/4" BSP	6,3	1	F	Z800904	*
3/8" BSP	10	2	F	Z800906	99,73
1/2" BSP	12,5	3	F	Z800908	121,89
3/4" BSP	20	4	F	Z800912	193,92
1" BSP	25	5	F	Z800916	259,30
1"1/4 BSP	40	7	F	Z800920	779,00
1"1/2 BSP	40	7	F	Z800924	779,00

Enchufes paso total ISO B

Quick coupling free flow ISO B

Coupleurs rapides passage total ISO B

Innesti a passaggio libero



THREAD ROSCA	ISO SIZE TAMAÑO ISO	BG SIZE TAMAÑO BG	C. E.	Part nº Referencia	€
1/8" BSP	5	0	M	Z830102	29,43
1/4" BSP	6,3	1	M	Z830104	30,29
3/8" BSP	10	2	M	Z830106	32,95
1/2" BSP	12,5	3	M	Z830108	36,36
3/4" BSP	20	4	M	Z830112	63,95
1" BSP	25	5	M	Z830116	89,30
1"1/4 BSP	40	7	M	Z830120	217,66
1"1/2 BSP	40	7	M	Z830124	217,66
2" BSP	50	8	M	Z830132	*
1/8" BSP	5	0	F	Z830202	81,50
1/4" BSP	6,3	1	F	Z830204	82,82
3/8" BSP	10	2	F	Z830206	99,91
1/2" BSP	12,5	3	F	Z830208	115,46
3/4" BSP	20	4	F	Z830212	163,61
1" BSP	25	5	F	Z830216	253,11
1"1/4 BSP	40	7	F	Z830220	425,17
1"1/2 BSP	40	7	F	Z830224	425,17
2" BSP	50	8	F	Z830232	*

Enchufes rápidos AISI 316


Quick couplings AISI 316
Coupleurs rapides AISI 316
Innesti rapidi AISI 316

Enchufes de válvula plana ISO16028

Flat face quick coupling ISO16028

Coupleurs à clapet face plane ISO16028

Innesti a faccia piana ISO16028




THREAD ROSCA	ISO SIZE TAMAÑO ISO	BG SIZE TAMAÑO BG	C. E.	Part nº Referencia	€
1/4" BSP	6,3	1	M	Z900104	154,73
3/8" BSP	10	2	M	Z900106	191,00
1/2" BSP	12,5	3	M	Z900108	219,20
3/4" BSP	16	4	M	Z900112	299,93
1" BSP	19	5	M	Z900116	323,75
1"1/4 BSP	25	5	M	Z900120	293,26
1"1/2 BSP	40	7	M	Z900124	637,78
2" BSP	50	8	M	Z900132	*
1/4" BSP	6,3	1	F	Z900204	238,99
3/8" BSP	10	2	F	Z900206	285,50
1/2" BSP	12,5	3	F	Z900208	333,23
3/4" BSP	20	4	F	Z900212	445,49
1" BSP	25	5	F	Z900216	491,18
1"1/4 BSP	25	5	F	Z900220	740,28
1"1/2 BSP	40	7	F	Z900224	*
2" BSP	50	8	F	Z900232	*

Enchufes de bola 700 bar acoplamiento en presión

Quick coupling ball type 700 bar connection u/pressure

Coupleurs rapides à bille 700 bar connexion sous pression

Innesti rapido a sfera 700 bar, connessione in pressione




THREAD ROSCA	ISO SIZE TAMAÑO ISO	BG SIZE TAMAÑO BG	C. E.	Part nº Referencia	€
3/8" NPT	10	2	M	Z711106	86,99
3/8" NPT	10	2	F	Z711206	118,90

Válvula plana autoroscante acoplamiento en presión

Flat face screw couplings, connection u/pressure

Coupleurs face plane à visser, connexion sous pression

Vite valvola piana, connessione in pressione



THREAD ROSCA	ISO SIZE TAMAÑO ISO	BG SIZE TAMAÑO BG	C. E.	Part nº Referencia	€
3/8" BSP	M30x2	10	2	M Z905106	234,92
1/2" BSP	M36x2	12.5	3	M Z905108	289,22
3/4" BSP	M36x2	16	4A	M Z905112	287,00
1" BSP	M43x3	19	4	M Z905116	426,62
1"1/4 BSP	M48x3	25	5	M Z905120	653,78
1"1/2 BSP	M80x4	40	7	M Z905124	*
3/8" BSP	M30X2	10	2	F Z905206	199,46
1/2" BSP	M36X2	12.5	3	F Z905208	283,68
3/4" BSP	M36X2	16	4A	F Z905212	261,51
1" BSP	M43X3	19	4	F Z905216	387,84
1"1/4 BSP	M48X3	25	5	F Z905220	559,59
1"1/2 BSP	M80X4	40	7	F Z905224	*

FLUIDAL

Crimping fittings for hoses

Pipe fittings

Pipe fittings II

Adaptors

Welding fittings

Industrial fittings

Accessories

Control components

Flow measuring

Tr/Mc LOK

Enchufes rápidos AISI 316 TrΔle

Quick couplings AISI 316 TrΔle

Coupleurs rapides AISI 316 TrΔle

Innesti rapidi AISI 316 TrΔle

Crimping fittings for hoses

Pipe fittings

Pipe fittings II

Adaptors

Welding fittings

Industrial fittings

Accessories

Control components

Flow measuring


TrΔle LOK

Enchufes ISO A TrΔle

Quick couplings ISO A TrΔle

Coupleurs ISO A TrΔle

Innesti rapidi ISO A TrΔle




THREAD ROSCA	ISO SIZE TAMAÑO ISO	BG SIZE TAMAÑO BG	C. E.	Part nº Referencia	€
1/4" BSP	6.3	1	M	ZB820104	16,26
3/8" BSP	10	2	M	ZB820106	24,94
1/2" BSP	12.5	3	M	ZB820108	42,01
3/4" BSP	20	4	M	ZB820112	76,36
1" BSP	25	5	M	ZB820116	106,07
1/4" BSP	6.3	1	F	ZB820204	39,51
3/8" BSP	10	2	F	ZB820206	59,70
1/2" BSP	12.5	3	F	ZB820208	99,77
3/4" BSP	20	4	F	ZB820212	178,74
1" BSP	25	5	F	ZB820216	249,38

Enchufes Paso Total TrΔle

Quick couplings free flow TrΔle ISOB

Coupleurs passage total TrΔle ISOB

Innesti a passaggio libero TrΔle ISOB




THREAD ROSCA	ISO SIZE TAMAÑO ISO	BG SIZE TAMAÑO BG	C. E.	Part nº Referencia	€
1/4" BSP	6.3	1	M	ZB830104	24,60
3/8" BSP	10	2	M	ZB830106	28,19
1/2" BSP	12.5	3	M	ZB830108	35,21
3/4" BSP	20	4	M	ZB830112	54,84
1" BSP	25	5	M	ZB830116	97,38
1/4" BSP	6.3	1	F	ZB830204	67,09
3/8" BSP	10	2	F	ZB830206	79,28
1/2" BSP	12.5	3	F	ZB830208	94,53
3/4" BSP	20	4	F	ZB830212	125,92
1" BSP	25	5	F	ZB830216	279,31

Enchufes ISO B TrΔle

Quick couplings ISO B TrΔle

Coupleurs ISO B TrΔle

Innesti rapidi ISO B TrΔle




THREAD ROSCA	ISO SIZE TAMAÑO ISO	BG SIZE TAMAÑO BG	C. E.	Part nº Referencia	€
1/4" BSP	6.3	1	M	ZB800104	15,19
3/8" BSP	10	2	M	ZB800106	24,05
1/2" BSP	12.5	3	M	ZB800108	40,50
3/4" BSP	20	4	M	ZB800112	73,67
1" BSP	25	5	M	ZB800116	102,27
1/4" BSP	6.3	1	F	ZB800204	36,81
3/8" BSP	10	2	F	ZB800206	57,57
1/2" BSP	12.5	3	F	ZB800208	96,20
3/4" BSP	20	4	F	ZB800212	172,39
1" BSP	25	5	F	ZB800216	240,49

Enchufes ISO A NPT TrΔle

Quick couplings ISO A NPT TrΔle

Coupleurs ISO A NPT TrΔle

Innesti rapidi ISO A NPT TrΔle



THREAD ROSCA	ISO SIZE TAMAÑO ISO	BG SIZE TAMAÑO BG	C. E.	Part nº Referencia	€
1/4" NPT	6.3	1	M	ZB801104	16,00
3/8" NPT	10	2	M	ZB801106	25,41
1/2" NPT	12.5	3	M	ZB801108	42,80
3/4" NPT	20	4	M	ZB801112	77,80
1" NPT	25	5	M	ZB801116	108,07
1/4" NPT	6.3	1	F	ZB801204	38,87
3/8" NPT	10	2	F	ZB801206	60,82
1/2" NPT	12.5	3	F	ZB801208	101,66
3/4" NPT	20	4	F	ZB801212	182,12
1" NPT	25	5	F	ZB801216	254,09